August 1975 Number 372-Part I

Solar-Geophysical Data prompt reports

Data for July 1975–June 1975

Explanation of Data Reports Issued as Number 366 (Supplement) February 1975

noaa NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION / ENVIRONMENTAL DATA SERVICE / ASHEVILLE, N.C.

U.S. DEPARTMENT OF COMMERCE
Rogers C. B. Morton, Secretary
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
Robert M. White. Administrator
ENVIRONMENTAL DATA SERVICE
Thomas S. Austin, Director

Solar - Geophysical Data

NO. 372 AUGUST 1975

Part I (Prompt Reports)

DATA FOR
JULY 1975
JUNE 1975

NATIONAL GEOPHYSICAL AND SOLAR - TERRESTRIAL DATA CENTER
BOULDER, COLORADO

For obtaining bulletins on a data exchange basis, send request to: World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, Colorado 80302.

For sale through the National Climatic Center, Federal Building, Asheville, NC 28801, Attn: Publications. Subscription Price: $34.00 annually for both Part I (Prompt Reports) and Part II (Comprehensive Reports) or $18.00 annually for either part. Annual supplement containing explanation is included. For foreign mailing add $23.00 for both parts or $11.50 for either part. Single issue price $1.40 for either part and $1.30 for this extra issue. Make checks and money orders payable to: Department of Commerce, NOAA.

To standardize referencing these reports in the open literature, the following format is recommended:

Solar-Geophysical Data, 366 Part I (or Part II), pages, February 1975, U.S. Department of Commerce, (Boulder, Colorado, U.S.A. 80302)

SOLAR - GEOPHYSICAL DATA

No. 372

Issued in two parts

Hope I. Leighton, Editor

J. Virginia Lincoln, Director
Solar - Terrestrial Data Services Division

CONTENTS

Part I (Prompt Reports)

	Page
Index for 1974 and 1975	2
Data for July 1975	3-24
Data for June 1975	25-112

Part II (Comprehensive Reports)

Index for 1974 and 1975	2
Data for February 1975	3-8
Data for January 1975	9-20
Miscellaneous Data	
X-ray - OSO-5 -- March and April 1975	21-24
Equatorial Indices Dst - May 1975	24

INDEX FOR 1974 - 1975 DATA PUBLISHED IN "SOLAR-GEOPHYSICAL DATA"

		1974 Aug	Sep	Oct	Nov	Dec	1975 Jan	Feb	Mar	Apr	May	Jun	Jul
A.	Solar and Interplanetary Phenomena												
A.1	Sunspot Drawings	362A 32	363A 28	364A 32	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28	
A.2a	Zürich Provisional Relative Sunspot Numbers R_Z	361A 7	362A 7	363A 7	364A 7	265A 7	366A 7	367A 7	368A 7	369A 7	370A 7	371A 7	372A 7
A.2b	Zürich Final Sunspot Numbers R_Z	367A 6	367A 6	367A 6	367A 6	367A 6							
A.2c	American Relative Sunspot Numbers R_A'	361A 7	362A 7	363A 7	364A 7	365A 7	366A 7	367A 7	368A 7	369A 7	370A 7	371A 7	372A 7
A.3a	Mt. Wilson Magnetograms	362A 32	363A 28	364A 32	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28	
A.3b	Mt. Wilson Magnetic Characteristics of Sunspots	362A 94	363A 88	364A 94	365A 86	366A 86	367A 86	368A 82	369A 88	370A 84	371A 86	372A 88	
A.3c	Kitt Peak Magnetograms	362A 32	363A 28	364A 32	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28	
A.4	Hα Spectroheliograms	362A 32	363A 28	364A 32	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28	
A.5	Calcium Plage Drawings - McMath (or Catania)	362A 32	363A 28	364A 32	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28	
A.5a	Calcium Plage (McMath) and Sunspot Regions	362A 94	363A 88	364A 94	365A 86	366A 86	367A 86	368A 82	369A 88	370A 84	371A 86	372A 88	
A.5b	McMath Daily Calcium Plage Index	362A102	363A 97	364A101	365A 92	366A 92	367A 93	368A 89	369A 93	370A 91	371A 92	372A 93	
A.6	Hα Synoptic Charts	362A 31	363A 27	364A 31	365A 24	366A 23	367A 23	368A 25	369A 25	370A 23	371A 23	372A 27	
A.7b	Coronal Line Emission	362A 32	363A 28	364A 32	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28	
A.8aa	2800 MHz - Daily Values of Solar Flux (ARO-Ottawa)	361A 7	362A 7	363A 7	364A 7	365A 7	366A 7	367A 7	368A 7	369A 7	370A 7	371A 7	372A 7
A.8ac	2800 MHz - Daily Values of Adj. Solar Flux (ARO-Ottawa)	361A 7	362A 7	363A 7	364A 7	365A 7	366A 7	367A 7	368A 7	369A 7	370A 7	371A 7	372A 7
A.8g	Daily Values of Adjusted Solar Flux (AFCRL)	361A 7	362A 7	363A 7	364A 7	365A 7	366A 7	367A 7	368A 7	369A 7	370A 7	371A 7	372A 7
A.9cb	8.6 mm Radio Maps of the Sun (NELC - La Posta)	---	---	---	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28	
A.9d	2 cm Radio Maps of the Sun (NELC - La Posta)	362A 32	363A 28	364A 32	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28	
A.10a	169 MHz - Interferometric Observations (Nançay)	361A 13	362A 14	364A110	364A 13	365A 12	366A 12	367A 12	369A101	369A 12	370A 12	371A 12	372A 15
A.10c	21 cm East-West Solar Scans (Fleurs)	361A 15	362A 16	363A 15	364A 15	365A 14	366A 14	367A 14	368A 14	369A 14	371A100	371A 14	372A 17
A.10d	43 cm East-West Solar Scans (Fleurs)	361A 16	362A 17	363A 16	364A 16	365A 15	366A 15	367A 15	368A 15	369A 15	371A101	371A 15	372A 18
A.10e	10.7 cm East-West Solar Scans (Ottawa-ARO)	361A 14	362A 15	363A 14	364A 14	365A 13	366A 13	367A 13	368A 13	369A 13	370A 13	371A 13	372A 16
A.11e	Solar X-ray Spectroheliograms (OSO-5; 1969-6A)	362A 32	363A 28	364A 32	365A 26	367B 55	368B 58	369B 36	369A 26	371B 24	371A 24		
A.11g	Solar X-ray (SMS-1 GOES)	---	---	---	364A 21	365A 18	366A 18	367A 18	368A 18	369A 20	370A 18		
A.12ba	Cosmic Ray Protons (Pioneers 6 & 7)	361A 18	---	---	---	365A 17	---	---	---	369A 18	370A 16	371A 18	---
A.12bb	Cosmic Ray Protons (Pioneers 8 & 9)	361A 19	362A 22	---	364A 19	---	---	---	---	369A 19	370A 17	371A 19	---
A.12d	Solar Protons (NOAA 2, 3 & 4) Graphs	361A 20	362A 23	363A 22	364A 24	---	---	---	---	---	---	---	---
A.13a	Solar Wind (Pioneers 6 & 7)	361A 18	---	---	---	365A 17	---	---	---	369A 18	370A 16	371A 18	---
A.13d	Solar Wind from IPS Measurements	---	---	---	---	---	366A 17	367A 17	368A 17	369A 17	370A 15	371A 17	372A 21
A.17	Interplanetary Magnetic Field (Pioneer 8)	361A 19	362A 22	---	---	---	---	---	---	369A 19	370A 17	371A 19	---
A.17	Interplanetary Magnetic Field (Pioneer 9)	361A 19	---	363A 21	364A 19	---	---	---	---	369A 19	---	371A 19	372A 22
A.17c	Inferred IP Magnetic Field	361A 23	362A 26	363A 24	364A 27	365A 21	366A 20	367A 20	368A 21	369A 22	370A 20	371A 20	372A 24
A.18	Interplanetary Electric Field (Pioneer 8)	361A 19	362A 22	---	---	---	---	---	---	369A 19	370A 17	371A 19	---
A.18	Interplanetary Electric Field (Pioneer 9)	361A 19	---	363A 21	364A 19	---	---	---	---	369A 19	---	371A 19	372A 24
B.	Ionospheric (and Radio Wave Propagation) Phenomena												
B.51ca	High Latitude Quality Figures and Forecasts	362A119	363A123	364A119	365A109	366A111	367A111	368A103	369109	370A105	371A108	372A109	
B.52	Graphs of Transmission Frequency Range	362A120	363A124	364A120	365A110	366A112	367A112	368A104	369A110	370A106	371A109	372A110	
B.53	Quality Figures Based on Frequency Ranges	362A122	363A126	364A122	365A112	366A114	367A114	368A106	369A112	370A108	371A111	372A112	
C.	Flare-Associated Events												
C.1a	Optical Observations Flares	361A 10	362A 10	363A 10	364A 10	365A 10	366A 10	367A 10	368A 10	369A 10	370A 10	371A 10	372A 10
C.1ba	Optical Observations Flares (Standardized Data)	366B 4	367B 4	368B 4	369B 4	370B 4	371B 4	372B 4					
C.1d	Flare Patrol Observations	361A 12	362A 13	363A 13	364A 12	365A 11	366A 11	367A 11	368A 11	369A 11	370A 11	371A 11	372A 14
C.1d	Flare Patrol Observations	366B 14	367B 20	368B 24	369B 14	370B 11	371B 6	372B 6					
C.1e	Flare Indices (by day)	366B 13	367B 18	368B 20	369B 11	370B 8	371B 5	372B 5					
C.1f	Flare Indices (by Region)	367B 52	368B 56	369B 34	370B 26	371B 22	372B 20						
C.3	Solar Radio Waves - Outstanding Occurrences	366B 15	367B 21	368B 25	369B 15	370B 12	371B 7	372B 7					
	Solar Radio Waves - Fixed Frequencies - Selected	361A 17	362A 18	363A 17	364A 17	365A 16	366A 16	367A 16	368A 16	369A 16	370A 14	371A 16	372A 19
C.3t	43.25, 80 and 160 MHz Selected Bursts (Culgoora)	362A111	363A115	365B106	365A101	366A100	367A103	368A 95	369A100	370A 97	371A 99	372A101	
C.4a	Solar Radio Spectral Obs. (Fort Davis)	362A104	363A101	364A104	365A 94	366A 94	367A 96	368A 91	369A 95	370A 93	371A 94	372A 95	
C.4b	Solar Radio Spectral Obs. (Boulder)	362A104	363A101	364A104	365A 94	366A 94	367A 96	368A 91	369A 95	370A 93	371A 94	372A 95	
C.4d	Solar Radio Spectral Obs. (Culgoora)	362A104	363A101	365B103	365A 94	366A 94	367A 96	368A 91	369A 95	370A 93	371A 94	372A 95	
C.4e	Solar Radio Spectral Obs. (Weissenau)	362A104	363A101	364A104	365A 94	366A 94	367A 96	368A 91	369A 95	370A 93	371A 94	372A 95	
C.4f	Solar Radio Spectral Obs. (Sagamore Hill)	362A104	363A101	364A104	365A 94	366A 94	367A 96	368A 91	369A 95	370A 93	371A 94	372A 95	
C.4h	Solar Radio Spectral Obs. (Dwingeloo)	362A104			365A 94	366A 94	367A 96	368A 91	369A 95	---	---	372A 95	
C.4i	Solar Radio Spectral Obs. (Dürnten)	362A104	363A101	364A104	365A 94	366A 94	367A 96	368A 91	369A 95	370A 93	371A 94	372A 95	
C.4j	Solar Radio Spectral Obs. (Manila)	362A104	363A101	364A104	365A 94	366A 94	367A 96	368A 91	369A 95	370A 93	371A 94	372A 95	
C.5e	Solar X-ray (SMS-1 GOES)				364A 23	365A 20	366A 18	367A 18	368A 18	369A 20	370A 18	---	372A 23
C.6	Sudden Ionospheric Disturbances	362A103	363A 99	364A102	365A 93	366A 93	367A 95	368A 90	369A 94	370A 92	371A 93	372A 94	
D.	Geomagnetic and Magnetospheric Phenomena												
D.1a	Geomagnetic Indices C1, Cp, Kp, Ap, aa - Selected Days	362A114	363A118	364A113	365A104	366A103	367A106	368A 98	369A104	370A100	371A104	372A104	
D.1ba	27-Day Chart of Kp Indices	362A115	363A119	364A114	365A105	366A105	367A107	368A 99	369A105	370A101	371A105	372A105	
D.1c	27-Day Chart of C9	366A107	366A107	366A107	366A107	366A107							
D.1d	Principal Magnetic Storms	362A117	363A121	364A116	365A107	366A109	367A109	368A101	369A107	370A103	371A106	372A107	
D.1e	Reduced Magnetograms	---	367B 40	368B 44	---	---	---	---	---				
D.1f	Sudden Commencement and Solar Flare Effects	362A118	363A122	364A118	365A108	366A110	367A110	368A102	369A108	370A104	371A107	372A108	
D.1g	Equatorial Indices Dst	362A116	363A120	364A115	365A106	366A108	367A108	368A100	369A106	370A102	372B 24	372A106	
F.	Cosmic Rays												
F.1a	Cosmic Ray Neutron Counts (Deep River)	362A112	364B 42	364A111	365A102	366A101	367A104	368A 96	369A102	370A 98	371A102	372A102	
F.1b	Cosmic Ray Neutron Counts (Climax)					366A101	367A104	368A 96	369A102	370A 98	371A102	372A102	
F.1e	Cosmic Ray Neutron Counts (Alert)	362A112	364B 42	364A111	365A102	366A101	367A104	368A 96	369A102	370A 98	371A102	372A102	
F.1f	Cosmic Ray Neutron Counts (Calgary)	362A112	363A116	364A111	366B 32	366A101	367A104	368A 96	369A102	370A 98	371A102	372A102	
F.1g	Cosmic Ray Neutron Counts (Sulphur Mountain)	362A112	363A116	364A111	366B 32	366A101	367A104	368A 96	369A102	370A 98	371A102	372A102	
F.1h	Cosmic Ray Neutron Counts (Thule)	363B 47	363A116	364A111	365A102	366A101	367A104	368A 96	369A102	370A 98	371A102	372A102	
F.1i	Cosmic Ray Neutron Counts (Kiel)	362A112	363A116	364A111	365A102	366A101	367A104	368A 96	370A102	370A 98	371A102	372A102	
F.1j	Cosmic Ray Neutron Counts (Tokyo)	362A112	363A116	364A111	365A102	366A101	367A104	368A 96	369A102	370A 98	371A102	372A102	
H.	Miscellaneous												
H.60	IUWDS Alert Decisions	361A 4	362A 4	363A 4	364A 4	365A 4	366A 4	367A 5	368A 4	369A 5	370A 5	371A 5	372A 4
H.62	Abbreviated Calendar Record	367B 44	368B 48	369B 25	370B 17	371B 13	372B 11						

Note: A = Part I, B = Part II.

362A 32 listed under Aug shows that data for August 1974 were contained in *Solar-Geophysical Data* Number 362 - Part I beginning on page 32.

JULY 1975 DATA

Contents

	Page
Alert Period	
IUWDS Alert Periods (Advance and Worldwide)	4-5
Daily Solar Indices	
12-Month Tables Sunspot Numbers, R_Z, and 2800 MHz Flux Adjusted to 1 A.U.	6
Combined Table Sunspot Numbers and Solar Fluxes	7
Graph of Sunspot Cycles	8
Zürich Smoothed Observed and Predicted Sunspot Numbers	9
Solar Flares	
Flares	10-13
No-Flare-Patrol Chart	14
Solar Radio Waves	
169 MHz Solar Interferometric Chart - Nançay	15
10.7 cm East-West Solar Scans - ARO, Ottawa	16
21 cm East-West Solar Scans - Fleurs	17
43 cm East-West Solar Scans - Fleurs	18
Selected Fixed-Frequency Occurrences	19-20
Solar Wind Measurements	
Scintillation Observations	21
Spacecraft Observations	
Pioneer IX	22
Solar X-ray Radiation	
SMS-1 GOES	23
Inferred IP Magnetic Field Polarities	24

ALERT PERIODS

INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE

JULY 1975

PRESTO MESSAGES (THE RAPID REPORT OF MAJOR EVENTS)

Boulder 30/0450Z (June) Magstorm begins 29/1500Z, Gradual Beginning. Weak Magstorm in progress 30/0450Z.
Boulder 08/0430Z Magstorm begins 08/0000Z.

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of observation	Wolf number	10 cm solar flux	A index	Active Regions				Outstanding events	Forecasts			Alert Situations
						Location Lat-Long	No. of Flares Total	M	X		Date	Location Lat-Long	Desc*	
182	01	30	30	76	21	N06W03	2	0	0		01	N06W03	Q	SOLQUIET MAGALERT 01/01 MINOR
183	02	01	26	76	13	N06W14	1	0	0		02	N06W14	Q	SOLQUIET MAGNIL
184	03	02	22	74	07	N06W26	1	0	0	1N(C3)	03	N06W26	Q	SOLQUIET MAGQUIET
185	04	03	26	75	08	N06W42	0	0	0		04	N06W42	Q	SOLQUIET MAGQUIET
186	05	04	26	74	09	N07W60	1	0	0		05	N07W60	Q	SOLQUIET MAGQUIET
187	06	05	31	74	06	N07W74	1	0	0		06	N07W74	Q	SOLQUIET MAGQUIET
						N05E61	0	0	0			N05E61	Q	
188	07	06	55	74	03	N07W85	0	0	0		07	N07W85	Q	SOLQUIET MAGQUIET
						N05E40	0	0	0			N05E40	Q	
						S08E19	0	0	0			S08E19	Q	
189	08	07	37	72	12	N05E25	0	0	0		08	N05E25	Q	SOLQUIET MAGALERT 08/12
						S08E04	0	0	0			S08E04	Q	
190	09	08	44	72	24	N05E12	0	0	0		09	N05E12	Q	SOLQUIET MAGALERT 09/12
						S06W11	0	0	0			S06W11	Q	
191	10	09	20	71	26	N04W00	2	0	0		10	N04W00	Q	SOLQUIET MAGALERT INTERMITTENT 10/13
192	11	10	57	71	11	N06W16	2	0	0		11	N06W16	Q	SOLQUIET MAGALERT INTERMITTENT 10/13
						S13E70	0	0	0			S13E70	Q	
193	12	11	44	75	17	N06W28	0	0	0		12	N06W28	Q	SOLQUIET MAGALERT 12/13
						S12E55	2	0	0			S12E55	Q	
194	13	12	57	80	06	N06W41	0	0	0		13	N06W41	Q	SOLQUIET MAGALERT 13
						S12E42	0	0	0			S12E42		
195	14	13	62	88	08	N06W54	3	0	0		14	N06W54	E	SOLQUIET MAGQUIET
196	15	14	75	86	13	N05W73	2	0	0		15	N05W73	E	SOLQUIET MAGQUIET
						S11E16	0	0	0			S11E16	Q	
						S05E68	0	0	0			S05E68	Q	
						S08E73	0	0	0			S08E73	Q	
197	16	15	63	84	14	N06W85	1	0	0		16	N06W85	E	SOLQUIET MAGQUIET
						S10E02	0	0	0			S10E02	Q	
						S07E51	0	0	0			S07E51	Q	
						S10E60	0	0	0			S10E60	Q	
198	17	16	40	80	16	S10W12	0	0	0		17	S10W12	Q	SOLQUIET MAGQUIET
						S08E35	2	0	0			S08E35	E	
						S12W42	0	0	0			S12W42	Q	
199	18	17	52	79	14	S09W24	0	0	0		18	S09W24	Q	SOLQUIET MAGQUIET
						S06E29	3	0	0			S06E29	E	
						S09E22	1	0	0			S09E22	Q	
						S12E24	0	0	0			S12E24	Q	
200	19	18	65	80	12	S08W36	0	0	0	None	19	S08W36	Q	SOLQUIET MAGQUIET
						S03W21	0	0	0			S03W21	Q	
						S06E08	1	0	0			S06E08	E	
						S10E10	0	0	0			S10E10	Q	
						S08E13	1	0	0			S08E13	Q	
201	20	19	69	79	12	S10W49	0	0	0	None	20	S10W49	Q	SOLQUIET MAGQUIET
						S06W03	0	0	0			S06W03	E	
						S09E04	0	0	0			S09E04	Q	
						S10W02	0	0	0			S10W02	Q	
						S03W35	0	0	0			S03W35	Q	
202	21	20	68	81	09	S09W63	0	0	0		21	S09W63	Q	SOLQUIET MAGQUIET
						S05W16	1	0	0			S05W16	Q	
						S10W12	0	0	0			S10W12	Q	
						S03W51	0	0	0			S03W51		
						S10W15	1	0	0			S10W15	Q	

ALERT PERIODS

INTERNATIONAL URSIGRAM
AND WORLD DAYS SERVICE

JULY 1975

SUMMARY OF THE GEOALERT WWA MESSAGES

Message serial number	Date of issue	Date of observation	Wolf number	10 cm solar flux	A index	Active Regions: Location Lat-Long	No. of Flares: Total	M	X	Outstanding events	Forecasts: Date	Location Lat-Long	Desc*	Alert Situations
203	22	21	87	81	07	S06W29	0	0	0		22	S06W29	Q	SOLQUIET MAGQUIET
						S07W22	0	0	0			S07W22	Q	
						S08W28	0	0	0			S08W28	Q	
						S09W76	0	0	0			S09W76	Q	
						N06E74	0	0	0			N06E74	Q	
204	23	22	51	80	07	S04W41	0	0	0		23	S04W41	Q	SOLQUIET MAGQUIET
						S07W34	0	0	0			S07W34	Q	
						S08W42	0	0	0			S08W42	Q	
						N07E63	0	0	0			N07E63	Q	
205	24	23	44	80	07	S04W56	0	0	0		24	S04W56	Q	SOLQUIET MAGQUIET
						N07E46	0	0	0			N07E46	Q	
						N10E28	1	0	0			N10E28	Q	
206	25	24	52	77	08	S04W70	0	0	0		25	S04W70	Q	SOLQUIET MAGALERT RECURRENCE 26/28
						N07E32	1	0	0			N07E32	Q	
						N09E16	0	0	0			N06E16	Q	
207	26	25	58	77	30	S05W86	1	0	0	MINOR GEOMAGNETIC	26	S05W86	Q	SOLQUIET MAGALERT 26/27
						N06E17	0	0	0	STORM STARTED		N06E17	Q	
						N07E01	3	0	0	25/08XXZ		N07E01	Q	
208	27	26	61	78	18	N07E03	0	0	0	MINOR GEOMAGNETIC	27	N07E03	Q	SOLQUIET MAGALERT 27
						N08W12	1	0	0	STORM CONTINUES		N08W12	E	
209	28	27	56	76	13	N06W08	0	0	0		28	N06W08	Q	SOLQUIET MAGNIL
						N08W24	2	0	0			N08W24	E	
						N09E06	0	0	0			N09E06	Q	
210	29	28	39	74	12	N07W21	1	0	0		29	N07W21	E	SOLQUIET MAGQUIET
						N08W39	3	0	0			N08W39	E	
211	30	29	27	73	05	N08W31	0	0	0		30	N08W31	Q	SOLQUIET MAGQUIET
						N09W51	1	0	0			N09W51	Q	
212	31	30	43	77	06	N08W47	0	0	0		31	N08W47	Q	SOLQUIET MAGQUIET
						N09W69	1	0	0			N09W69	Q	
						N03E73	0	0	0			N03E73	E	
213	01	31	70	82	04	N07W64	0	0	0		01	N07W64	Q	SOLQUIET MAGQUIET
						N08W86	4	0	0			N08W86	Q	
						N03E59	0	0	0			N03E59	Q	
						N05E58	6	0	0			N05E58	E	

* Q=Quiet E=Eruptive A=Active P=Proton C=Caution D=Doubtful O.G.=Other Groups

RELATIVE SUNSPOT NUMBERS

ZURICH, R_z

	1974 FINAL					1975 PROVISIONAL						
DAY	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL
1	37	8	61	18	0	30	0	0	0	26	7	23
2	23	8	53	27	0	30	22	7	0	33	11	18
3	12	16	46	39	9	28	28	14	0	29	8	22
4	17	37	60	45	16	19	27	11	0	28	7	22
5	18	48	85	36	17	18	20	14	21	28	7	23
6	26	44	83	25	8	23	26	14	0	20	7	33
7	32	38	84	22	7	32	34	7	15	16	0	23
8	34	32	97	14	0	29	29	18	17	0	0	19
9	43	63	107	7	0	37	22	19	9	0	0	16
10	48	74	114	24	9	31	18	20	13	9	0	23
11	54	86	110	27	21	33	13	20	0	0	9	29
12	67	88	92	24	31	31	18	15	0	0	0	33
13	69	74	76	16	34	32	9	15	0	0	0	49
14	66	67	63	8	33	11	8	17	0	7	0	44
15	59	64	48	16	35	20	6	18	0	7	8	43
16	57	68	41	20	40	17	8	30	0	8	19	39
17	52	71	28	20	36	16	0	30	0	0	17	23
18	44	66	16	18	34	20	3	24	0	8	12	29
19	43	51	9	34	43	20	0	20	0	0	16	36
20	32	31	11	48	40	18	7	16	0	0	0	26
21	28	13	12	48	48	16	8	9	0	0	7	30
22	34	0	9	44	37	16	0	0	0	8	8	27
23	34	7	7	44	28	15	0	0	7	8	12	19
24	28	11	7	37	26	7	12	0	8	7	20	30
25	25	11	8	29	9	7	9	0	7	0	24	33
26	8	13	16	25	8	7	0	13	7	0	33	30
27	8	19	30	23	8	0	0	7	26	7	38	29
28	8	23	27	13	20	7	0	0	19	13	36	26
29	14	38	22	7	16	7		0	16	0	23	20
30	8	58	22	7	19	7		7	20	0	22	27
31	15		16		13	0		8		8		34
MEAN	33.6	40.2	47.1	25.0	20.5	18.7	11.6	12.0	6.2	8.7	11.4	28.3

1974 yearly mean = 34.5

DAILY SOLAR SOLAR FLUX AT 2800 MHz
OTTAWA ARO

FLUX ADJUSTED TO 1 A.U., S_a

DAY	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL
1	85.1	77.8	93.1	90.2	79.7	78.1	70.8	71.7	70.2	76.3	71.4	78.7
2	85.2	79.4	94.6	92.0	76.7	75.8	72.3	72.4	71.2	81.1	73.0	76.8
3	83.0	79.2	93.4	96.2	76.7	77.1	74.3	73.4	72.2	79.6	70.8	77.1*
4	85.8	81.0	100.5	99.5	74.7	74.4	75.4	72.8	73.0	79.6	70.4	76.8
5	86.5	81.5	113.3*	97.6*	73.2	73.7	76.5	71.3	73.7	78.4	69.3	76.8
6	88.0	82.2	115.0	92.3	71.9	73.8	81.1	72.4	73.7	75.9	68.2	76.1
7	85.8	85.4	114.5*	85.6	71.1	75.7	79.4	71.9	74.3	73.6	68.1	74.1
8	89.4	93.4	125.2	82.0	69.6	77.7	78.8	72.5	73.6	71.9	67.5	74.0
9	87.5	96.8	128.4	78.9	69.6	79.9	77.1	73.8	73.4	70.6	67.7	73.3
10	86.3	102.0	129.3*	78.4	70.4	80.5	76.7	73.3	72.4	70.1	68.8	73.0
11	94.4	104.6	137.5*	77.3	76.2	81.2	74.8	73.0	72.3	69.8	68.1	77.6
12	99.4	105.6	144.1	79.1	77.9	82.4	74.9	74.2	70.8	69.6	68.4	82.7
13	95.2	106.8*	126.6	76.1	78.8	80.4	73.7	75.6*	70.7	69.1	67.9	88.5*
14	93.2	104.1	113.2*	77.7	78.2	77.7	72.0	75.0	69.7	68.7	68.5	89.0
15	92.1	103.6	103.7*	80.0	83.2	77.4	69.7	73.4	69.7	68.0	68.9	85.6
16	96.6	102.0*	94.9	82.5	86.3	76.5	71.4	75.0	69.2	68.5	71.4	83.6
17	98.8	100.3	83.8	84.6	86.3	74.7	69.3	75.3	69.6	68.3	70.2	81.2
18	95.1*	100.8	81.0	88.5	90.3	75.8	68.3	74.2	68.3	68.7	70.2	82.8
19	88.8	91.7	75.2	96.0	91.9	74.1	70.6	72.9	67.5	68.9	71.0	81.9
20	82.6	85.9*	75.5	95.6	87.3	73.8	69.5	71.9	68.0	68.6	72.5	83.3
21	81.2*	82.7	73.9	96.2	86.0	74.5	68.9	71.2	68.2	69.7	68.7	83.1
22	80.6	81.8	72.6	98.7	84.4*	73.6	68.3	69.3	67.8	70.8	69.9	82.7
23	81.0	74.6	74.0	98.1	83.0	72.7	68.3	67.5	68.7	70.6	72.9	82.0
24	77.4	72.8	74.7	95.9	80.1	71.0	68.6	67.4	69.3	70.6	75.9	79.3
25	75.7	72.8	76.9	94.5	78.9	70.3	69.4	67.5	71.6	70.2	77.7	79.8
26	73.8	75.4	80.7	92.2	75.8	70.5	68.8	69.6	72.1	69.0	79.8	80.0
27	72.7	77.0	80.0	90.8	74.3	70.1	69.4	67.3	74.4	70.5	81.5	78.5
28	71.8	80.7	81.6	86.6	73.7	70.7	68.6	67.8	74.8	70.6	80.7	76.5
29	72.4	80.7	81.6	83.8	74.1	70.4		69.0	73.2	70.0	79.4	75.5
30	74.2	81.5	82.7	82.0	74.5	70.5		69.0	73.4	70.0	78.8	78.9
31	75.6		86.7*		76.1	70.1		73.5		71.1		81.9*
MEAN	85.1	88.7	97.1	88.3	78.6	75.0	72.4	71.7	71.2	71.6	71.9	74.7

* adjusted for burst

DAILY SOLAR INDICES

JULY 1975

JUL 1975	YEAR DAY	BARTELS 27-DAY CYCLE NUMBER	SUNSPOT NUMBERS		OBSERVED FLUX	SOLAR FLUX ADJUSTED TO 1 A.U.								
			R_Z	$R_{A'}$	OTTAWA 2800	AFCRL 15400	AFCRL 8800	AFCRL 4995	OTTAWA 2800	AFCRL 2695	AFCRL 1415	AFCRL 606	AFCRL 410	AFCRL 245
1	182	21	23	20	76.1	514	274	121	73.7	74.3	51.0	38.4	22.7	10.4
2	183	22	18	14	74.3	515	271	119	73.8	72.6	49.0	36.1	23.1	8.2
3	184	23	22	14	74.6*	514	272	120	77.1*	72.6	49.0	34.7	21.4	7.4
4	185	24	22	13	74.3	520	275	120	73.8	72.4	45.8	35.4	21.2	7.2
5	186	25	23	19	74.3	517	274	118	73.8	71.4	46.3	35.1	22.9	8.2
6	187	26	33	36	73.6	515	271	118	73.1	73.2	46.6	34.8	21.3	7.9
7	188	27	23	24	71.7	518	270	116	74.1	70.3	46.3	34.1	20.9	7.5
8	189	1	19	20	71.6	516	271	117	74.0	69.8	44.8	34.4	20.1	7.4
9	190	2	16	17	70.9	518	266	114	73.3	68.5	44.6	33.6	21.6	7.7
10	191	3	23	24	70.6	521	266	114	73.0	68.5	44.0	34.5	18.4	7.1
11	192	4	29	31	75.0	521	270	118	77.6	72.5	46.4	34.4	21.9	8.8
12	193	5	33	34	80.1	521	271	123	82.7	77.8	50.3	34.2	19.1	7.2
13	194	6	49	40	85.7*	521	274	130	88.5*	83.1	51.0	33.5	22.6	8.1
14	195	7	44	46	86.2	518	280	130	89.0	83.6	53.4	34.9	24.3	10.0
15	196	8	43	44	82.9	525	276	128	85.6	81.1	52.5	34.7	22.3	8.2
16	197	9	39	37	80.9	514	273	125	83.5	78.0	49.6	34.7	21.2	7.3
17	198	10	23	27	78.6	518	273	122	81.2	75.9	49.0	35.2	21.3	7.0
18	199	11	29	36	80.2	518	271	121	82.8	77.6	49.0	34.6	20.9	6.8
19	200	12	36	37	79.3	512	269	120	81.9	76.3	51.1	35.3	21.7	7.2
20	201	13	26	31	80.6	516	274	120	83.3	76.3	53.4	37.5	21.2	9.0
21	202	14	30	32	80.5	520	279	122	83.1	79.1	52.1	37.2	22.6	8.1
22	203	15	27	24	80.1	522	277	122	82.7	78.2	51.1	36.3	22.1	7.7
23	204	16	19	23	79.5	523	278	122	82.0	77.6	51.5	37.6	23.2	8.4
24	205	17	30	30	76.8	516	271	120	79.3	74.8	51.6	35.9	21.8	7.8
25	206	18	33	33	77.3	514	271	120	79.8	75.2	53.1	36.0	22.5	8.0
26	207	19	30	29	77.5	512	271	119	80.0	75.8	49.1	37.3	23.0	9.3
27	208	20	29	28	76.1	511	275	120	79.5	75.4	48.8	37.8	26.1	11.5
28	209	21	26	26	74.2	513	277	120	76.5	72.3	46.9	37.1	24.2	15.1
29	210	22	20	22	73.2	510	277	116	75.5	71.1	45.5	36.7	21.7	8.6
30	211	23	27	34	76.5	512	277	121	78.9	73.5	46.0	34.8	21.2	11.7
31	212	24	34	38	79.5*	517	278	126	81.9*	78.4	47.7	36.9	21.9	9.2
MEAN			28.3	77.2	79.7	517	273	121	74.7	75.1	48.9	35.6	21.9	8.5

*adjusted for burst

7 Jul 75



PREDICTED AND OBSERVED SUNSPOT NUMBERS

8 Jul 75

SMOOTHED OBSERVED AND PREDICTED SUNSPOT NUMBERS
CYCLE 20

MONTH	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.	OCT.	NOV.	DEC.
1964										9.6	10.2	11.0
1965	11.7	12.0	12.5	13.6	14.6	15.0	15.5	16.4	17.4	19.7	22.3	24.5
1966	27.7	31.3	34.5	37.4	40.7	44.6	50.3	56.6	63.1	67.6	70.2	72.7
1967	75.0	78.8	82.2	84.6	87.4	91.3	94.1	95.3	95.3	95.0	97.1	100.6
1968	102.6	102.9	104.7	107.2	107.6	106.6	105.2	104.8	107.0	109.9	110.6	110.1
1969	110.0	109.6	108.0	106.4	106.2	106.1	105.8	106.4	105.4	104.1	104.6	104.9
1970	105.6	106.0	106.2	106.1	105.8	105.3	103.8	101.0	97.2	93.9	89.4	84.1
1971	80.4	77.8	74.4	70.9	68.1	66.7	65.4	64.6	65.8	66.2	66.8	69.4
1972	70.8	71.2	72.4	73.4	72.9	70.5	68.2	65.5	62.2	60.6	58.7	55.1
1973	50.9	46.5	44.2	42.7	40.7	39.1	37.5	36.1	34.4	32.6	31.8	31.5
1974	32.7	34.4	34.0	33.9	34.6	34.5	34.0	33.1	32.1	30.3	27.6	25.2
1975	23.9	22.5 (2.1	21.4 (3.1	20.3 (4.1	19.0 (6.1	18.2 (7.1	17.5 (9.1	(16.5) (--)	(15.6) (--)	(15.0) (--)	(14.3) (--)	(13.7) (--)
1976	(12.8) (--)											

For each month, the upper figure is the observed or predicted Zürich smoothed sunspot number. The lower figure in parenthesis is the corresponding absolute value of the 90% prediction interval, an indication of the uncertainty above and below the predicted number. Observed numbers are those with no prediction intervals. The observed smoothed sunspot numbers are based on final Zürich numbers through 1974.

The predicted sunspot numbers are derived from a regression analysis based on cycles 8 through 19. Tests indicate that earlier cycles are from a different statistical population. From July 1968 - February 1970 a regression analysis based on cycles 1 through 19 was used because it had not then been proven that two populations exist.

SOLAR FLARES

Partial listing including sub-flares.

JULY 1975

OBSERV-ATORY	OBSERVED UT				LOCATION					DURATION — MIN.	IMPORTANCE	OBS.		MEASUREMENTS			REMARKS
	DATE JUL	START	END	MAX. PHASE	APPROX. LAT.	APPROX. MER. DIST.	CENTRAL DISTANCE	MCMATH PLAGE REGION	CMP DAY			CONO.	TYPE	TIME — UT	MEAS. AREA MIL. of Disk	CORR. AREA Sq. Deg.	
ATHN	01	0745	0751	0747	N 8	W 8	.278		31.7	6	SF	4	V		16		DE H
ATHN	01	0745	0751	0747	N 8	W 8	.278		31.7	6	SF	4	C		16		DE H
CATA	02	0755	0835	0805	N09	W21	.435	13738	31.8	40	1F	3		0805	196	2.2	
ATHN	02	0800E	0814	0802	N 6	W18	.369		1.0	140	SN	4	C		32		F
BOUL	02	1621	1638	1627	N 6	W30	.534	13738	31.4	17	1N	2	C	1627	236	2.7	
RAMY	02	1622	1637	1627	N 6	W31	.548	13738	31.4	15	1N	4	C		243		H S
MCMA	02	1623	1635	1626	N06	W32	.561	13738	31.3	12	1B		C	1626	180	2.2	H
RAMY	02	1626	1640	1630	N 6	W31	.548	13738	31.4	14	1N	4	V		288		F H
BOUL	02	1814	1827	1820	N 6	W31	.548		31.4	13	SF	2	C	1820	21	.3	
CATA	03	0835E	0900D	0845	N04	W28	.496		1.3	250	SF	3		0845	168	2.0	
RAMY	03	1610	1622	1615	N 5	W45	.723		31.3	12	SF	4	C		36		DE
MCMA	03	1611	1616D	1614	N06	W45	.726	13738	31.3	50	SN		C	1614	40	.6	E
BOUL	03	1613	1625	1617	N 5	W43	.699		31.5	12	SF	2	C	1617	43	.6	
MCMA	03	1629	1636	1632	N06	W45	.726	13738	31.3	7	SN		C	1632	30	.4	D
BOUL	03	1732	1758	1739	N 4	W44	.708		31.4	26	SF	2	C	1739	21	.3	
MCMA	03	1736	1746		N06	W45	.726	13738	31.4	10	SF		C	1736	20	.3	DL
MCMA	03	1940E	1949	1943	N06	W47	.748	13738	31.3	90	SF		C	1943	25	.3	DL
MCMA	03	2122	2132	2126	N06	W48	.760	13738	31.3	10	SN		C	2126	30	.5	DL
BOUL	03	2126	2140	2129	N 7	W46	.740		31.4	14	SF	2	C	2129	43	6.3	
TEHR	04	0237	0255	0248	N 7	W48	.762		31.5	18	SF	2	C		60		DE
MANI	04	0245E	0248D	0247	N06	W48	.760		31.5	30	SF	3	P	0247	80	1.2	
UPIC	04	1140E	1140D		N07	W51	.794		31.7		SF		P	1140	20		
UPIC	04	1145E	1145D		N05	E75	.969		10.1		SF		P	1145	41		
CATA	04	1205	1254D	1225	N06	E73	.961		10.0	450	SF	3		1225	56		
UPIC	04	1220	1245	1230U	N05	E75	.969	13750	10.1	25	1N		P	1230	61		
RAMY	04	1223	1232	1229	N 7	E75	.970		10.1	9	SF	4	C		18		DE
RAMY	04	1223	1235D	1229	N 6	E76	.974		10.2	12D	SN	4	V		20		DE
ATHN	04	1226E	1239	1227U	N 4	E76	.973		10.2	130	SN	3	C		32		DE
RAMY	04	1329	1343D	1341	N 7	E74	.966		10.1	140	SN	4	C		54		DE
BOUL	04	1329	1343D	1340	N 5	E72	.955		10.0	140	SN	2	P	1340	54	1.5	
TEHR	04	1332	1351	1342	N 6	E76	.974		10.3	19	SN	2	C		48		F
MCMA	04	1333	1407	1339	N07	E74	.966	13750	10.1	34	SN		C	1339	40	1.5	D
ATHN	04	1335	1347	1339	N 5	E75	.969		10.2	12	SB	3	C		48		F
ATHN	04	1335	1339D	1339D	N 5	E75	.969		10.2	4D	SB	3	V		48		F
CATA	04	1335	1410	1340	N06	E72	.956	13750	10.0	35	1N	3		1340	112		
RAMY	04	1341E	1408D	1342	N 6	E75	.970		10.2	270	SN	4	V		48		DE
MCMA	04	1443	1500	1447	N07	E73	.961	13750	10.1	17	SF		C	1447	30	1.1	D
CATA	04	1445	1530D	1450	N07	E72	.957	13750	10.0	45D	1N	3		1450	84		
MCMA	04	1505	1511	1506	N02	W55	.824	13738	31.5	6	SB		C	1506	100	1.8	DH
BOUL	04	1505	1516	1510	N 2	W54	.814		31.6	11	SF	2	C	1510	64	1.1	
ATHN	04	1509E	1511	1509U	N 3	W55	.826		31.5	2D	SN	2	C		32		F H
MCMA	04	1551	1605	1554	N07	E72	.957	13750	10.1	14	SN		C	1554	30	1.1	DH
ATHN	04	1553	1601	1556	N 4	E74	.964		10.2	8	SF	3	V		16		DE
ATHN	04	1553	1601	1556	N 4	E74	.964		10.2	8	SF	3	C		16		DE
CATA	04	1555	1615	1555	N07	E71	.951		10.0	20	SN	3		1555	56		
PALE	04	1911E	1923D	1913U	N 6	E75	.970		10.4	120	SF	2	C		38		DE
BOUL	05	1358	1400	1357	N 5	W70	.944		31.3	5	SF	2	C	1357	11	.3	
RAMY	05	1817	1832	1826	N 5	W73	.960		31.3	15	SF	3	C		54		H
BOUL	05	1817	1839	1823	N 4	W72	.954	13738	31.4	22	1F	2	C	1823	75	2.1	
PALE	05	1824	1832	1825	N 7	W71	.951		31.4	8	SF	3	C		90		H
ARCE	06	0830E	0850D		S07	E36	.497		8.6	200	SF		C	0835	32	.4	H
HURB	07	0717	0735	0720	N07	E39	.658		10.2	18	SN						
HURB	07	0741	0747	0743	N07	E39	.658		10.2	6	SF						
ATHN	08	0551	0558	0555	N 5	E25	.461		10.1	7	SF	4	C		16		F
HURB	08	0621	0632	0622	N06	E26	.482		10.2	11	SF						
PALE	09	0228	0246	0231	N 6	E 8	.256		9.7	18	SN	3	C		90		DE
TEHR	09	0231	0245	0235	N 6	E12	.298		10.0	14	SF	2	C		58		
TEHR	09	0235E	0245	0235U	N 6	E12	.298		10.0	10D	SF	2	V		60		
HURB	09	0805	0822	0812	N04	E13	.288	13750	10.3	17	1F						
TEHR	09	0815	0823	0818	S12	W38	.614		6.5	8	SN	3	C		8		DE
TEHR	09	0815	0823	0818	S12	W38	.614		6.5	8	SN	3	V		8		DE
RAMY	09	1042	1120D	1117U	N 8	E 6	.271		9.9	38D	SF	4	C		54		F
MCMA	09	1108	1149	1110	N08	E07	.278	13750	18.0	41	SN		C	1110	50	.5	E
CATA	09	1115E	1205	1120	N09	E06	.286		9.9	50D	SF	3		1120	56	.6	
ARCE	10	0910E	0917D		S10	W08	.150		9.8	7D	SN		P	0910	29	.3	
MCMA	10	1553E	1600	1553	N05	W15	.324	13750	9.5	7D	SN		C	1553	35	.4	D
MCMA	10	1647	1654D		N05	W15	.324	13750	9.6	7D	SN		C	1650	25	.3	D
ATHN	10	1657	1701	1659	N 7	W18	.383		9.4	4	SN	3	V		16		DE
ATHN	10	1657	1701	1659	N 7	W18	.383		9.4	4	SN	3	C		16		DE
MCMA	10	2059	2112	2107	N05	W17	.351	13750	9.6	13	SN		C	2107	30	.4	D
PALE	10	2100E	2111D	2101U	N 6	W19	.387		9.5	11D	SF	3	C		71		DE

NOTE: The measured area is now reported in millionths of the solar disk.

SOLAR FLARES

Partial listing including sub-flares.

JULY 1975

OBSERV-ATORY	OBSERVED UT				LOCATION					DURATION — MIN.	IMPORTANCE	OBS.		MEASUREMENTS			REMARKS
	DATE JUL	START	END	MAX. PHASE	APPROX. LAT.	APPROX. MER. DIST.	CENTRAL DISTANCE	MCMATH PLAGE REGION	CMP DAY			COND.	TYPE	TIME — UT	MEAS. AREA Mil. of Disk	CORR. AREA In. Deg.	
PALE	10	2104E	2111D	2101	N 6	W19	.387		9.5	110	SN	3	V		71		
CATA	11	0605E	0615D	0610	N03	W18	.348		9.9	100	SF	3		0610	56	.6	
ATHN	11	0913E	0924	0916	S12	E66	.908		16.3	110	SN	4	C		80		F R
TEHR	11	0913	0925	0917	S10	E24	.406		13.2	12	SN	4	C		88		DE
TEHR	11	0914E	0925	0917	S11	E64	.893		16.2	110	SN	4	V		80		DE
ATHN	11	1645	1654	1648	S 9	E58	.843		16.0	9	SF	3	C		32		DE R
MCMA	11	2032E	2038D		N07	W26	.489	13750	9.9	60	SN		P	2032	25	.3	D
CATA	12	0710	0740	0725	N03	W33	.564		9.8	30	SF	3		0725	56	.7	
ATHN	12	0804	0811	0807	S13	W13	.247		11.4	7	SF	4	V		16		DE
RAMY	12	1042	1057D	1047U	S12	E50	.761		16.2	150	SF	4	C		27		DE
ATHN	12	1142	1154	1145	S12	E49	.750		16.2	12	SF	4	V		32		DE
RAMY	12	1653	1717D	1701U	S13	E47	.727		16.2	240	SF	4	C		27		Z
PALE	12	2201	2227	2206	N 6	W38	.643		10.1	26	SF	3	C		15		
TEHR	13	1024	1046	1031	S 7	E37	.598		16.2	22	SN	4	C		20		DE
CATA	13	1025	1050	1030	S11	E36	.585		16.1	25	SN	3		1030	84	1.1	
CATA	13	1025	1155D	1115	S10	E90	1.000	13766	20.2	900	SF	1		1115	56		
MCMA	13	1326	1352	1333	S08	E36	.584	13764	16.3	26	SN		C	1333	25	.3	DL
BOUL	13	1327	1359	1339	S 7	E35	.570		16.2	32	SF	2	C	1339	32	.4	
TEHR	13	1328	1352D	1339U	S 6	E37	.599		16.3	240	SF	3	C		30		
RAMY	13	1329	1347	1335	S 5	E35	.571		16.2	18	SF	3	C		27		DE
TEHR	13	1339E	1352D	1339U	S 4	E38	.615		16.4	130	SF	3	V		40		
RAMY	13	1354	1355D	1355U	N 1	W50	.772		9.8	10	SF	4	C		27		DE
RAMY	13	1608	1655	1617	N 3	W53	.807	13750	9.7	47	1B	4	C		198		F
BOUL	13	1608	1702	1616	N 2	W48	.751	13750	10.1	54	1N	2	C	1616	150	2.3	
MCMA	13	1608	1650	1615	N03	W52	.797	13750	9.8	42	1B		C	1615	200	3.3	EL
RAMY	13	1614E	1642	1618	N 5	W51	.791	13750	9.9	280	1B	3	V		180		F
WEND	13	1615	1643		N04	W52	.799	13750	9.8	26	1N		P		500	8.2	
PALE	13	1638E	1651	1638U	N 5	W50	.780		9.9	130	SN	2	V		140		U F
PALE	13	2056	2100D	2056	N 5	W53	.811		9.9	40	SN	2	C		30		F
UPIC	14	0815E	0831D	0820U	N05	W61	.883		9.8	160	SF		P	0820	41		
TEHR	14	0818E	0850	0823U	N 4	W60	.873		9.8	320	SB	3	C		32		DE
TEHR	14	0818E	0850	0823U	N 4	W60	.873		9.8	320	SB	3	V		32		DE
TEHR	14	1047	1105	1052	N 3	W64	.904		9.6	18	SB	2	C		104		F H
RAMY	14	1050	1103	1052	N 2	W60	.871		10.0	13	SB	3	C		81		H
TEHR	14	1053E	1110	1100U	N 2	W65	.910		9.6	170	SB	3	V		96		F H
CATA	14	1105E	1120	1105	N04	W60	.873		10.0	150	SF	3		1105	28	.6	
HURB	14	1150	1202	1156	N10	W56	.850		10.3	12	SN						
HURB	14	1208	1218	1208	N10	W56	.850		10.3	10	SN						
UPIC	14	1520	1530	1525U	N05	W64	.906		9.8	10	SF		P	1525	41		
HANI	15	0107E	0125	0107U	N06	W70	.946		9.8	180	SF	3	P	0107	50	1.1	
ATHN	15	0453	0504	0455	N 5	W71	.950		9.9	11	SF	4	C		16		DE
CATA	15	0820	0835	0820	S15	E64	.892		20.1	15	SN	3		0820	56		
ARCE	16	0840	0900	0850	S09	E50	.761		20.1	20	SN		C	0850	45	.7	
ATHN	16	0846E	0853	0849	S 7	E49	.750		20.0	70	SF	4	C		48		U
ATHN	16	0846E	0853	0849	S 7	E49	.750		20.0	70	SF	4	V		48		U
PALE	16	2333	2358	2341	S16	E41	.658		20.1	25	SN	3	C		41		DE S
CATA	17	0900	0915	0900	S12	E36	.586		20.1	15	SN	3		0900	28	.4	
ATHN	17	1319	1329	1323	S 6	E34	.556		20.1	10	SN	4	C		32		F
ATHN	17	1319	1329	1323	S 6	E34	.556		20.1	10	SN	4	V		32		F
RAMY	17	1320	1327	1323	S 4	E35	.573		20.2	7	SF	4	C		27		DE
MCMA	17	1320	1327	1322	S05	E35	.572	13766	20.2	7	SN		C	1322	25	.3	E
MITK	18	0017	0039		S12	E36	.500		20.3	22	SN		C	0017	110	1.4	
PALE	18	0018E	0019D	0019U	S16	E28	.483		20.1	10	SF	1	C		80		F
PALE	18	0428E	0433D	0432U	S 8	E23	.388		19.9	50	SF	2	C		49		U F
BUCA	19	0625	0705		S11	E12	.217		20.2	40	SF		C	0625	107	1.2	U
HANI	20	0315	0316D	0315	S06	W01	.025		20.1	10	SN	3	P	0315	70	.7	F
PALE	20	1847	1857	1849	S 8	W13	.224		19.8	10	SN	3	C		17		DE
TEHR	21	0307E	0335D	0310U	N 2	E86	.998		27.6	280	SN	3	V		20		DE
TEHR	21	0610E	0633	0620U	N 8	E87	.999		27.8	230	SF	3	V		12		
TEHR	21	0708E	0720D	0716U	N 2	E84	.995		27.6	120	SF	2	V		8		
ATHN	21	0755	0807	0758	S 1	E80	.985		27.3	12	SN	3	C		32		DE
ATHN	21	0755	0807	0758	S 1	E80	.985		27.3	12	SN	3	V		32		DE
CATA	21	0755	0815	0805	N04	E80	.987	13777	27.3	20	1N	3		0805	84		
BUCA	21	0755	0800		N04	E85	.997	13777	27.7	5	1N		P	0800	107		
MCMA	21	1530	1540	1532	S09	W25	.420	13766	19.8	10	SN		C	1532	40	.4	D
ARCE	22	0825E	0935D		S03	W34	.561		19.8	700	SF		C	0840	38	.5	H
MCMA	22	1205	1235	1215	N09	E68	.938	13777	27.6	30	SN		C	1215	40	1.2	E
MCMA	22	1250	1312	1257	N09	E68	.938	13777	27.6	22	SN		C	1257	40	1.2	E

SOLAR FLARES

Partial listing including sub-flares.

JULY 1975

OBSERV-ATORY	OBSERVED UT				LOCATION					DURATION	IMPORTANCE	OBS.		MEASUREMENTS			REMARKS
	DATE JUL	START	END	MAX. PHASE	APPROX. LAT.	APPROX. MER. DIST.	CENTRAL DISTANCE	McMATH PLAGE REGION	CMP DAY	MIN.		COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.	
ARCE	23	0820	09250	0845	N10	E39	.675		26.3	650	SN		C	0845	32	.4	H
CATA	23	0830	09000	0835	N10	E38	.663		26.2	300	SN	3		0835	28	.4	
ATHN	23	0835E	0846	0838	N 7	E39	.661		26.3	110	SF	3	C		48		R
ATHN	23	0835E	0846	0838	N 7	E39	.661		26.3	110	SF	3	V		48		R
ATHN	23	1057E	1103	1057U	N 8	E37	.641		26.2	60	SF	3	V		32		DE R
ATHN	23	1057E	1103	1057U	N 8	E37	.641		26.2	60	SF	3	C		32		DE R
ATHN	23	1354E	13570	1354U	N 8	E36	.629		26.3	30	SF	2	C		16		DE
ATHN	23	1354E	13570	1354U	N 8	E36	.629		26.3	30	SF	2	V		16		DE
ATHN	23	1526E	1543	1528	N 9	E34	.609		26.2	170	SF	3	V		32		DE
ATHN	23	1526E	1543	1528	N 9	E34	.609		26.2	170	SF	3	C		32		DE
CATA	23	1530	1555	1540	N09	E36	.634		26.3	25	SN	3		1540	28	.4	
PALE	23	1747	1804	1758	N 9	E33	.596		26.2	17	SF	3	C		17		
BUCA	24	0630	0735		N10	E25	.503		26.1	65	SF		C	0635	53	.6	
CATA	24	0635	0650	0635	N10	E27	.528		26.3	15	SN	3		0635	28	.3	
CATA	24	0650	0700	0655	S10	W58	.842		19.9	10	SF	3		0655	28	.6	
TEHR	24	1434	15000	1443	N 7	E40	.673	13777	27.6	260	1N	2	C		210		
ATHN	24	1436	1456	1442	N 3	E43	.696		27.8	20	SN	4	V		80		F
ATHN	24	1436	1456	1442	N 3	E43	.696		27.8	20	SN	4	C		80		F
RAMY	24	1437	1514	1444U	N10	E39	.675		27.5	37	SB	4	C		153		F R
RAMY	24	1440E	15140	1443U	N10	E39	.675		27.5	340	SB	4	V		162		DE
CATA	24	1440	14550	1445	N10	E39	.675	13777	27.5	150	1N	3		1445	196	2.6	
MCMA	24	2043	2059	2044	N10	E36	.639	13777	27.6	16	SN		C	2044	50	.6	E
BUCA	25	0650	0800		N08	E11	.321		26.1	70	SN		C	0702	107	1.2	
CATA	25	0655	0715	0705	N07	E12	.318		26.2	20	SN	3		0705	56	.5	
ATHN	25	0658	0709	0702	N10	E14	.376		26.3	11	SF	4	C		64		U R
ATHN	25	0658	0709	0702	N10	E14	.376		26.3	11	SF	4	V		64		U R
ATHN	25	0815	0828	0818	S 2	W70	.939		20.1	13	SF	4	V		32		DE
ATHN	25	0815	0828	0818	S 2	W70	.939		20.1	13	SF	4	C		32		DE
PALE	25	1756	18040	1758	N 9	E 5	.291		26.1	80	SF	3	C		31		DE
PALE	25	2336	2345	2338	S 7	W74	.958		20.4	9	SN	3	V		59		
MANI	25	2345E	2356	2345U	S09	W77	.971		20.2	110	SF	2	V	2345	60	1.5	F
ATHN	26	0654	0707	0657	N 7	W 1	.245		26.2	13	SN	5	V		32		DE H
CATA	26	0655	0705	0655	N07	W01	.245		26.2	10	SF	3		0655	28	.3	
TEHR	26	0656	0709	0701	N 6	W 2	.230		26.1	13	SF	4	C		48		DE Z
PALE	27	0251	0311	0258	N 9	W12	.344		26.2	20	SF	3	V		89		F
MCMA	27	1815	1825	1821	N09	W19	.421	13783	26.3	10	SF		C	1821	30	.3	EH
CATA	28	0830	0840	0830	N07	W16	.364		27.2	10	SF	3		0830	28	.3	
CATA	28	0915	0930	0925	N07	W35	.611		25.8	15	SF	3		0925	28	.4	
MCMA	28	1655	1703	1659	N08	W35	.617	13783	26.1	8	SF		C	1659	50	.6	E
RAMY	28	1655	1713	1658	N 7	W36	.624		26.0	18	SF	4	C		27		DE
RAMY	28	1818	1836	1822U	N 7	W33	.586		26.3	18	SF	3	C		20		DE
MCMA	28	1820	1835	1825	N08	W33	.591	13783	26.3	15	SF		C	1825	30	.4	D
MCMA	28	1905	1916	1908	N08	W33	.591	13783	26.3	11	SB		C	1908	60	.7	DH
BOUL	28	1906	1917	1909	N 7	W32	.573		26.4	11	SF	1	C	1909	86	1.0	
RAMY	28	1906	1917	1908U	N 7	W33	.586		26.3	11	SN	4	C		90		DE H
PALE	28	1911E	1916	1911	N 9	W34	.610		26.2	50	SF	3	C		46		DE
PALE	28	1911E	1916	1911	N 9	W34	.610		26.2	50	SF	3	V		46		DE
PALE	28	1956	2009	2001	N 9	W35	.622		26.2	13	SB	2	V		50		DE
PALE	28	1956	2009	2001	N 9	W35	.622		26.2	13	SB	2	C		50		DE
MCMA	28	1957	2010	2000	N08	W34	.604	13783	26.3	13	SN		C	2000	50	.6	EL
MANI	29	0206E	02230	0212	N08	W43	.713		25.9	170	SN	3	P	0212	40	.6	F
ATHN	29	0503	0515	0507	N11	W40	.692		26.2	12	SF	4	C		64		F H
ATHN	29	0740E	0753	0744	N 8	W51	.799		25.5	130	SF	4	C		32		
HURB	29	0743	0750	0743	N10	W45	.743		25.9	7	SN						D
CATA	29	0745	0755	0745	N08	W59	.789		25.6	10	SN	3		0745	28	.4	
BUCA	29	0745	0800		N08	W48	.768		25.7	15	SF		C	0745	53	.5	D
MCMA	29	1218	1240	1222	N07	W54	.826	13783	25.5	22	SB		C	1222	100	1.8	H
WENO	29	1220	1240		N09	W53	.822	13783	25.5	20	1N		V		300	5.0	
CATA	29	1220	1248	1225	N08	W54	.828		25.5	20	SN	3		1225	5	.1	
TEHR	29	1220	1230	1224	N 9	W46	.750		26.1	10	SF	3	C		80		DE
MCMA	29	1800	1810	1804	N07	W57	.854	13783	25.5	10	SF		C	1804	30	.6	D
HURB	30	1038	1044	1038	N07	W56	.845		26.2	6	SN						
PALE	31	0012	0019	0015	N 4	E71	.950		8.3	7	SF	3	V		15		DE
PALE	31	0104	0113	0109	N 4	E71	.950		8.4	9	SF	3	C		23		DE
PALE	31	0244	03010	0247	N 5	E70	.945		8.4	170	SF	2	C		19		U F
MANI	31	0300E	03050	0305U	N06	W71	.951		25.8	50	SF	2	V	0305	40	.9	H
TEHR	31	0401E	04080	0403	N 9	W63	.905		26.4	70	SF	4	V		40		DE
TEHR	31	0401E	04080	0403	N 9	W63	.905		26.4	70	SF	4	C		40		DE
MANI	31	0402E	04080	0404	N04	E67	.926		8.2	60	SF	2	V	0404	40	.8	
ATHN	31	0404	04070	0406U	N 5	E68	.933		8.3	30	SN	1	V		32		DE R
CATA	31	0600E	06150	0605	N05	E68	.933		8.4	150	SN	3		0605	5		
MANI	31	0633E	06430	0638U	N05	W74	.965		25.7	100	SF	3	P	0638	30	.7	F

SOLAR FLARES

Partial listing including sub-flares.

JULY 1975

OBSERV-ATORY	OBSERVED UT				LOCATION					DURA-TION	IM-POR-TANCE	OBS.		MEASUREMENTS			REMARKS
	DATE JUL	START	END	MAX. PHASE	APPROX. LAT.	APPROX. MER. DIST.	CENTRAL DISTANCE	HCMATH PLAGE REGION	CMP DAY	MIN.		COND.	TYPE	TIME UT	MEAS. AREA Mil. of Disk	CORR. AREA Sq. Deg.	
CATA	31	0635	0700	0640	N08	W74	.967		25.7	25	SN	3		0640	5		
HURB	31	0713	0819	0723	N05	E72	.956	13786	8.7	66	1B						
BUCA	31	0730	0800		N07	E67	.929		8.3	30	SF		C	0740	85		
ARCE	31	0835	0915	0845	N05	E66	.920		8.3	40	SN		C	0845	51		
ARCE	31	0845	09250	0905	N09	W71	.954		26.0	400	SN		C	0905	41		
ARCE	31	0905E	09050		N04	E64	.905		8.2		SN		C	0905	29	.3	
CATA	31	1050	11100	1055	N06	E64	.908	13786	8.3	200	1N	3		1055	112	2.6	
TEHR	31	1315E	1410	1320U	S 5	E65	.903		8.4	550	SN	3	C		50		F H
TEHR	31	1315E	1410	1320U	S 5	E65	.903		8.4	550	SN	3	V		50		F H
TEHR	31	1325E	1405	1330U	N 6	W67	.928		26.5	480	SF	3	V		60		F H
BOUL	31	1414	1430	1418	N 9	W74	.968		9.1	16	SF	2	C	1418	32	1.0	
TEHR	31	1418	1447	1421	N 3	W72	.954		26.2	29	SB	3	V		24		DE H
TEHR	31	1418	1447	1421	N 3	W72	.954		26.2	29	SB	3	C		24		DE H
BOUL	31	1508	1520	1510	N 9	W74	.968		26.1	12	SF	2	C	1510	32	1.0	
TEHR	31	1511	1515D	1513U	N 3	W72	.954		26.2	40	SN	1	C		24		DE
PALE	31	1754	1834	1805	N 6	E59	.869		8.2	40	SN	3	C		22		DE
PALE	31	2339E	0002	2355	N 7	E56	.845		8.2	230	SF	3	C		60		F
MANI	31	2345E	2359D	2347U	N06	E57	.852		8.3	140	SF	2	V	2347	60	1.0	F

INTERVALS OF NO FLARE PATROL OBSERVATION

FOR PRECEDING SOLAR FLARE TABLE

JULY 1975



Observatories included in total patrol:

Arcetri	Bucharest	Hurbanovo	Manila	Ramey
Athenes	Catania	Istanboul	McMath-Hulbert	Tehran
Boulder	Herstmonceux	Kodaikanal	Mitaka	Upice
			Palehua	Wendelstein

Times of no flare patrol are shown by the shaded area for each day divided into times of no cinematographic patrol (bottom halfof day) and times of neither visual nor cinematographic patrol (top half of day).

SOLAR RADIO EMISSION
INTERFEROMETRIC OBSERVATION

JULY 1975



16
Jul 75

EAST - WEST SOLAR SCANS

July 1975

ALGONQUIN RADIO OBSERVATORY
CANADA

10.7 cm
Fan Beam with 1.5 minutes of arc
E - W Resolution



EAST-WEST SOLAR SCANS

JULY 1975

Fleurs, Australia

21 cm
Fan-Beam with 2 minutes of arc
E-W Resolution



01

02 NO DATA

03 NO DATA

04 NO DATA

05 NO DATA

06 NO DATA

08 NO DATA

09 NO DATA

10 NO DATA



12 NO DATA

13 NO DATA



15 NO DATA

16 NO DATA

17 NO DATA



19 NO DATA

20 NO DATA





23 NO DATA

















18
Jul 75

EAST-WEST SOLAR SCANS

JULY 1975

Fleurs, Australia

ESTIMATED QUIET SUN LEVEL

COLD SKY LEVEL

43 cm
Fan-Beam with 4 minutes of arc
E-W Resolution

01

02 NO DATA

03 NO DATA

04 NO DATA

05 NO DATA

06 NO DATA

07

08 NO DATA

09 NO DATA

10 NO DATA

11

12 NO DATA

13 NO DATA

14



15 NO DATA

16 NO DATA

17 NO DATA

18 NO DATA

19 NO DATA

20 NO DATA

21



22



23 NO DATA

24 NO DATA

25



26



27

28



29



30



31

SOLAR RADIO EMISSION
SELECTED FIXED FREQUENCY EVENTS

JULY 1975

	FREQUENCY	STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY 10^{-22} Wm^{-2} Hz^{-1}		INT	REMARKS
				UT	UT	MINUTES	PEAK	MEAN		
2	8800	SGMR	2 S/F	1624.4	1627	9.4	5.3	1.6		
	2695	SGMR	2 S/F	1624.7	1625.1	7.9	3.8	1.1		
	2800	OTTA	45 C	1624.5	1625	3	4.2	2.2		
	2695	BOUL	45 C	1626	1626.5	3	5	2		
	2800	OTTA	29 PBI	1627.5	1627.5	6.5	1.6	0.8		
	2800	OTTA	31 ABS	1634	1642	46	-1.2	-0.6		
3	2800	OTTA	8 S	1501.7	1502	0.3	1.2	0.6		
	2800	OTTA	20 GRF	1628	1630	92	0.8	0.4		
	2800	OTTA	8 S	2126.3	2126.3	0.1E	0.6			
4	2800	OTTA	8 S	1506.5	1506.7	0.5	1.2	0.6		
	2800	OTTA	8 S	1558.5	1558.6	0.2	4.5			
	2800	OTTA	27 RF	2130		120	1.2	0.6		
	2800	OTTA	24 R	2130	2142	12	1.2	1		
	2800	OTTA	24P R	2142		78	1.2			
	2695	PENT	26 FAL	2300	2330	30	-1.2	-0.6		
8	2800	OTTA	22F GRF	1828	1847	30	0.6	0.3		
12	2800	OTTA	240 R	1425	1540	75	2.2	1.1		
	2800	OTTA	24PFR	1540		380 D	2.2			
13	2800	OTTA	21A GRF	1125	1130	21	2.6	0.8		
	2800	OTTA	8 S	1127.2	1127.2	0.1	1.2			
	2695	SGMR	4 S/F	1600.7	1612.9	14.8	28.8	8.6		
	8800	SGMR	4 S/F	1605.7	1612.9	9.3	14.8	4.4		
	8800	SGMR	29 PBI	1615	1615	46	13.3	5.3		
	2695	BOUL	3 A	1607.5	1613.5	33	18	5		
	4995	SGMR	4 S/F	1606.3	1613	8.7	51.2	15.4		
	2695	SGMR	29 PBI	1615.5	1615.5	45.5	5	2		
	2800	OTTA	4 S/F	1607	1612.8	10	32.6	13.2		
	2800	OTTA	29 PBI	1617	1617	73	6.2	3.1		
	2800	OTTA	32 ABS	1630	1805	100	2.4	1.2		
	2695	SGMR	22 GRF	2053	2056.4	24.2	17.8	10.7		
	2800	OTTA	1A S	2055.8	2056.3	1.7	2.6	1.4		
	2800	OTTA	8 S	2056.2	2056.3	0.1E	6.2			
	2800	OTTA	29 PBI	2057.5	2057.5	13	1.2	0.6		
14	8800	SGMR	22 GRF	1048.3	1057.8	45.4	7.5	4.5		
	2695	SGMR	4 S/F	1047.7	1049.8	4.8	11	3.3		
	2695	SGMR	29 PBI	1052.5	1052.5	44.8	3	1.8		
	2800	OTTA	26 FAL	1235	1305	30	-1.6	-0.9		
	2800	OTTA	20 GRF	1837	1841	55	4	1.4		
	8800	SGMR	1 S	1837.7	1841.8	8	5.8	2.3		
	2695	SGMR	20 GRF	1838.1	1841.3	12.7	3.8	1.9		
	2800	OTTA	20 GRF	2020	2100	165	3	1.8		
15	2695	PENT	20 GRF	0020	0102	90 D	4.4			
	2800	OTTA	20 GRF	1110	1125	60	1.6	0.8		
	2800	OTTA	240 R	2105	2122	15	1	0.5		
	2800	OTTA	24P R	2122		170	1			
16	2695	PENT	240 R	0012	0120	68	1	0.5		
	2695	PENT	24P R	0120		30 D	1			
	2695	PENT	20 GRF	2325	2345	60	1.6	0.8		
18	2695	PENT	240 R	0005	0020	15	1.2	0.6		
	2695	PENT	24P R	0020		90 D	1.2			
20	2695	BOUL	1 F	1450	1451.5	2	3	1		
21	2800	OTTA	20 GRF	1245	1320	120	1.2	0.6		
	2695	SGMR	2 S/F	1609	1610	1.2	7.6	2.3		
23	2695	BOUL	28 PRE	0112	0116	5.5	5	2		
	2800	OTTA	20 GRF	2256	2258	12	1.2	0.5		
24	2695	SGMR	4 S/F	1429.4	1436.4	16.3	48.6	14.6		
	2695	SGMR	30 PBI	1445.7	1445.7	26.9	3.6	1.4		
	2800	OTTA	22F GRF	1436	1441	45	2.2	1.1		
	2800	OTTA	40 F	1436	1436.4	2.5	5.4			
	2695	SGMR	4 S/F	1505.1	1505.3	.4	29.3	8.8		
	2695	SGMR	4 S/F	1525.4	1525.9	1.3	52.9	15.9		
25	2695	BOUL	45 C	2321.5	2336.5	18.5	10	11		

SOLAR RADIO EMISSION
SELECTED FIXED FREQUENCY EVENTS

JULY 1975

	FREQUENCY	STATION	TYPE	STARTING TIME	TIME OF MAXIMUM	DURATION	FLUX DENSITY 10^{-22} Wm^{-2} Hz^{-1}		INT	REMARKS
				UT	UT	MINUTES	PEAK	MEAN		
	2695	PENT	250A	2325	2342	17	2.4			
	2695	PENT	2 S/F	2333	2336.2	9	3.8	1.3		
	2695	PENT	24P R	2342		130	2.4			
26	2800	OTTA	22F GRF	2015	2140	300	3.2	1.6		
27	2800	OTTA	27A RF	1815		285	1.4	1.1		
	2800	OTTA	24 R	1815	1850	35	1.4	0.7		
	2800	OTTA	1 S	1823	1823.2	1	1	0.5		
	2800	OTTA	24P R	1850		170	1.4			
	2800	OTTA	26 FAL	2140	2300	80	-1.4	-0.7		
28	2800	OTTA	20 GRF	1650	1700	35	0.6	0.3		
	2695	SGMR	22 S/F	1906.7	1912.1	15.1	2.5	1.5		
	2800	OTTA	240 R	1955	2000	5	1.2	0.6		
	2695	SGMR	2 S/F	1958.3	2005.8	8.2	2.1	.6		
	2800	OTTA	24P R	2000		360 D	1.2			
	2800	OTTA	1 S	2140.5	2141.1	4	1	0.5		
29	2800	OTTA	41 SER	1218.5	1219	3	1.6			
	2800	OTTA	1 S	1218.5	1219	1.8	1.6	0.8		
	2695	SGMR	2 S/F	1218.5	1221.2	3.2	2.2	.7		
	2800	OTTA	1 S	1220	1220.5	1	1.2	0.6		
	2695	PENT	240 R	2150	2320	90	1.2	0.6		
	2695	PENT	24P R	2320		140 D	1.2			
31	2800	OTTA	1 S	1100.9	1101.1	1.5	2.2	1.1		
	2800	OTTA	1 S	1132	1133	2.5	0.8	0.5		
	2800	OTTA	26F FAL	1200	1300	60	-3.4	-1.9		
	8800	SGMR	23 GRF	1256.5	1311.4	52	35.1	21.1		
	8800	SGMR	46 C	1303.6	1305	2.5	124.2	68.7		
	8800	SGMR	46 C		1305.9		343.4			
	8800	SGMR	4 S/F	1329.7	1329.8	.8	61	18.3		
	2800	OTTA	22F GRF	1420	1810	305	3.4	1.7		
	2800	OTTA	240 R	1955	2042	47	2.4	1.2		
	2800	OTTA	24P R	2042		83	2.4			
	2695	PENT	22F GRF	2205	2305	165	2.6	1.6		

Observatories:

BOUL = Boulder OTTA = Ottawa ARO PENT = Penticton SGMR = Sagamore Hill

Explanation of Type Code:

1 Simple 1
2 Simple 1F
3 Simple 2
4 Simple 2F
5 Simple
6 Minor
7 Minor +
8 Spike
20 Simple 3
21 Simple 3A
22 Simple 3F
23 Simple 3AF
24 Rise
25 Rise A
26 Fall
27 Rise and Fall
28 Precursor
29 Post Burst Increase
30 Post Burst Increase A
31 Post Burst Decrease
32 Absorption
40 Fluctuation
41 Group of Bursts
42 Series of Bursts
43 Onset of Noise Storm
44 Noise Storm in Progress
45 Complex
46 Complex F
47 Great Burst
48 Major
49 Major +

SOLAR WIND

Interplanetary Scintillations

JULY 1975

UCSD 74 MHZ SCINTILLATIONS

DAY	3C48 VEL	3C48 ERR	3C144 VEL	3C144 ERR	3C147 VEL	3C147 ERR	3C161 VEL	3C161 ERR	3C237 VEL	3C237 ERR	3C273 VEL	3C273 ERR	3C298 VEL	3C298 ERR	3C459 VEL	3C459 ERR
1	433	100			755	178										
2	532	17					660	*			381	21				
3	454	80	831	67							410	78	410	65	297	77
4	447	74	732	79	549	59										
5	451	55	467	27	596	33	642	84	326	81						
5									328	41						
6			446	43	728	134	549	14			311	96				
7					355	*	462	*								
8	354	*					411	*								
9							626	*							328	*
10	366	*					458	*								
11	513	74					556	*			435	70				
12			493	69	599	60	736	141	353	35	386	23	385	104		
13			567	12			534	94	310	16	535	113	329	24		
14	597	40	473	24							446	60	524	119		
15	520	63	522	9	662	53	627	20			517	142	442	15		
16	545	48	564	130	468	22	544	42			595	*				
17	428	*			468	33	589	172	287	55						
18	544	14			662	76	756	242	305	51			463	116		
19	645	109	671	89	768	96	667	36	316	40	529	131				
20	721	128	462	85			464	102	403	84	497	154				
21	727	82	444	37	842	118	472	61			366	98				
22	576	*	353	72			341	104	508	52	439	83				
23			312	51							433	101	241	36		
24					454	55	404	28	418	19	412	41				
25	451	103			690	66	421	*			435	78	407	14		
26	434	154	515	60			586	64	412	34			341	29		
27	517	*	554	33	625	*	573	15			340	52				
28			521	90	512	92					215	74	451	18		
29			551	32	719	138	856	223	273	44						
30											252	26				
31	378	63	613	147	329	17	648	80	236	29	374	52	260	33		

JULY	5 UT	LAT	DIST	DLON	15 UT	LAT	DIST	DLON	25 UT	LAT	DIST	DLON
3C48	15.	12.	0.94	18.	14.	12.	0.99	16.	13.	12.	1.03	15.
3C144	19.	3.	0.34	70.	18.	4.	0.49	61.	17.	5.	0.63	51.
3C147	18.	54.	0.52	37.	17.	43.	0.60	41.	16.	35.	0.69	39.
3C161	20.	-52.	0.50	25.	19.	-42.	0.54	37.	19.	-31.	0.61	39.
3C237	24.	-5.	0.74	-42.	23.	-6.	0.62	-51.	22.	-8.	0.48	-60.
3C273	2.	2.	1.00	-17.	1.	3.	0.95	-18.	0.	4.	0.89	-27.
3C298	4.	6.	1.12	-15.	3.	7.	1.08	-16.	2.	9.	1.03	-17.
3C459	12.	6.	1.15	14.	11.	7.	1.18	12.	11.	8.	1.22	10.

* indicates data for which no error estimate is available, because only two antennas were operating.

3C237 observed at 0 hr UT before July 5, at 23 hr UT after July 5.

PIONEER IX

JULY 1975

Date July 1975	DSN Coverage (UT)	Data Time (UT)	ESP (°)	SOLAR WIND[1]				IP E-FIELD[2]	IMF[3]		COSMIC RAY PROTONS[4] (particles/sec)	
				U_{H^+} (km/sec)*	N_{H^+} (H^+/cc)	T_{H^+} (x10^6°K)	TAU (days)	400 Hz (mv)	|B| (γ)	φ (°)	>13.9 Mev	>40 Mev
29	0652-1020	0700	-173.3	542.	---	---	-12.6	0.278	7.1	129.	Instrument in o'flow condition.	
		0800		542.				.172	7.1	111.		
		0900		504.				.171	6.6	128.		
		1000		504.				.279	6.5	128.		

[1] Wolfe - NASA/ARC
[2] Scarf - TRW, Inc.
[3] Sonett and Colburn - NASA/ARC
[4] Webber - Univ. of N.H.

ESP = Earth-Sun Probe Angle.

* Peak velocity

Note: Data sampled hourly unless otherwise noted.

SOLAR X-RAYS BY SATELLITE

SMS-1 GOES

JULY 1975

DAY	BEGIN TIME	.5-4A Wm^{-2}	1-8A Wm^{-2}	MAX TIME	.5-4A Wm^{-2}	1-8A Wm^{-2}	1/2P TIME	.5-4A Wm^{-2}	1-8A Wm^{-2}
2	1623	0.0E+00	1.8E-08	1627	2.9E-07	3.4E-06	1630	8.2E-09	1.7E-06
13	1603	1.6E-09	9.8E-08	1623	7.3E-07	9.1E-06	1634	1.1E-07	4.6E-06

Note: The hourly values from the GOES satellites will not be published until the data can be better evaluated.

INFERRED IP MAGNETIC FIELD

BARTELS ROTATION	DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
1901	JUL 23	TA	A*	TA	A*	T	A*	T	A	A	A	A	A	A	T	A*	TA	T	T	A	A	A	A	TA	A	T	–	AT	A	T	T	T	T	T	T	T	T	T	T	T	A	T	T	T	T	T	A	A	TA	–
1902	AUG 19	A	–	A	–	A	A	A	A	A	A	A	A	A	A	A	TA	T	A	A	A	A	A	A	A	A	T	T	A	A	A	A	A	A	A	T	T	T	T	T	T	T	TA	A	A	A	TA	T	A	A	A	A	TA	A	–
1903	SEP 15	A	A	TA	T*	A	A	A	A	A	A	AT	A	A	A	A	T	T	A	AT	A	A	A	A	–	A	–	A	–	A	–	A	T	T	T	T	T	T	T	T	A	–	T	T	T	A	AT	A	TA	A	A	T
1904	OCT 12	T	T	A	–	TA	–	A	A*	A	T	A	T	TA	T	A	A	A	A	A	T	TA	A	TA	A	AT	A	AT	A	A	A	T	AT	T	T	A	AT	A	T*	T	T	A	–	A	A*	T	AT	T	T	TA	T	TA*	A	A
1905	NOV 8	A	A	T	A	AT	A	AT	AT	TA	AT	T	AT	A	T	TA	T*	A	A	A	A	A	A*	TA	AT	A	A	A	A	TA	AT	T	T	A	T	TA	TA	A	T	A	A	T	AT	T	A	A	TA	A	A	A	A	A	AT	AT	T	T
1906	DEC 5	T	T	T	T	TA	AT	T	–	T	–	T	T	T	T	T	A	AT	A	–	TA	T	TA	T	A	A	AT	–	A	–	A	T	T	TA	A	A	T	T	T	T	T	T	A	A*	A	T	T	T	T	T	T	TA	AT	TA	T
1907	1973 JAN 1	T	T	T	T	T	T	T	T	AT	T	T	A	T	AT	–	A	AT	A	T	A	–	AT	–	A	TA	A	A	A	A	A	A	A	A	A	A	A	T	T	A	–	T	–	T	T	T	–	TA	T	–	T	T	T	T
1908	JAN 28	T	T	A	A	T	T	TA	T	AT	T	T	T	T	A	T	A	A	A	TA	A	A	A	A	A	AT	T	TA	A	AT	A	TA	A	AT	AT	–	A	A	A	A	T	T	T	T	AT	T	T	T	T	T	T	T	T
1909	FEB 24	AT	T	AT	T	AT	TA	AT	T	T	T	T	–	AT	TA	AT	A	T	A	T	T	A	A	A	A	A	A	A	AT	TA	A	AT	A	A	A	A	AT	TA	A	A	T	A	A	T	AT	TA	A	A	AT	A	T	T	T	T	T	T	T
1910	MAR 23	T	T	T	T	T	T	T	A	T	T	T	T	T	T	T	TA	AT	A	T	TA	A	A	A	A	A	–	A	A	A	A	T	T	A	A	A	A	A	A	AT	AT	T	–	T	T	A	T	T	T	T	T	AT	T*	T	T*
1911	APR 19	T	T	T	AT	T	T	–	A	T	T	T	AT	T	A	A	AT	T	T	T	T	A	A	A	A	AT	A*	A	A	–	AT	A	TA	A	A*	–	T	A	A	T	A	T	–	AT	A	A	T	T	–	A	–	T	A	A*
1912	MAY 16	T	T	T	T	T	T	T	T	AT	T	–	T	–	TA	T	T	A	A	AT	AT	T	T	AT	A	A	A	–	A	A	A	–	A	A	A	A*	A	A	A	A	A	A	A	A	–	T*	A	–	A	A	A	–	–	T	T	T	T
1913	JUN 12	TA	T*	–	T	*	–	T	T	TA	T*	A	A	T	T	–	T*	T	T*	T	T	T	T	AT	AT	A	A	A	A	TA	T	*	–	T	T	–	A	A	A	A	A	A	A	A*	A	AT	T	–	T	T	A	A	–	A	T	T
1914	JUL 9	T	T	T	T	A	A	T	T	–	T	AT	A	T	T*	A	T*	A	–	A	A	AT	*	–	A	A	T	T	A	TA	–	T	T	T	T	T	A	A	–	A*	A	A	A	A	A*	A	TA	–	A	A	TA	T	T*	T	T*	T	T
1915	AUG 5	T	T	A	A	A	A	T	AT	A	A	A	T	T	T*	T	T	AT	*	T	AT	T	T	A	AT	T	T	A	A	A	TA	T	T	T	T	T	A	A	A	A	A	AT	A	A*	A	AT	A	A	A	A	A	T	TA	A*	A	A
1916	SEP 1	T	TA*	T	T	T	T	A	AT	A	A	A	TA*	A	A	A	*	T	T	T	T	T	T	T	A	A	A	A	A	T	T	T	T	T	T	A	T	T	T	A	A	A	A*	T	A	A	T*	A	A	A	A	A	TA	A*	A	A
1917	SEP 28	A	A*	TA	A	T	AT	T	T	A	A	A	A	A	T	A	AT	A*	AT	T*	AT	AT	T	T	T	T	T	T*	T	T	T	T	T*	T	T	AT	T	TA	A	A	T	-	A*	A	A	A	A	A	T	AT	A	AT	T	T	T
1918	OCT 25	T	T	T	T	A	TA	A	A	A	T	A	T*	T	A	T	A	A	A	A	A	T	A	TA	T	T	T	AT	T	T	T	T	T	T	TA	T	T	T	T	T	*	A	A	A	A	AT	A	AT	TA	A	T	A	–	A	A
1919	NOV 21	A	*	T	T	T	–	A	A	A	A	AT	T	A	T	A	T*	A	TA	A	A	A	A	A	A	T	TA	T	T	T	T	T	T	T	*	T	T	T	T	TA	TA	A	A	T	T	T	–	T	A	A	TA	A	A	T	T
1920	DEC 18	T	T	AT	A	A	T	A	T	A	TA	A	T	A	*	A	A	A	*	AT	T	T	T	T	T	T	T	T	*	T	T	T	T	T	T	T	T	A	T	AT	T	T	A	T	T	T	T	T	AT	TA	T	T	T	A	A	T	AT	T
1921	1974 JAN 14	T	A	A	T	–	T	T	A	A	T	A	A	A	A	A	A	–	A	A	–	AT	–	T	T	T	TA	T	*	T	A	T	T	T	T	T	A*	AT	T	AT	T	TA	A	T	–	T	T	T	T	T	T	T	TA	A
1922	FEB 10	A	–	A	–	A	*	A	A	A	A	A	A	A	A	TA	T	A	A	A	A	A	T	*	T	T	T	T	T	T	T	A	T	–	T	T	T	T	T	T	TA	T	T	T	T	T	T	T	T	T	T	A	A	A	A
1923	MAR 9	A	A	A	A	A	A	A	A	A	A	A	A	A	A	T	T	TA	TA	A	AT	A	A	A	A	T	A	T	TA	T	A	T	T	A	T	A	A	T	T	T	T	T	T	T	TA	T	T	TA	T	TA	A	TA	–	A	TA
1924	APR 5	A	A	A	A	A	–	TA	A	A	A	A	A	A	A	*	A	A	A	A	A	A	A	A	T	T	TA	TA	T	T	T	T	T	T	T	T	T	T	T	T	T	T	A	TA	A	AT	T	A	A	A	–	–	–
1925	MAY 2	–	–	A	A	A	A*	AT	T	A	AT	AT	T	A	T*	TA	A	A	TA	T*	A	A*	AT	AT	T	T	T	T	T	T	T	T	TA	T*	T	T	T	T	T	T	T	T	TA	–	T	T	TA	T*	T	T	A	–	–	–
1926	MAY 29	T	T	A	A	A	*	–	A	A	A	A	*	A	A	*	–	TA	*	A	A	A	A	T	T	T	T	TA	TA	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	AT	*	–	T
1927	JUN 25	TA	TA	A	A	–	A	–	A	A	T	A	A	A	A	A	A	A	A	A	–	TA	TA	–	T	T	T	T	T	T	T	T	–	T	T	–	T	T	T	T	T	T	T	T	A	AT	AT	T	T	T	T	T	T	T
1928	JUL 22	T	T	A	A	A	A	AT	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	-	T	-	T	-	T	-	T	-	T	-	AT	-	AT	-	T	-	TA	-	T	-	T	-	T	-	T	-
1929	AUG 18	AT	-	A	-	A	-	A	-	A	-	A	-	A	-	AT	-	TA	T	T	T	T	T	T	T	T	T	T	TA	AT	T	T	T	AT	T	T	T	TA	A	AT	-	T	T	T	T	T	T	T	-	A	-
1930	SEP 14	AT	T	T	TA	AT	A*	A	A	A	A	A	A	A	A	TA	A	AT	A	A	A	AT	T	T	TA	A	T	TA	T	T	T	T	T	T	T	-	T	T	T	AT	T	T	T	T	T	T	TA	T	T	A	A	T	T	T
1931	OCT 11	T	T	TA	T	A	A	A	A	A	A	A	A	A	A	A	A	A	AT	A	A	A	TA	A	A	T	T	AT	-	T	T	AT	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	TA	T	T	T
1932	NOV 7	TA	-	T	-	A	-	A	-	A	A	A	A	A	A	A	A	A	-	A	-	AT	-	TA	A	T	T	T	T	T	T	T	A	T	*	T	A	T	T*	T	AT	T	T	T	T	T	T	T	TA	T	A	T	T	T
1933	DEC 4	T	T	TA	T	T	A	TA	A	A	T	A	T	A	*	AT	T*	A	T	A	*	A	T	A	A	A	A	A	T	T	T	T	T	T	T	T	T	T	T	T*	T	T	T	T	T	T	T	*	A	T	A	A	A	A	AT	TA
1934	DEC 31	T	A	T	T	T	T	A	TA	A	T	A	T	A	-	A	-	TA	T	A	A	AT	-	A	A*	A	*	T	T	T	T	T	T	T	T	T	T	T*	T	T*	T	T	T	T	T	T	T	*	A	A	A	A	TA*	A	A
1935	1975 JAN 27	T	T	T	T	A	T	AT	T	A	A*	A	T	-	TA	A	A	T	A	T	A	T	A	T	A	T	-	T	T	T	T	T	AT	T	T	T	T	T	T*	T	-	TA	A	T	A*	AT	T	A	TA	TA	T	A	A	A	A
1936	FEB 23	TA	A	A	A	A	A*	TA	A	A	AT	A	A	A	A	A	A	A	A	AT	T	A	A	A	A	A	T	T	T	T	T	A	T	A	A*	T	T	T	T	T	TA	T	A	A*	T	T	T	A	T	*	T	T	T	A	A
1937	MAR 22	A	A	A	A	TA	A	T	T	A	A*	A	A	A	A	A	A	AT	A*	T	A	A	A	T	*	TA	T	T	T	T	T	T	*	T	A	*	T	T	A	AT	A	T	T	T	A	T	A	A	T	T	T	T	A	A	A
1938	APR 18	A	A	A	A	A	A	A	A	A	*	A	A*	A	A	-	A	A	A	A	A	A	A	A	A	T	T	A	A	A	A	T	T	-	T	T	T	-	T	T	T	T	T	A	A*	T	T	T	T	-	A	T	AT	T	TA	T
1939	MAY 15	T	T	A	A	TA	TA	A	A	A	A	T	T	TA	TA	-	*	A	A	A	A	A	A	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	T	-	*	-	*	-	*	*	T	T	T	T	A	A
1940	JUN 11	A	A	A	A	A	A	A	A	A	A	*	-	-	-	-	-	-	-	A	A	A	A	TA	A	A	AT	A	A	A	A	A	A	A	T	T	T	T	T	A	A	TA*	A	A	T	T	T	T	T	T*	T	T	T	T
1941	JUL 8	A	A	A	A	A	A	A	A	A	TA	A	A	A	TA*	A	A	TA	TA	A	A	T	T	A	A	A	A*	-	*	A	A*	A	T	A	A	T	T	T	TA	A	AT	T	T	T	T	T	T	T						

T = towards the sun
A = away from the sun
* = effect doubtful or not discernable
- = missing data

The table shows daily inferences of the polarity of the interplanetary magnetic field. The first half of the day is based principally on magnetograms produced by the magnetometer at the Vostok Anarctic Station of the USSR. The magnetometer of the U.S. Air Weather Service operated by the Air Force Cambridge Research Laboratories at the Thule Geopole Station is used for the second half of the day.

Note: Computer problems are responsible for the considerable amount of missing data in August 1974.

SGD 372 Part I (Prompt)

JUNE 1975 DATA

Contents

	Page
Daily Solar Activity Centers	
Hα Synoptic Chart	27
X-ray, Magnetograms, Calcium Plages, Hα Spectroheliograms Sunspots, Corona and 2 cm and 8.6 mm Spectroheliograms	28-87
Individual Regions of Solar Activity	88-93
Daily Calcium Indices	93
Sudden Ionospheric Disturbances	
Table of Events and Number of Events in each Plage Region	94
Solar Radio Waves	
Spectral Observations	95-100
Selected Events by Radioheliograph	101
Cosmic Rays	
Neutron Monitors Daily Values	102
Chart of Variations	103
Geomagnetic Indices	
Table of Indices Kp, Ci, Cp, Ap, aa	104
Chart of Kp by Solar Rotations and 12-Month Table of Daily Averages Ap	105
Equatorial Indices Dst	106
Principal Magnetic Storms	107
Sudden Commencements and Solar Flare Effects	108
Radio Propagation Indices	
North Atlantic Quality Figures and Forecasts	109
Transmission Frequency Ranges - North Atlantic Path	110-111
Quality Indices on Paths to Germany	112

Hα SYNOPTIC CHART

JUNE 1975



27 Jun 75

JUNE 1, 1975 (P=-15.69, B_o=-0.70, L_o=94.52)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT



NOT RECEIVED AT TIME OF PUBLICATION

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON

DELTAY=
DELTAX=

MAGNETOGRAM
Solid - Plus
Dotted - Minus



01
RAMEY AFB



1251 UT

BOULDER



1528 UT

CORONA
NORIKURA

NELC LA POSTA



1705 UT

Ant. Temp. Unit 100°K

NELC LA POSTA



1809 UT

Ant. Temp. Unit 100°K

29
Jun 75

JUNE 2, 1975 (P=-15.32, B_o=-0.57, L_o=81.28)

30 Jun 75

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT



GOOD | D
92 - 1000 - 3.0

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

1235 UT

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON

DELTAY=
DELTAX=

MAGNETOGRAM
Solid - Plus
Dotted - Minus

Levels
± 5
± 10
± 20
± 40
± 80

02

RAMEY AFB



1058 UT

BOULDER



1418 UT

CORONA
NO DATA

NELC LA POSTA



2057 UT

Ant. Temp. Unit 100°K

NELC LA POSTA



1924 UT

Ant. Temp. Unit 100°K

31
Jun 75

JUNE 3, 1975 (P=-14.94, B_o=-0.45, L_o=68.05)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Np
E W
Sp

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT



1200 UT

CALCIUM REPORT

FAIR	S
92 - 0800 - 3.0	
02 - 0400 - 2.5	

KITT PEAK

Np
E W
NO DATA
Sp

MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON

DELTAY= 12.7
DELTAX= 9.4



MAGNETOGRAM
Solid - Plus
Dotted - Minus

Levels
± 5
± 10
± 20
± 40
± 80

23.13 - 24.50 UT

03
RAMEY AFB



1119 UT

BOULDER



1521 UT

CORONA
NO DATA

NELC LA POSTA



1716 UT

Ant. Temp. Unit 100°K

NELC LA POSTA



1823 UT

Ant. Temp. Unit 100°K

JUNE 4, 1975 (P=-14.56, B_o=-0.33, L_o=54.82)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Np
E W
Sp

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT

CALCIUM REPORT



FAIR | S
92 - 0800 - 30

1120 UT

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus

NO DATA

Np
E W
Sp

MT. WILSON

DELTAY = 12.7
DELTAX = 9.4

MAGNETOGRAM
Solid - Plus
Dotted - Minus



Levels
± 5
± 10
± 20
± 40
± 80

16.41 - 17.78 UT

04

RAMEY AFB



1042 UT

BOULDER



1520 UT

CORONA
NO DATA

NELC LA POSTA



2134 UT

NELC LA POSTA



1924 UT

JUNE 5, 1975 (P=-14.17, B_o=-0.21, L_o=41.58)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT



CALCIUM REPORT

FAIR | M

KITT PEAK



MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON



MAGNETOGRAM
Solid - Plus
Dotted - Minus

05
RAMEY AFB



1128 UT

BOULDER



1335 UT

CORONA
NO DATA

NELC LA POSTA



1740 UT

NELC LA POSTA



1902 UT

JUNE 6, 1975 (P=-13.78, B_o=-0.09, L_o=28.35)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT



CALCIUM REPORT

KITT PEAK



MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON



MAGNETOGRAM
Solid - Plus
Dotted - Minus

06

RAMEY AFB



1252 UT

BOULDER



1530 UT

CORONA
NO DATA

NELC LA POSTA

2.0 CM



2024 UT

Ant. Temp. Unit 100°K

NELC LA POSTA

8.6 MM



1843 UT

Ant. Temp. Unit 100°K

JUNE 7, 1975 (P=-13.38, B_o = 0.03, L_o = 15.11)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Np

E W

Sp

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT

CALCIUM REPORT



EXCELLENT

1715 UT

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON

MAGNETOGRAM
Solid - Plus
Dotted - Minus

DELTAY= 12.7
DELTAX= 9.4



18.03 - 19.40 UT

07
RAMEY AFB

1525 UT

BOULDER



1440 UT
CORONA
NORIKURA

NELC LA POSTA



1753 UT

NELC LA POSTA



1849 UT

JUNE 8, 1975 (P=-12.98, B_o=0.15, L_o=1.88)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Np
E
W
Sp

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT

CALCIUM REPORT



FAIR D

1145 UT

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



2011 UT

MT. WILSON

DELTAY=12.7
DELTAX= 9.4

MAGNETOGRAM
Solid - Plus
Dotted - Minus



Levels
±5
±10
±20
±40
±80

16.26 - 17.63 UT

08
RAMEY AFB



1214 UT

BOULDER



1535 UT

CORONA
NO DATA

NELC LA POSTA 2.0 CM



1735 UT

Ant. Temp. Unit 100°K

NELC LA POSTA 8.6 MM



1836 UT

Ant. Temp. Unit 100°K

JUNE 9, 1975 (P=-12.58, B_o=0.27, L_o=348.64)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT



Intensities in Units of 10^{-6} ergs cm^{-2} sec^{-1}

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



MT. WILSON

DELTAY=12.7
DELTAX= 9.4

MAGNETOGRAM
Solid - Plus
Dotted - Minus



09
RAMEY AFB



1208 UT

BOULDER



NO DATA

CORONA
NORIKURA

NELC LA POSTA



1803 UT

NELC LA POSTA



1617 UT

JUNE 10, 1975 (P=-12.17, B_o = 0.39, L_o = 335.41)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Np
E
W
Sp

McMATH-HULBERT

CALCIUM REPORT



Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

1600 UT

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



1713 UT

MT. WILSON

DELTAY=12.7
DELTAX= 9.4

MAGNETOGRAM
Solid - Plus
Dotted - Minus



15.87-17.39 UT

10

RAMEY AFB



1105 UT

BOULDER



NELC LA POSTA

2.0 CM



2106 UT

Ant. Temp. Unit 100°K

NELC LA POSTA

8.6 MM



2154 UT

Ant. Temp. Unit 100°K

JUNE 11, 1975 (P=-11.76, B_o=0.51, L_o=322.17)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Np

E W

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

Sp

CATANIA

CALCIUM REPORT



POOR | SS
95 - 0287 ---

0905 UT

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



1644 UT

MT. WILSON

DELTAY= 12.7
DELTAX= 9.4

MAGNETOGRAM
Solid - Plus
Dotted - Minus



Levels
± 5
± 10
± 20
± 40
± 80

1731 - 1881 UT

RAMEY AFB

Np

Hα

E

W



1157 UT

Sp

BOULDER

Np

SUNSPOTS



E

W

CORONA

NO DATA

1450 UT

Sp

NELC LA POSTA

2.0 CM

Np



E

W

Sp

1512 UT

Ant. Temp. Unit 100°K

NELC LA POSTA

8.6 MM

Np



E

W

Sp

1608 UT

Ant. Temp. Unit 100°K

JUNE 12, 1975 (P=-11.34, B_o=0.63, L_o=308.94)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT



Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



MT. WILSON

DELTAY = 12.7
DELTAX = 9.5

MAGNETOGRAM
Solid - Plus
Dotted - Minus



17.37 - 20.07 UT

12
RAMEY AFB



BOULDER



NELC LA POSTA

NELC LA POSTA

JUNE 13, 1975 (P=-10.93, B_o=0.75, L_o=295.70)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT



Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



MT. WILSON

DELTAY=12.7
DELTAX= 9.4

MAGNETOGRAM
Solid - Plus
Dotted - Minus



13
RAMEY AFB



1315 UT

BOULDER



1400 UT

CORONA
NO DATA

NELC LA POSTA



NELC LA POSTA

JUNE 14, 1975 (P=-10.50, B_o=0.87, L_o=282.46)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT



Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



MT. WILSON

DELTAY= 14.9
DELTAX= 11.2

MAGNETOGRAM
Solid - Plus
Dotted - Minus



14
RAMEY AFB



1041 UT

BOULDER



1945 UT

CORONA
NO DATA

NELC LA POSTA



1914 UT

Ant. Temp. Unit 100°K

NELC LA POSTA



1740 UT

Ant. Temp. Unit 100°K

55
Jun 75

JUNE 15, 1975 (P=-10.08, B_o=0.99, L_o=269.23)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT



1415 UT

CALCIUM REPORT

FAIR | S
22 - 0600 - 2.5

KITT PEAK



MAGNETOGRAM
Bright - Plus
Dark - Minus

1511 UT

MT. WILSON

DELTAY= 12.7
DELTAX= 9.4



MAGNETOGRAM
Solid - Plus
Dotted - Minus

Levels
± 5
± 10
± 20
± 40
± 80

17.88 - 19.25 UT

15
RAMEY AFB



1119 UT

BOULDER



1455 UT

CORONA
NORIKURA

NELC LA POSTA



1941 UT

NELC LA POSTA



1756 UT

JUNE 16, 1975 (P=-9.65, B_o = 1.11, L_o = 255.99)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Np
E
W
Sp

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT



1145 UT

CALCIUM REPORT

FAIR | S
22 - 0800 - 3.0

KITT PEAK



MAGNETOGRAM
Bright - Plus
Dark - Minus

1528 UT

MT. WILSON

DELTAY = 12.7
DELTAX = 9.4



MAGNETOGRAM
Solid - Plus
Dotted - Minus

Levels
±5
±10
±20
±40
±80

16.74 - 18.10 UT

16

RAMEY AFB



1122 UT

BOULDER



1420 UT

CORONA

NO DATA

NELC LA POSTA

2.0 CM



2044 UT

Ant. Temp. Unit 100°K

NELC LA POSTA

8.6 MM

1857 UT

Ant. Temp. Unit 100°K

JUNE 17, 1975 (P=-9.22, B_o = 1.23, L_o = 242.75)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Np
E
W
Sp

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT



1320 UT

GOOD | M
22 - 1000 - 3.0

CALCIUM REPORT

KITT PEAK



MAGNETOGRAM
Bright - Plus
Dark - Minus

1511 UT

MT. WILSON

DELTAY= 12.7
DELTAX= 9.4



MAGNETOGRAM
Solid - Plus
Dotted - Minus

Levels
± 5
± 10
± 20
± 40
± 80

16.96 - 18.32 UT

17

RAMEY AFB



BOULDER



NELC LA POSTA



NELC LA POSTA

JUNE 18, 1975 (P=-8.79, B_o=1.35, L_o=229.52)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Np

E W

Sp

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT

1230 UT



CALCIUM REPORT

V.GOOD | S
22-0900 - 2.5

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus

MT. WILSON

DELTAY=
DELTAX=

MAGNETOGRAM
Solid - Plus
Dotted - Minus

Levels
±5
±10
±20
±40
±80

18
RAMEY AFB





NELC LA POSTA
Np
2.0 CM

NO DATA

E
EQUIPMENT
W

Sp
Ant. Temp. Unit 100°K

NELC LA POSTA
Np
8.6 MM

NO DATA

E
EQUIPMENT
W

Sp
Ant. Temp. Unit 100°K

JUNE 19, 1975 (P=-8.35, B_o=1.47, L_o=216.28)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Np

E W

Sp

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT

CALCIUM REPORT



KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



MT. WILSON

DELTAY=
DELTAX=

MAGNETOGRAM
Solid - Plus
Dotted - Minus



19

RAMEY AFB



1051 UT

BOULDER



1400 UT

CORONA
NORIKURA

NELC LA POSTA



2259 UT

NELC LA POSTA



2118 UT

JUNE 20, 1975 (P=-7.91, B_o = 1.58, L_o = 203.04)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT







20

RAMEY AFB



1128 UT

BOULDER



1400 UT

CORONA
NO DATA

NELC LA POSTA

2.0 CM



1819 UT

Ant. Temp. Unit 100°K

NELC LA POSTA

8.6 MM



1917 UT

Ant. Temp. Unit 100°K

JUNE 21, 1975 (P=-7.47, B_o = 1.70, L_o = 189.81)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT



Intensities in Units of 10^{-6} ergs cm^{-2} sec^{-1}

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



MT. WILSON

DELTAY= 12.7
DELTAX= 9.5

MAGNETOGRAM
Solid - Plus
Dotted - Minus



21

RAMEY AFB



BOULDER



NELC LA POSTA



NELC LA POSTA

JUNE 22, 1975 (P=-7.03, B_o=1.82, L_o=176.57)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5



Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT



1330 UT

CALCIUM REPORT

FAIR | S

KITT PEAK



MAGNETOGRAM
Bright - Plus
Dark - Minus

1436 UT

MT. WILSON

DELTAY=12.7
DELTAX= 9.5



MAGNETOGRAM
Solid - Plus
Dotted - Minus

Levels
±5
±10
±20
±40
±80

15.12-16.49 UT

22

RAMEY AFB

Np

Hα

E

W

Sp

1146 UT

BOULDER

Np

SUNSPOTS

NO SPOTS VISIBLE

E

W

Sp

1440 UT

CORONA

NO DATA



NELC LA POSTA

2.0 CM

Np

E

W

Sp

1905 UT

Ant. Temp. Unit 100°K



NELC LA POSTA

8.6 MM

Np

E

W

Sp

2010 UT

Ant. Temp. Unit 100°K



71

Jun 75

JUNE 23, 1975 (P=-6.58, B_o=1.93, L_o=163.33)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT







23
RAMEY AFB



1117 UT

BOULDER



1255 UT

CORONA
NORIKURA

NELC LA POSTA



1554 UT

NELC LA POSTA



1650 UT

73
Jun 75

JUNE 24, 1975 (P=-6.14, B_o=2.05, L_o=150.09)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Np

E W

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

Sp

CATANIA

CALCIUM REPORT



FAIR EC
00 - 1812 ---
01 - 4403 ---

0655 UT

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus

1611 UT

MT. WILSON

DELTAY=12.7
DELTAX= 9.4

MAGNETOGRAM
Solid - Plus
Dotted - Minus



15.70 - 17.41 UT

24
RAMEY AFB

BOULDER



NELC LA POSTA



NELC LA POSTA



75
Jun 75

JUNE 25, 1975 (P=-5.69, B_o=2.17, L_o=136.86)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Np
E
W
Sp

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT

CALCIUM REPORT



FAIR	S
36 - 1000	2.5
38 - 2600	3.5

1150 UT

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



1854 UT

MT. WILSON

DELTAY = 12.7
DELTAX = 9.4

MAGNETOGRAM
Solid - Plus
Dotted - Minus



Levels
± 5
± 10
± 20
± 40
± 80

15.63 - 16.99 UT

25

RAMEY AFB



1429 UT

BOULDER



1650 UT

CORONA
NO DATA

NELC LA POSTA

2.0 CM



2338 UT

Ant. Temp. Unit 100°K

NELC LA POSTA

8.6 MM



2208 UT

Ant. Temp. Unit 100°K

77
Jun 75

JUNE 26, 1975 (P=-5.24, B_o=2.28, L_o=123.62)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5



Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT

CALCIUM REPORT



GOOD	D
36 - 1300	- 3.5
38 - 3000	- 3.5

1200 UT

KITT PEAK



MAGNETOGRAM
Bright - Plus
Dark - Minus

1454 UT

MT. WILSON



MAGNETOGRAM
Solid - Plus
Dotted - Minus

Levels
± 5
± 10
± 20
± 40
± 80

1873 - 2013 UT
DATA INCOMPLETE

26

RAMEY AFB



1203 UT

BOULDER



1415 UT

CORONA

NO DATA

NELC LA POSTA

2.0 CM



1953 UT

Ant. Temp. Unit 100°K

NELC LA POSTA

8.6 MM



1804 UT

Ant. Temp. Unit 100°K

79 Jun 75

JUNE 27, 1975 (P=-4.79, B_o=2.39, L_o=110.38)

80
Jun 75

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

McMATH-HULBERT

CALCIUM REPORT

Np

E W

Sp

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}



1415 UT

GOOD	M
36 - 1600	- 3.5
38 - 2800	- 3.0

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



1418 UT

MT. WILSON

DELTAY=
DELTAX=

MAGNETOGRAM
Solid - Plus
Dotted - Minus

Levels
± 5
± 10
± 20
± 40
± 80

27

RAMEY AFB



1119 UT

BOULDER



1530 UT

CORONA

NO DATA

NELC LA POSTA

2.0 CM



1818 UT

Ant. Temp. Unit 100°K

NELC LA POSTA

8.6 MM



1922 UT

Ant. Temp. Unit 100°K

JUNE 28, 1975 (P=-4.34, B_o=2.51, L_o=97.15)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Np

E W

Sp

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT

CALCIUM REPORT



FAIR	M
36 - 1700	- 3.5
38 - 2700	- 3.0

1315 UT

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



1409 UT

MT. WILSON

DELTAY=
DELTAX=

MAGNETOGRAM
Solid - Plus
Dotted - Minus



Levels
± 5
± 10
± 20
± 40
± 80

28

BOULDER



1454 UT

BOULDER



1510 UT

CORONA
NO DATA

NELC LA POSTA

2.0 CM



1703 UT

Ant. Temp. Unit 100°K

NELC LA POSTA

8.6 MM



1528 UT

Ant. Temp. Unit 100°K

83
Jun 75

JUNE 29, 1975 (P=-3.89, B_o=2.62, L_o=83.91)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5



Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT

CALCIUM REPORT



FAIR | D
36 - 0900 - 2.5
36 - 2800 - 3.0

1200 UT

KITT PEAK

MAGNETOGRAM
Bright - Plus
Dark - Minus



1400 UT

MT. WILSON

DELTAY = 12.7
DELTAX = 9.5

MAGNETOGRAM
Solid - Plus
Dotted - Minus



Levels
±5
±10
±20
±40
±80

18.44 - 19.80 UT

29


BOULDER
Np
Hα
E
W
Sp
1621 UT


BOULDER
Np
SUNSPOTS
738
E
W
Sp
1600 UT
CORONA
NO DATA


NELC LA POSTA
2.0 CM
Np
E
W
Sp
1713 UT
Ant. Temp. Unit 100°K


NELC LA POSTA
8.6 MM
Np
E
W
Sp
1817 UT
Ant. Temp. Unit 100°K

85
Jun 75

JUNE 30, 1975 (P=-3.43, B_o=2.73, L_o=70.67)

UNIV. COLLEGE LONDON
LEICESTER UNIV.

X-RAY
OSO-5

Np
E
W
Sp

Intensities in Units
of 10^{-6} ergs cm^{-2} sec^{-1}

McMATH-HULBERT



1150 UT

CALCIUM REPORT

GOOD | D
38 - 3000 - 3.0

KITT PEAK



MAGNETOGRAM
Bright - Plus
Dark - Minus

1545 UT

MT. WILSON

DELTAY= 12.7
DELTAX= 9.4



MAGNETOGRAM
Solid - Plus
Dotted - Minus

Levels
± 5
± 10
± 20
± 40
± 80

18.47-20.13 UT

30


Np
BOULDER
Hα
E
W
1437 UT
Sp


BOULDER
Np
SUNSPOTS
738
E
W
CORONA
NORIKURA
1420 UT
Sp


NELC LA POSTA
2.0 CM
Np
E
W
Sp
1800 UT
Ant. Temp. Unit 100°K


NELC LA POSTA
8.6 MM
Np
E
W
Sp
1903 UT
Ant. Temp. Unit 100°K

87
Jun 75

REGIONS OF SOLAR ACTIVITY

JUNE 1975

MCMATH REGION 13708 CMP DATE 1.2

CALCIUM PLAGE DATA								SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	6	5	13708	N09 W60	92	100	1.0								

MCMATH REGION 13704 CMP DATE 1.4

CALCIUM PLAGE DATA								SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	6	4	13704	N10 W41	89	100	1.5								

MCMATH REGION 13697 CMP DATE 2.3

CALCIUM PLAGE DATA								SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	6	2	13697	N19 W03	77	100	1.0								

MCMATH REGION 13689 CMP DATE 3.0

CALCIUM PLAGE DATA								SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	5	28	13689	N01 E74	67	100	2.0								
75	5	29	13689	N01 E59	69	100	2.0								

MCMATH REGION 13698 CMP DATE 3.1

CALCIUM PLAGE DATA								SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	6	2	13698	S18 E08	66	200	1.0								
75	6	3	13698	S17 W06	67	100	1.0								

MCMATH REGION 13703 CMP DATE 3.5

CALCIUM PLAGE DATA								SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	6	3	13703	N12 E00	61	200	1.5								
75	6	4	13703	N12 W13	61	100	1.0								

MCMATH REGION 13690 CMP DATE 4.1

CALCIUM PLAGE DATA								SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	5	29	13690	N06 E73	55	200	1.5								

MCMATH REGION 13695 CMP DATE 4.2

CALCIUM PLAGE DATA								SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	6	1	13695	S12 E36	52	100	1.0								
75	6	2	13695	S12 E22	52	200	1.0								
75	6	3	13695	S12 E09	52	200	1.0								

MCMATH REGION 13714 CMP DATE 4.2

CALCIUM PLAGE DATA								SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
75	6	7	13714	S23 W46	51	100	1.0								

REGIONS OF SOLAR ACTIVITY

JUNE 1975

MCMATH REGION 13699 CMP DATE 4.3

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	6	2	13699	N18 E24	50	100	1.5									

MCMATH REGION 13715 CMP DATE 4.3

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	6	7	13715	S06 W45	50	100	1.0									
75	6	8	13715	S05 W56	51	200	1.0									

MCMATH REGION 13707 CMP DATE 4.6

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	6	4	13707					19576	N09 W03	46	(BF)	2				
75	6	5	13707	N09 W14	46	200	2.0	19576	N08 W14	47	(BP)	2	8	10	7	BXI
75	6	6	13707	N08 W25	47	300	2.0									
75	6	7	13707	N08 W41	46	200	2.0									
75	6	8	13707	N09 W52	47	400	1.5									
75	6	9	13707	N09 W66	48	200	1.5									

MCMATH REGION 13700 CMP DATE 4.8

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	6	2	13700	N28 E30	44	100	1.0									

MCMATH REGION 13701 CMP DATE 5.5

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	6	2	13701	S39 E39	35	100	1.5									

MCMATH REGION 13709 CMP DATE 5.5

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	6	5	13709	N19 W03	35	100	1.0									

MCMATH REGION 13705 CMP DATE 5.8

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	6	4	13705	N07 E17	31	300	1.0									
75	6	5	13705	N07 E02	30	200	1.5									

MCMATH REGION 13692 CMP DATE 6.1

				CALCIUM PLAGE DATA				SUNSPOT DATA							
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	6	1	13692	S07 E62	26	1000	2.5	19575	S08 E56	30	(AP)	3	8	20	2	AXX
75	6	2	13692	S08 E48	26	1000	3.0	19575	S08 E43	29	(BP)	2	8	20	3	BXO
75	6	3	13692	S07 E35	26	800	3.0	19575	S07 E30	29	(B)	1	8	10	3	BXO
75	6	4	13692	S07 E20	28	800	3.0		S06 E17				R	10	3	BXO
75	6	5	13692	S07 E05	27	600	2.0	19575	S07 E01	32	(AP)	2	8	10	1	AXX
75	6	6	13692	S07 W07	29	700	3.0		S07 W01				H	0	1	AXX
75	6	7	13692	S07 W23	28	700	2.0									

(Cont'd)

REGIONS OF SOLAR ACTIVITY

JUNE 1975

(Cont'd)

75	6	8	13692	S07 W33	28	600	2.0
75	6	9	13692	S07 W46	28	800	2.0
75	6	10	13692	S07 W61	29	600	1.5

MCMATH REGION 13712 CMP DATE 9.0

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	6	13712	N02 E33	350	200	1.0

SUNSPOT DATA

NW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS

MCMATH REGION 13702 CMP DATE 9.2

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	2	13702	N08 E89	346	200	1.0
75	6	3	13702	N08 E77	345	400	2.5
75	6	4	13702	N08 E63	346	500	2.0
75	6	5	13702	N08 E48	345	300	1.5
75	6	6	13702	N08 E33	350	300	1.0
75	6	7	13702	N08 E17	349	300	1.0
75	6	8	13702	N08 E10	346	400	1.0
75	6	9	13702	N09 W05	347	400	1.0
75	6	10	13702	N08 W20	348	200	1.0

SUNSPOT DATA

NW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS

MCMATH REGION 13713 CMP DATE 9.5

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	6	13713	S40 E40	343	100	1.0

SUNSPOT DATA

NW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS

MCMATH REGION 13716 CMP DATE 10.3

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	9	13716	N14 E10	332	100	1.5

SUNSPOT DATA

NW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS

MCMATH REGION 13717 CMP DATE 10.7

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	10	13717	N05 E01	327	100	1.0
75	6	11					
75	6	12	13717	N05 W26	329	300	3.0
75	6	13	13717	N06 W41	330	300	2.5
75	6	14	13717	N06 W53	330	200	1.0
75	6	15	13717	N06 W66	329	200	1.0

SUNSPOT DATA

NW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS
19577	N06 W13	329	BF	B	10	4	BXO

MCMATH REGION 13724 CMP DATE 11.3

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	14	13724	N24 W42	319	200	2.0
75	6	15	13724	N24 W57	320	100	1.5
75	6	16	13724	N23 W70	321	100	1.0

SUNSPOT DATA

NW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS

MCMATH REGION 13721 CMP DATE 11.6

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	13	13721	N44 W26	315	200	1.5
75	6	14	13721	N44 W38	315	100	1.0

SUNSPOT DATA

NW NO.	LAT CMD	L	MAG.	H STA	AREA	CNT	CLASS

REGIONS OF SOLAR ACTIVITY

JUNE 1975

MCMATH REGION 13720 CMP DATE 12.4

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	12	13720	S18 W01	304	100	1.5

SUNSPOT DATA

MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS

MCMATH REGION 13729 CMP DATE 13.6

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	18	13729	S12 W65	289	200	1.5
75	6	19	13729	S11 W77	287	200	2.5
75	6	20	13729	S11 W89	287	500	2.5

SUNSPOT DATA

MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS

MCMATH REGION 13722 CMP DATE 13.8

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	13	13722	N08 E03	286	300	2.5
75	6	14	13722	N08 W12	289	300	1.5
75	6	15	13722	N07 W27	290	600	2.5
75	6	16	13722	N07 W41	292	800	3.0
75	6	17	13722	N07 W57	293	1000	3.0
75	6	18	13722	N07 W70	294	900	2.5
75	6	19	13722	N07 W85	295	700	2.0

SUNSPOT DATA

MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
	N07 E03				B	0	2	BXO
19578	N06 W22	294	BP		B	0	2	BXO
19578	N06 W32	294	(BP)	3	B	10	3	BXO
19578	N06 W48	295	(BP)	4	B	140	8	DAO
19578	N07 W59	295	(BF)	3	B	110	8	DSO
19578	N07 W71	294	(BF)	2	R	70	3	DRO
	N06 W84				B	30	1	HRX

MCMATH REGION 13718 CMP DATE 14.3

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	10	13718	N08 E48	280	100	1.0

SUNSPOT DATA

MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS

MCMATH REGION 13723 CMP DATE 14.4

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	13	13723	S11 E11	278	200	1.5
75	6	14	13723	S12 W02	279	200	1.5

SUNSPOT DATA

MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS

MCMATH REGION 13725 CMP DATE 15.6

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	14	13725	N06 E14	263	100	1.5
75	6	15	13725	N06 E00	263	100	1.5
75	6	16	13725	N06 W13	264	200	2.0

SUNSPOT DATA

MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS

MCMATH REGION 13730 CMP DATE 20.2

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	18	13730	S35 E22	202	100	1.5

SUNSPOT DATA

MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS

MCMATH REGION 13728 CMP DATE 22.2

CALCIUM PLAGE DATA

YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT
75	6	16	13728	S10 E76	175	100	1.0

SUNSPOT DATA

MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS

REGIONS OF SOLAR ACTIVITY

JUNE 1975

MCMATH REGION 13732 CMP DATE 22.3

CALCIUM PLAGE DATA							SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	6	20	13732	S36 E24	174	100	1.0									

MCMATH REGION 13736 CMP DATE 23.3

CALCIUM PLAGE DATA								SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	6	21						19579	S11 E23	161	(A)	2				
75	6	23	13736	S10 W03	160	400	2.5	19579	S12 W05	162	(BF)	3	B	30	7	CRI
75	6	24						19579	S11 W18	161	(BP)	3	B	30	12	BXI
75	6	25	13736	S10 W28	160	1000	2.5	19581	S07 W36	162	BP		B	10	5	BXO
75	6							19579	S11 W36	162	(BP)	3	B	40	17	DRI
75	6								S11 W33				B	30	27	BXI
75	6	26	13736	S08 W43	162	1300	3.5	19581	S07 W46	162	(B)	2	B	20	4	BXO
75	6							19579	S11 W46	162	(BF)	3	B	40	8	BXO
75	6	27	13736	S08 W57	161	1600	3.5	19581	S06 W60	163	(BP	2	B	30	2	BXO
75	6							19579	S11 W59	162	(BF)	4	B	70	6	BXO
75	6	28	13736	S09 W70	161	1700	3.5	19581	S05 W73	163	(B	1	B	20	2	BXO
75	6							19579	S10 W71	161	(B)	1	B	50	2	BXO
75	6	29	13736	S09 W83	162	900	2.5	19579	S11 W88	164	X)	3				

MCMATH REGION 13733 CMP DATE 23.7

CALCIUM PLAGE DATA								SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	6	20	13733	S17 E43	155	200	1.5									
75	6	21	13733	S17 E29	156	100	1.0									

MCMATH REGION 13731 CMP DATE 23.8 RETURN OF REGION 13670 ROTATION 3

CALCIUM PLAGE DATA								SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	6	18	13731	S13 E70	154	200	1.0									
75	6	19	13731	S13 E56	154	300	1.5									
75	6	20	13731	S12 E42	156	300	1.5									
75	6	21	13731	S11 E29	156	300	1.0									
75	6	22	13731	S10 E17	153	400	1.0									
75	6	23	13731	S10 E03	154	300	1.5									

MCMATH REGION 13737 CMP DATE 27.6

CALCIUM PLAGE DATA								SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	6	25	13737	S08 E28	104	100	1.5									

MCMATH REGION 13741 CMP DATE 29.0

CALCIUM PLAGE DATA								SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	7	01	13741	N02 W33		100	1.5									
75	7	02	13741	N02 W47		100	1.0									
75	7	03	13741	N02 W61		300	3.0									
75	7	04	13741	N02 W74		100	2.0									

MCMATH REGION 13735 CMP DATE 29.2

CALCIUM PLAGE DATA								SUNSPOT DATA								
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT	CLASS
75	6	23	13735	N04 E75	82	100	1.0									

REGIONS OF SOLAR ACTIVITY

JUNE 1975

MCMATH REGION 13740 CMP DATE 29.6

				CALCIUM PLAGE DATA					SUNSPOT DATA						
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT CLASS
75	6	29	13740	N45 E01	78	100	2.0								

MCMATH REGION 13747 CMP DATE 29.6

				CALCIUM PLAGE DATA					SUNSPOT DATA						
YR	MO	DA	MC NO.	LAT CMD	L	AREA	INT	MW NO.	LAT CMD	L	MAG.	H	STA	AREA	CNT CLASS
75	7	02	13747	S29 W39		100	1.0								
75	7	03	13747	S28 W51		100	1.0								

Note: Region 13736 is new plage that has developed in the leading part of old plage 13731.
No calcium spectroheliograms were secured at the McMath-Hulbert Observatory on June 11 and 24, 1975.
No sunspot observations were made at Mt. Wilson Observatory on June 19, 1975.

DAILY CALCIUM PLAGE INDEX

JUNE 1975

YR	MO	DAY	INDEX	YR	MO	DAY	INDEX	YR	MO	DAY	INDEX
75	6	1	2.1	75	6	11	*	75	6	21	6.3
75	6	2	3.3	75	6	12	0.9	75	6	22	0.4
75	6	3	2.8	75	6	13	1.8	75	6	23	1.4
75	6	4	3.1	75	6	14	1.3	75	6	24	*
75	6	5	2.3	75	6	15	1.6	75	6	25	4.5
75	6	6	3.1	75	6	16	2.2	75	6	26	7.9
75	6	7	2.0	75	6	17	1.6	75	6	27	8.5
75	6	8	1.6	75	6	18	1.0	75	6	28	8.5
75	6	9	1.7	75	6	19	0.4	75	6	29	8.2
75	6	10	0.8	75	6	20	0.6	75	6	30	8.9

* NO OBSERVATIONS

SUDDEN IONOSPHERIC DISTURBANCES

JUNE 1975

DAY	UNIVERSAL TIME START	END	MAX	IMP	WIDE SPREAD INDEX	NUMBER OF STATION REPORTS BY TYPE SWF	SCNA	SEA	SPA	LF-SPA	SES	SFD	KNOWN FLARE	McMATH REGION
03	1920	1950	1928	1-	1				1				**	
07	1200	1218		1-	1			1					**	
15	1010	1024		1-	1			1					1015E	13722
20	1919	2000	1924	1-	5	1		1			6		NF°	
27	0920U	0934	0925	1-	1			1					0925E	13736

PERIODS OF NO OBSERVATIONS:

DATE	TIME (UT) and STATION
01	0000-2400 A38
03	0400-1150 MC
04	0030-1653 UM (10 kHz)
05	0000-2400 A32, 0000-2400 A34
06	0000-2400 A32, 1355-1749 UM (17 kHz), 2044-2331 UM (10 kHz)
07	0014-0058 UM (10 kHz), 0305-0400 UM (10 kHz), 1008-1357 UM (10 kHz), 1725-1830 UM (17 kHz)
09	1555-1743 UM (17 kHz)
14	0000-2400 TN
15	0517-1250 MC, 1900-2400 MC
16	0000-1215 MC
18	1153-1227 UM (17 kHz), 2342-2400 TM
19	0000-2400 A29, 0000-0300 TM, 0000-0142 UM (17 kHz), 1156-1320 UM (17 kHz), 1319-1520 MC
20	0000-2400 A29, 0938-2040 UM (17 kHz)
21-30	0500-2400 A38
21-22	0000-2400 A4
23	2130-2318 TM
28-30	0000-2400 A30
28	0000-2400 A26
29	0000-2400 A34
30	0000-2400 A4, 0000-2400 A34

STATIONS REPORTING FOR JUNE 1975

AAVSO (A1, A26, A31) (SEA) (A1, A4, A19, A21, A29, A30, A31, A32, A34, A35, A37, A40) (SES) (A31, A38) (SWF)
DEBRE ZEIT (DE) (SPA)
HERMANUS (HS) (SEA)
HERSTMONCEUX (HC) (SEA)
HIRAISO (HI) (SWF)
HOBART (TA) (SEA)
HUANCAYO (HU) (SWF)
INUBO (IN) (SPA)
KULA (KL) (SPA)
MCMATH (MC) (SWF, SCNA)
PANSKA VES (PU) (SWF, SEA, SES)
POITIERS (PO) (SEA)
PRESTON (LO) (SEA)
SAO PAULO (UM) (SES, SPA)
SOFIA (SF) (SES)
ST CLOUD (SC) (SES)
TABLE MOUNTAIN (TM) (SPA, LF-SPA)
TORINO (TN) (SPA)
UPICE (UI) (SEA)

SID's BY McMATH REGION

JUNE 1975

DAY	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	28	30
REGION																														
22															1															
36																											1			
X-RAY																														
UNKNOWN																					1									
NO FP			1				1																							

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JUNE 1975

JUN DAYS	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE
				CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
	START UT	END UT		START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	
01	0000	0730	CULG													
	0000	1011	MANI													
	0000	0230	BOUL													
	0428	1838	DURN													
	0913	2409	SGMR													
	1130	2400	BOUL													
	1245	2245	HARV													
	1700	1859	WEIS													
	2030	2400	CULG													
	2129	2400	MANI													
02	0000	1011	MANI													
	0000	0230	BOUL													
	0000	0730	CULG													
	0357	1901	WEIS													
	0428	0550	DURN													
	0600	1838	DURN													
	0913	2410	SGMR													
	1246	2246	HARV													
	1500	2400	BOUL													
	2030	2400	CULG													
	2129	2400	MANI													
03	0000	0400	MANI													
	0000	0230	BOUL													
	0000	0730	CULG													
	0357	0627	WEIS													
	0415	1011	MANI													
	0427	1820	DURN													
	0650	1905	WEIS													
	0912	2411	SGMR													
	1130	1400	BOUL													
	1245	2246	HARV													
	1700	2400	BOUL													
	2030	2400	CULG													
	2129	2400	MANI													
04	0000	0230	BOUL													
	0000	0730	CULG													
	0342	1123	WEIS													
	0427	1820	DURN													
	0912	2411	SGMR													
	1127	1908	WEIS													
	1130	2400	BOUL													
	1245	2246	HARV													
	2030	2400	CULG													
05	0000	0730	CULG													
	0000	1011	MANI													
	0000	0230	BOUL													
	0343	1530	WEIS													
	0427	0613	DURN													
	0622	1820	DURN													
	0911	2412	SGMR													
	1246	2246	HARV													
	1601	1910	WEIS													
	1330	2400	BOUL										1916.2	2000	1	CONT
	2030	2400	CULG													
	2129	2400	MANI													
06	0000	1011	MANI													
	0000	0230	BOUL													
	0000	0730	CULG													
	0345	1910	WEIS													
	0427	1820	DURN													
	0911	2413	SGMR													
	1130	2400	BOUL													
	1245	2246	HARV													
	2030	2400	CULG													
	2129	2400	MANI													
07	0000	1011	MANI													
	0000	0230	BOUL													
	0000	0730	CULG													
	0346	0452	WEIS													
	0911	2414	SGMR													
	1130	2400	BOUL													
	1246	2246	HARV													
	2030	2400	CULG													
	2129	2400	MANI													
08	0000	1011	MANI													
	0000	0230	BOUL													
	0000	0730	CULG													
	0346	1338	WEIS													

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JUNE 1975

JUN DAYS	TIMES OF OBSERVATION START UT	TIMES OF OBSERVATION END UT	STATION	EVENTS: CENTIMETRIC BAND START UT	CENTIMETRIC BAND END UT	CENTIMETRIC BAND INT.	DECIMETRIC BAND START UT	DECIMETRIC BAND END UT	DECIMETRIC BAND INT.	METRIC BAND START UT	METRIC BAND END UT	METRIC BAND INT.	DEKAMETRIC BAND START UT	DEKAMETRIC BAND END UT	DEKAMETRIC BAND INT.	SPECTRAL TYPE
08	0426	1413	DURN													
	0910	2414	SGMR													
	1130	2400	BOUL													
	1245	2246	HARV													
	1432	1820	DURN													
	2030	2400	CULG													
	2129	2400	MANI													
09	0000	1013	MANI													
	0000	0230	BOUL													
	0000	0730	CULG													
	0426	1820	DURN													
	0653	1913	WEIS													
	0910	2415	SGMR													
	1130	2400	BOUL													
	1246	2245	HARV													
	2030	2400	CULG													
	2129	2400	MANI													
10	0000	1013	MANI													
	0000	0230	BOUL													
	0000	0730	CULG													
	0345	1113	WEIS													
	0427	1820	DURN													
	0910	2415	SGMR													
	1123	1911	WEIS													
	1246	2246	HARV							1653	1706	3	1653	1706	3	IIIGG
	2030	2400	CULG													
	2129	2400	MANI													
11	0000	1013	MANI													
	0340	1410	WEIS													
	0000	0730	CULG							0423.5	0424					IIIB,W
	0427	0909	DURN													
	0910	2416	SGMR													
	1245	2246	HARV													
	1416	1439	WEIS													
	1700	2400	BOUL													
	1720	1912	WEIS													
	2030	2400	CULG													
	2130	2400	MANI													
12	0000	1013	MANI													
	0000	0230	BOUL													
	0000	0730	CULG													
	0340	1302	WEIS													
	0910	2416	SGMR													
	1130	2400	BOUL													
	1245	2246	HARV													
	1430	1820	WEIS													
	2130	2400	MANI													
	2030	2400	CULG							2325.5						IIIB,W
13	0000	0730	CULG													
	0000	1013	MANI													
	0000	0230	BOUL													
	0705	1111	WEIS													
	0910	2417	SGMR													
	1130	2400	BOUL													
	1245	2246	HARV													
	2030	2400	CULG													
	2130	2400	MANI													
14	0000	1013	MANI													
	0000	0230	BOUL													
	0000	0730	CULG													
	0345	0842	WEIS													
	0427	1820	DURN													
	0910	2417	SGMR													
	1246	2246	HARV													
	1130	2400	BOUL							1953.4	1953.7	1	1953.4	1953.7	1	III
	2030	2400	CULG													
	2130	2400	MANI													
15	0000	1013	MANI													
	0000	0230	BOUL													
	0000	0730	CULG													
	0427	0506	DURN													
	0807	1820	DURN													
	0910	2418	SGMR													
	1130	2400	BOUL													
	1246	2246	HARV													
	2030	2400	CULG													
	2130	2400	MANI													
16	0000	1013	MANI													
	0000	0230	BOUL													
	0000	0730	CULG													
	0427	1820	DURN													
	1130	2400	BOUL							1916.5	1917.5	2	1916.5	1917.5	2	IIIG

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JUNE 1975

JUN 1975	TIMES OF OBSERVATION		STATION	EVENTS													SPECTRAL TYPE
				CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND				
	START UT	END UT		START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.		
16	0910	2418	SGMR										1917.1	1922.3	2		IIIG
			BOUL							1921.7	1922.5	2	1921.7	1922.5	2		III
	1245	2246	HARV							1922		3	1922		3		IIIB
			HARV							2002	2003	3	2002	2003	3		IIIG
			BOUL							2002.6	2003.5	2	2002.6	2003.5	2		III
			SGMR										2002.6	2003.2	2		III
			SGMR										2037.4	2038.2	1		III
			BOUL							2037.4	2038.4	2	2037.4	2038.4	2		IIIG
	2130	2400	MANI														
	2030	2400	CULG							2204	2206	2	2204.5	2205.5	2		IIIG
			BOUL							2204.7	2206.1	2	2204.7	2206.1	2		IIIG
			SGMR										2204.9	2205.8	1		IIIG
			BOUL							2310.5	2311.7	2	2310.5	2311.7	2		IIIG
			CULG							2311	2312	1					IIIG
17	0000	1013	MANI														
	0000	0230	BOUL														
	0000	0730	CULG							0321							IIIB,W
			CULG							0357	0358	1					IIIG
	0427	1820	DURN														
			CULG							0525	0526	1					IIIG
			CULG							0602	0603	1					IIIG
	0820	1244	DWIN				0820	1244	1	0820	1244	1					IW,S
	0910	2418	SGMR														
	1130	1600	BOUL														
	1246	2246	HARV														
	1900	2400	BOUL														
	2030	2400	CULG														
	2130	2400	MANI														
18	0000	1013	MANI														
	0000	0230	BOUL														
	0427	1307	DURN														
	0000	0730	CULG							0522							IIIB,W
	0706	1925	WEIS														
	0910	2419	SGMR														
	1010	1235	DWIN				1010	1235	1	1010	1235	1					IW,S
	1130	2400	BOUL														
	1245	2246	HARV														
	1323	1820	DURN														
	2030	2400	CULG														
	2131	2400	MANI														
19	0000	1013	MANI														
	0000	0735	CULG														
	0000	0230	BOUL														
	0350	0647	WEIS														
	0426	1820	DURN														
	0703	1917	WEIS														
	0755	1236	DWIN														
	0910	2419	SGMR														
	1130	2400	BOUL														
	1246	2246	HARV														
	2035	2400	CULG														
	2131	2400	MANI														
20	0000	1013	MANI														
	0000	0230	BOUL														
	0427	1820	DURN														
	0000	0735	CULG							0636	0637	1					IIIG,V
	0340	1030	WEIS							0636.5	0636.7	2					IIIB
			CULG							0639							IIIB,W
			WEIS							0835.2	0835.4	1					IIIB
	0910	2419	SGMR														
	1036	1917	WEIS														
	1130	2400	BOUL														
	1246	2246	HARV														
	2131	2400	MANI														
	2035	2400	CULG							2232	2233						IIIG,W
			CULG							2252							IIIB,W
21	0000	0735	CULG							0013	0021	2	0013	0021	2		IIIGG
	0000	0230	BOUL							0013.5	0016.2	1	0013.5	0016.2	1		IIIG
			BOUL										0019.0	0019.5	1		III
			BOUL							0020.8	0021.0	1	0020.8	0021.0	1		III
	0000	1013	MANI										0020.9	0021.2	1		III
			BOUL							0108.8	0109.2	1	0108.8	0109.2	1		III
			MANI										0108.9	0109.3	2		III
			CULG							0109		2	0109		2		IIIB
			CULG							0132	0133						IIIG,W
			CULG							0147	0147.5						IIIB,W
			CULG							0242							IIIB,W
	0341	0905	WEIS														
	0428	1820	DURN														
			CULG							0554	0556.5						IIIG,W
	1130	2400	BOUL							1236.6	1238.4	1	1236.6	1238.4	1		IIIG
	0910	2420	SGMR										1237.3	1237.9	1		III
	1245	2246	HARV														
			BOUL							1300.1	1300.5	1					III
	2132	2400	MANI														

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JUNE 1975

JUNE DATE	TIMES OF OBSERVATION START UT	TIMES OF OBSERVATION END UT	STATION	EVENTS: CENTIMETRIC BAND START UT	CENTIMETRIC BAND END UT	CENTIMETRIC BAND INT.	DECIMETRIC BAND START UT	DECIMETRIC BAND END UT	DECIMETRIC BAND INT.	METRIC BAND START UT	METRIC BAND END UT	METRIC BAND INT.	DEKAMETRIC BAND START UT	DEKAMETRIC BAND END UT	DEKAMETRIC BAND INT.	SPECTRAL TYPE
21	2030	2400	CULG							2303	2303.5	1				IIIB,U
22	0000	1013	MANI													
	0000	0230	BOUL													
	0000	0730	CULG							0332	0332.5	1				IIIG
			CULG							0508		1				IIIB
			CULG							0512						IIIB,W
	0910	2420	SGMR													
	1130	2400	BOUL							1243.7	1243.9	1	1243.7	1243.9	1	III
	1246	2246	HARV													
	0429	1431	DURN				1306.8	1306.2	1	1306.0	1306.2	3				III
	1440	1834	DURN				1809.0	1809.1	3							III
	2030	2400	CULG													
	2133	2400	MANI													
23	0000	1013	MANI													
	0000	0230	BOUL													
	0000	0735	CULG							0426.5	0427.5	1				IIIG
	0429	0903	DURN													
			CULG							0455		1				IIIB
			CULG							0520	0522					IIIG,W
			CULG							0544	0544.5					IIIB,W
			CULG							0623		1				IIIB
	0720	1915	WEIS													
	2035	2400	CULG													
	1245	2246	HARV							2045	2046	3	2045	2046	3	U
	1500	2400	BOUL							2045.0	2046.5	1	2045.0	2046.5	1	III
	0911	2420	SGMR										2045.0	2046.1	2	III
	2133	2400	MANI													
24	0000	1013	MANI													
	0000	0730	CULG													
	0000	0236	BOUL													
	0650	0810	WEIS													
	0911	2420	SGMR													
	0955	1436	WEIS													
	1246	2246	HARV													
	1447	1917	WEIS													
	1130	2400	BOUL										1635	1655	1	II
	2030	2400	CULG													
	2133	2400	MANI													
			BOUL							2356.1	2356.5	1	2356.1	2356.5	1	III
25	0000	0230	BOUL													
	0000	1013	MANI													
	0000	0730	CULG													
	0340	1910	WEIS													
	0911	2420	SGMR													
	1130	2400	BOUL													
	1246	2246	HARV													
	1700	1820	DURN													
	2030	2400	CULG													
	2133	2400	MANI													
26	0000	1013	MANI													
	0000	0735	CULG							0004.5	0006					IIIG,W
			CULG							0108	0110	1				IIIG
	0000	0230	BOUL							0109.0	0110.0	2	0109.0	0110.0	2	IIIG
			CULG							0117	0117.5					IIIG,W
			BOUL							0117.0	0117.8	1	0117.0	0117.8	1	III
			CULG							0301	0302	2				IIIG
			CULG							0317.5	0318.5	1				IIIG
			CULG							0336.5	0337					IIIG,W
			CULG							0349						IIIB,W
	0430	1358	DURN													
			CULG							0539		1				IIIB
	0912	2420	SGMR													
	1054	1453	DWIN				1054	1453	1	1054	1453	1				IW,S
	1130	2400	BOUL													
	1246	2246	HARV													
	1458	1820	DURN				1620.8	1621.0	1	1620.8	1621.0	3				IIIG
	0634	1918	WEIS							1620.8	1621.0	2				IIIG,RS
	2035	2400	CULG							2142	2258.5					IIIN,W
27	0000	1013	MANI													
	0000	0230	BOUL													
	0000	0735	CULG							0158		1				IIIB
			CULG							0201		1				IIIB
			CULG							0306		1				IIIB
			CULG							0340						IIIB,W
			CULG							0355	0355.5					IIIB,W
	0344	1055	WEIS							0355.6	0355.7	3				IIIB
	0430	1250	DURN				0430 E	0610	2	0430 E	0610	2				I
			CULG							0436						IIIB,W
			WEIS							0445.0	0651.0	1				IN
			CULG							0515						IIIG,W
			CULG							0651	0651.5					IIIG,W
	0814	1458	DWIN				0814	1458	1	0814	1458	1				IS
			DWIN							0837.8	0837.9	1				IIIG
			DWIN							0852.3	0853.5	2				IIIG

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JUNE 1975

JUNE DAYS	TIMES OF OBSERVATION		STATION	EVENTS														SPECTRAL TYPE
				CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND					
	START UT	END UT		START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.			
27			WEIS							0852.9	0853.5	2						IIIG,DP
			WEIS							0855.5	0856.8	3						IIIG
			DWIN				0855.6	0856.5	2	0855.6	0856.7	2						IIIG
			DWIN							0901.7	0902.0	1						IIIG
			DWIN				0908.5	0908.7	1	0908.5	0908.7	2						IIIG
			DWIN				0917.3	0917.7	1	0917.3	0917.7	2						IIIG
			WEIS							0917.4	0917.6	2						IIIG
			DWIN							0922.2								IIIB
			WEIS							0924.3	0925.2	3						IIIG
			DWIN				0924.7	0924.8	1	0924.3	0925.0	2						IIIG
			DWIN				0934.7	0935.0	1	0934.7	0935.0	2						IIIG
			DWIN							0942.2	0943.3	1						IIIG
			WEIS							0944.8	0947.0	1						IIIB
			WEIS							1011.2	1012.5	3						IIIGG
			DWIN				1011.3	1012.2	1	1011.3	1012.2	2						IIIGG
	0912	2421	SGMR										1011.8	1012.4	2			III
			DWIN							1051.0	1051.7	2						IIIG
			WEIS							1051.0	1051.7	2						IIIG
	1115	1920	WEIS															
	1246	2246	HARV															
	1130	2400	BOUL										1320.6	1321.1	1			III
			BOUL										1409.0	1409.6	2			III
			SGMR										1409.1	1409.5	1			III
	1601	1820	DURN															
			BOUL										1838.5	1839.5	1			III
			BOUL										2028.2	2028.8	1			III
	2133	2400	MANI															
	2035	2400	CULG							2155	2403							IIIN,W
			CULG							2304	2304.5	1						IIIG,U
			BOUL							2304.3	2304.6	2	2304.3	2304.6	2			III
			CULG							2316		1						IIIB,U
			BOUL							2316.3	2316.9	2						III
28	0000	1313	MANI															
	0000	0730	CULG							0005	0655	1						IIIN
	0000	0230	BOUL							0018.7	0018.8	1						III
			CULG							0333		1						IIIB,U
	0430	1820	DURN				0430 E	1820 D	3	0430 E	1820 D	3						I,DC
			CULG				0455	0710	1									IN
	0346	1312	WEIS							0455.0	1312.0	2						IS
	0507	1804	DWIN				0507	1804	2	0507	1804	2						IS,C
	0913	2421	SGMR															
	1130	2400	BOUL										1458.0	1556.4	1			CONT
	1246	2246	HARV							1834		2	1834		2			IIIG
			BOUL							1834.0	1834.5	1	1834.0	1834.5	1			III
	2040	2400	CULG				2106	2400	1	2111	2305	1						I
			CULG							2124	2400							IIIN,W
	2134	2400	MANI															
			BOUL							2323.7	2324.5	1	2323.7	2324.5	1			III
			CULG							2324		1						IIIB,U
29			CULG				0000	0710	1									IS
	0000	0735	CULG							0000	0655	1						IIIS
	0000	1013	MANI															
	0000	0230	BOUL							0101	0138	1	0101	0138	1			III
			CULG							0104		1						IIIB,U
	0430	1314	DURN				0430 E	1832 D	3	0430 E	1832 D	3						I,DC
	0913	2421	SGMR															
	1246	2246	HARV															
	1328	1832	DURN															
	2040	2400	CULG				2105	2400	1									IS
			CULG							2125.5	2351	1						IIIS
	2134	2400	MANI															
30	0000	1013	MANI															
	0000	0735	CULG				0000	0710										
			CULG							0009	0647							IIIN,W
	0430	1831	DURN				0430 E	1831 D	2	0430 E	1831 D	2						I,DC,N
			CULG							0446.5		1						IIIB
			CULG							0609.5		2						IIIG,U
	0826	1006	DWIN				0826	1006	1	0826	1006	1						IS,C
	0635	1928	WEIS							0835.0	1714.0	2						IN
	1306	1503	DWIN				1306	1503	1	1306	1503	1						IS
			DWIN							1312.8	1313.3	2						IIIG
			DWIN							1314.9	1315.2	1						IIIG
			WEIS							1527.4	1527.7	2						IIIG
			DURN							1527.4	1527.5	2						IIIG
	1246	2246	HARV							1625	1626	2	1625	1626	2			IIIGG
	1615	2400	BOUL							1625.0	1628.5	2	1625.0	1628.5	2			III
			WEIS							1625.6	1626.3	2						IIIG
	0913	2421	SGMR										1625.8	1627.0	2			III
			DURN															
			BOUL							1625.9	1626.1	1						IIIG
			HARV										1910	1928	1			CONT
			BOUL							1911	1917	2	1912	1915	2			IIIGG
			HARV							1911.0	1912.6	2	1911.0	1912.6	2			IIIG
			BOUL							1923	1927	3	1926	1927	3			IIIGG,V
			SGMR							1926.0	1928.0	2	1926.0	1928.0	2			IIIG
			BOUL										1926.8	1927.5	3			V
			BOUL										1949.4	1950.0	1			III
													2049.8	2050.0	1			III

SOLAR RADIO EMISSION
SPECTRAL OBSERVATIONS

JUNE 1975

JUNE 1975	TIMES OF OBSERVATION		STATION	EVENTS												SPECTRAL TYPE
				CENTIMETRIC BAND			DECIMETRIC BAND			METRIC BAND			DEKAMETRIC BAND			
	START UT	END UT		START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	START UT	END UT	INT.	
30	2040	2400	CULG				2105	2400		2113	2400	2				IS
			CULG							2135	2400	2				IIIS
			BOUL							2210	2255	1	2210	2255	1	CONT
			BOUL							2301	2400	2	2300	2400	2	IV

The symbols used in connection with the spectral type in describing the important bursts are as follows:

B = Single burst
G = Small group (< 10) of bursts
GG = Large group (> 10) of bursts
C = Underlying continuum (particularly with type I)
S = Storm in the sense of intermittent but apparently connected activity
N = Intermittent activity in this period
U = U-shaped burst of Type III
RS = Reverse slope burst
DP = Drifting pairs
DC = Drifting Chains
H = Herringbone
W = Weak
P = Pulsations
CONT = Continuum
UNCLF = Unclassified activity

SELECTED SOLAR EVENTS

JUNE 1975

Culgoora

UT Date 1975 JUNE	HELIOGRAPH EVENT							Spectral Type	REMARKS
	Start (UT)	End (UT)	Freq. (MHz)	Positions: Central Dist. ($R_\odot$)	Positions: Position Angle (Deg.)	Polarization	‡ Intensity (1-3)		
21	0109	0110	80	1.2	230	0			
			43.25	1.4	230	-		IIIB	
22	0331	0333	80	1.1	100	0		IIIG,W	
23	0425	0428	160	1.1	70	0		IIIG,W	
			80	1.4	70				
26	0336	0337	160	0.9	40	0		IIIG,W*	
			80	1.0	40				
28 } 29 }	2140	0500	160	0.1	270	R		I	Continued until end of observations on June 30
30	0446	0448	160	1.0	230	0		IIIG	*
			80	1.2	230	0			
			43.25	1.4	240	-			

Days without Heliograph observations: .....NIL.....

* Other type III's observed at same position during the day.

‡ Because of equipment modifications which are in progress, intensity classifications are not available for this month. An indication of intensities can be obtained from the corresponding entries in "Solar Radio Emission - Spectral Observations".

COSMIC RAY INDICES

(Neutron Monitors)

JUNE 1975

JUNE 1975	THULE Average cts/hr	ALERT Average cts/hr	DEEP RIVER Average cts/hr	CALGARY Average cts/hr	SULPHUR MT Average cts/hr	KIEL Average cts/hr	CLIMAX Average cts/hr	TOKYO Average cts/hr
1	4599.6	7534.5	7040.1	11746.6	9033.5(23)	6367.3	4229.9	3550.6
2	4546.2	7451.4	7001.4	11632.5	8954.0	6346.0	4217.1	3553.3
3	4550.3	7451.5	7033.0	11666.0	8998.7	6357.4	4231.4(34)	3551.8(22)
4	4550.6	7473.2	7058.4	11713.4	9026.6	6364.2	4254.7	3563.5
5	4573.7	7492.4	7064.8	11717.5	9024.9	6350.5	4248.5	3553.2
6	4578.3	7490.7	7075.1	11737.8	9053.7	6347.5	4257.6	3554.4
7	4592.9	7518.0	7093.3	11786.7	9091.1	6366.9	4268.0	3547.7
8	4618.8	7532.7	7106.4	11843.1	9127.2	6392.6	4289.9	3562.2
9	4621.5	7527.3	7108.5	11859.0	9121.8	6404.2	4293.3	3565.5
10	4623.0	7518.0	7108.1	11848.3	9123.4	6386.2	4293.9	3560.1
11	4632.7	7520.5	7085.9	11775.0	9091.5	6378.1	4287.6	3556.5
12	4608.0	7485.5	7034.5	11692.6	9015.8	6348.9	4251.0	3534.4
13	4598.8	7482.0	7035.3	11671.3	9003.7	6341.2	4241.4	3533.1
14	4585.5	7458.5	7025.0	11662.5	8999.8	6335.4	4245.0(4)	3532.9
15	4588.0	7461.8	7024.0	11653.7	9023.2	6362.4	- (0)	3539.8
16	4573.0	7430.5	7005.5	11633.1	8996.1	6351.7	- (0)	3536.0
17	4586.0	7448.7	7002.8	11650.6	8993.4	6344.5	4253.6	3533.3
18	4597.3	7450.0	6997.0	11668.9	8981.8	6330.3	4260.5	3534.0
19	4600.7	7464.8	6998.9	11665.0	8995.6	6330.9	4259.0	3541.3
20	4611.9	7465.2	7039.4	11628.4	9033.2	6338.9	4263.5	3542.2
21	4622.8	7484.3	7050.9	11657.7	9042.5	6346.2	4276.5	3547.3
22	4642.5	7509.4	7051.8	11732.9	9080.3	6356.4	4277.0	3545.4
23	4657.0	7526.3	7070.7	11755.4	9121.8	6381.5	4282.2	3553.5
24	4662.5	7537.4	7098.8	11768.7	9142.7	6393.7	4286.8	3556.7
25	4665.7	7549.1	7109.7	11750.6	9134.2	6400.8	4301.7	3536.8
26	4683.4	7558.4	7124.5	11746.7	9207.3	6403.6	4297.7	3542.1
27	4679.2	7569.3	7128.1	11727.2	9196.1	6407.2	4302.5	3551.0
28	4682.6	7592.9	7119.2	11803.5	9172.7	6415.7	4301.4	3549.4
29	4697.7	7617.8	7128.4	11846.0	9153.8	6426.1	4305.6	3556.2
30	4683.8	7609.4	7106.2	11829.8	9120.7	6427.7	4296.0	3559.5
MEAN	4617.1	7507.0	7064.2	11729.0	9068.7	6370.1	4270.5	3548.1

( ) Number of hours for which data are available if less than 24. Number of Section Hours at Climax if sum of both sections is less than 40 hours.

Thule, Alert, Calgary, Sulphur Mountain, Kiel and Climax Scaling Factors = 100.
Deep River Scaling Factor = 300.
Tokyo Scaling Factor = 128.

COSMIC RAY INDICES
(Neutron Monitors)
JUNE 1975



GEOMAGNETIC ACTIVITY INDICES

JUNE 1975

Day	Three-Hour Range Indices Kp									Prel Ci	Cp	Ap	aa			
	1	2	3	4	5	6	7	8	Sum				N	S	M	
1 D	2	1+	1	2	4	4+	6-	5-	25	1.1	1.1	24	41	32	11 62	
2 D	5-	5	5-	4	3	3	3	4	31+	1.4	1.2	28	44	54	68 31	
3	3	2	3-	3-	3-	2+	3-	3	21	0.7	0.7	12	24	23	23 24	
4	3	3	3-	2-	2+	2+	2+	3-	20	0.5	0.6	11	25	19	22 22	
5	3+	2+	2+	3-	2	2	3	4-	21+	0.8	0.7	12	26	29	24 31	
6	3	3-	3-	3	2+	2	2+	2+	20+	0.6	0.6	11	25	30	26 29	
7	2-	1+	2	1+	1-	1	2	3	13	0.2	0.3	6	16	11	13 14	C
8 QQ	1-	1-	1	1	2-	1	0+	1	7+	0.1	0.1	4	10	6	7 9	CC
9 Q	2-	3-	1	1+	1	1	1-	1	10+	0.1	0.2	5	15	7	14 8	CC
10 QQ	1-	1-	1-	1-	1	1+	1	1+	7+	0.1	0.1	4	10	8	7 11	CK
11	2	2-	3+	4+	3	2+	3+	2+	22+	0.8	0.8	14	26	24	28 22	
12 D	3	3+	4-	4+	5	4	4-	4+	31+	1.2	1.2	27	43	39	35 47	
13	3	3+	3-	3-	3+	3-	3	3-	23+	0.8	0.8	14	27	24	26 26	
14	1+	1+	2+	2+	3-	2	3	1+	16+	0.5	0.5	8	17	22	19 20	
15	1+	2	2	3+	2+	4-	3-	4-	21	0.9	0.7	13	29	28	19 38	
16	3+	3+	3-	4-	3-	4-	3+	3	26-	1.0	0.9	17	31	28	31 29	
17	2-	1	2	4-	3-	3	3+	3	20+	0.8	0.7	12	22	23	18 28	
18	3	3+	3-	2-	2+	3	3-	2-	20+	0.7	0.7	12	23	22	24 21	
19	3	2	3-	2	3-	3	3-	3-	21-	0.8	0.7	12	26	21	19 29	
20	2-	2-	1+	1	1+	1	3-	2-	12+	0.2	0.3	6	16	8	11 13	C
21	2+	3-	2-	2-	1+	2+	2+	3	17+	0.4	0.5	9	21	20	21 21	
22 Q	2	2	1+	1+	1-	0+	2-	1+	11-	0.2	0.2	5	11	9	12 9	CK
23 QQ	1	1+	0+	0+	1-	1+	1+	1+	8-	0.1	0.1	4	10	4	6 9	CC
24 QQ	1-	1-	1-	1	0+	0+	0+	0+	4+	0.0	0.0	3	6	3	6 4	CC
25 Q	0	1+	1	1-	1+	1	2	2	9+	0.2	0.2	4	12	9	6 15	CC
26 Q	2-	2-	2	1+	1	1	1+	1-	11-	0.2	0.2	5	12	11	13 11	CC
27 QQ	1	1	1	0+	1	1	1-	1+	7+	0.1	0.1	4	10	5	7 8	CC
28 Q	1-	1-	2-	2-	2-	1-	1-	1+	9	0.1	0.2	4	14	7	11 11	CC
29 D	2-	2	3-	2	3+	5+	6-	4+	27	1.2	1.2	26	48	37	16 70	
30 D	5	4+	4-	3-	3-	3-	3	4-	28-	1.1	1.1	22	41	35	50 27	
									MEAN	0.56	0.56	11	22.7	20.0	21.4	

GEOMAGNETIC ACTIVITY INDICES



DAILY AVERAGE INDICES Ap

DAY	1974 JUL	AUG	SEP	OCT	NOV	DEC	1975 JAN	FEB	MAR	APR	MAY	JUN
1	10	6	24	28	6	6	7	37	21	7	6	24
2	12	22	32	30	5	15	4	23	10	5	16	28
3	9	35	16	12	6	15	7	12	11	6	19	12
4	31	24	20	8	3	9	32	10	9	7	14	11
5	74	21	19	10	5	7	27	17	30	10	34	12
6	130	20	14	11	10	4	26	8	20	15	35	11
7	15	22	12	6	7	8	44	15	3	25	22	6
8	36	16	7	10	21	13	36	8	2	32	14	4
9	15	16	5	39	39	42	7	11	8	52	16	5
10	20	16	6	10	10	20	6	38	80	35	19	4
11	14	10	4	6	48	21	4	36	53	34	2	14
12	23	5	6	17	70	18	4	35	37	27	3	27
13	12	6	16	86	36	22	32	27	29	29	6	14
14	23	5	9	30	38	13	33	25	29	21	14	8
15	10	4	73	50	10	14	15	21	20	7	3	13
16	10	6	88	68	16	8	21	30	27	6	28	17
17	8	6	3	47	14	18	29	14	13	5	14	12
18	6	10	19	43	8	28	22	15	17	6	7	12
19	6	40	34	29	14	27	10	11	11	5	15	12
20	11	46	35	41	22	21	10	8	14	25	23	6
21	9	39	43	10	24	19	6	8	3	23	12	9
22	8	37	24	15	18	14	8	7	6	15	11	5
23	82	36	16	5	16	17	12	32	13	25	8	4
24	51	26	26	38	26	14	10	17	14	17	5	3
25	22	13	30	22	19	12	5	20	8	8	14	4
26	20	7	38	28	17	12	5	9	17	9	18	5
27	24	18	25	25	9	21	14	5	34	5	10	4
28	18	20	14	29	6	12	12	12	38	3	5	4
29	13	31	16	18	3	11	6		22	2	11	26
30	8	17	21	12	2	6	7		10	6	6	22
31	6	21		8		14	16		13		4	
MEAN	24	19	23	26	18	15	16	16	20	10	13	11

HOURLY EQUATORIAL Dst VALUES (PROVISIONAL)

JUNE 1975

NASA/GODDARD SPACE FLIGHT CENTER

(Time-UT) (Units-Gammas)

DAY	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
1	-3	-2	0	-1	0	4	9	9	7	6	11	9	6	11	12	18	17	22	14	8	3	8	-1	0
2	-5	-9	-15	-17	-23	-25	-17	-14	-23	-21	-19	-11	-10	-15	-18	-20	-25	-25	-21	-24	-25	-24	-22	-23
3	-24	-22	-22	-19	-17	-15	-14	-12	-8	-9	-9	-3	-9	-10	-11	-10	-13	-10	-9	-14	-12	-11	-11	-8
4	-12	-15	-17	-15	-11	-10	-8	-6	-7	-6	-4	-4	-9	-11	-10	-12	-13	-13	-14	-14	-12	-8	-7	-3
5	-7	-12	-16	-18	-17	-12	-5	-1	-6	-1	1	0	-3	-7	-11	-12	-9	-10	-11	-13	-10	-9	-11	-13
6	-14	-11	-14	-18	-17	-12	-9	-4	-3	-7	-5	0	-2	-5	-7	-8	-10	-10	-12	-12	-9	-5	-4	-5
7	-8	-11	-14	-11	-11	-9	-7	-5	-9	-5	1	2	-1	-3	-5	-6	-5	-6	-6	-8	-8	-10	-5	0
8	0	-2	-4	-2	0	0	-1	-2	-2	-2	-1	-2	-1	-3	-4	-3	-4	-3	-1	0	0	-5	-7	-7
9	-6	-3	-4	-3	-5	-5	-3	-2	3	3	5	10	7	5	1	0	0	-1	1	1	3	5	4	2
10	-1	-1	-2	-3	-4	-4	-2	-1	1	3	3	2	-1	-3	-6	-7	-5	-5	-4	-4	-4	-3	0	0
11	4	7	5	7	6	5	-2	-11	-11	-18	-20	-14	-16	-13	-12	-14	-10	-1	1	0	2	-1	-4	-2
12	1	2	-2	-6	-5	-5	1	9	4	5	-3	2	1	-6	-7	-5	-8	-14	-10	-19	-14	-13	-13	-17
13	-16	-21	-18	-18	-14	-18	-14	-10	-6	-5	-6	-3	-2	-5	-8	-8	-7	-8	-12	-12	-11	-9	-13	-15
14	-16	-18	-18	-15	-12	-8	-6	-5	-5	-2	3	5	4	3	-2	-6	-7	-5	-5	-3	3	5	6	5
15	2	-2	-4	-3	-4	-2	-1	-3	-7	-6	-1	5	9	8	3	-9	-10	-5	-3	1	2	-4	-3	-1
16	-6	-6	-12	-16	-14	-11	-10	-5	-10	-13	-10	-9	-6	-6	-8	-12	-12	-13	-10	-9	-5	-4	-7	-2
17	-6	-10	-13	-8	-6	-5	-1	3	-4	-6	-7	-2	-2	-5	-5	-7	-9	-8	-7	-10	-9	-6	-7	-11
18	-13	-10	-14	-16	-18	-15	-15	-11	-5	-2	-1	3	2	-1	-3	-1	1	-6	-9	-5	-3	-5	-4	-4
19	-5	-7	-5	-8	-9	-7	-3	-6	-5	-5	-9	-11	-10	-8	-8	-11	-9	-11	-14	-14	-13	-9	-10	-5
20	-4	-9	-10	-8	-6	-6	-5	-3	-1	-2	-3	-1	-1	-3	-2	0	2	-1	-4	-7	-11	-12	-12	-12
21	-12	-12	-13	-16	-16	-11	-7	-5	-8	-13	-13	-7	-8	-10	-11	-13	-11	-12	-13	-7	-7	-13	-13	-11
22	-9	-5	-5	-5	-10	-7	-8	-8	-11	-13	-14	-13	-10	-10	-10	-12	-10	-11	-8	-4	-5	-4	-1	1
23	-1	-2	0	-2	-4	-5	-4	-2	-1	-2	-3	-4	-2	0	2	5	3	3	1	1	4	3	1	2
24	2	0	-1	-1	-1	0	1	3	3	1	5	9	12	14	14	13	12	10	8	7	6	8	10	11
25	11	12	11	10	12	15	25	23	22	23	22	22	20	19	16	15	16	15	11	5	-1	-4	-6	-3
26	-4	-7	-9	-7	-3	2	5	7	6	9	12	13	13	12	14	15	16	14	14	12	3	8	9	10
27	10	9	10	11	8	8	9	11	11	9	7	6	5	5	5	5	5	5	6	9	8	8	6	5
28	8	8	7	8	11	12	10	9	10	13	15	17	18	17	14	13	10	9	11	12	13	11	7	8
29	7	8	4	1	7	9	14	15	18	22	29	35	37	37	28	33	20	10	11	0	-12	-19	-18	-19
30	-19	-20	-25	-23	-25	-20	-23	-20	-20	-22	-17	-15	-17	-17	-18	-19	-21	-20	-18	-17	-15	-17	-15	-16



PRINCIPAL MAGNETIC STORMS

JUNE 1975

OBS. 2 letter IAGA code	GEOMAG-NETIC LATI-TUDE	COMMENCEMENT DAY	hr min (UT)	TYPE	SC - AMPLITUDES D(')	H(γ)	Z(γ)	MAXIMUM 3 HOUR - INDEX K DAY(3 HOUR PERIOD)	K	RANGES D(')	H(γ)	Z(γ)	UT END DAY	HOUR
CO	64.6N	1	10--	..	..	..	..	01(5,6) 02(2,3,4,5,6)	5	111	1250	490	02	20
NE	55.1N	1	10--	..	..	..	..	02(3)	6	41	121	128	04	09
WI	54.2N	1	1006	SC	+ 1	+ 3	0	01(7)	6	22	210	60	02	23
FR	49.6N	1	13--	..	..	..	..	01(7,8) 02(3)	5	21	135	45	04	09
BO	48.9N	1	12--	..	..	..	..	02(3)	5	21	95	65	02	15
IR	41.0N	1	05--	..	..	..	..	01(7)	6	19	159	35	03	16
TU	40.4N	1	16--	..	..	..	..	02(3)	6	13	105	35	03	15
SJ	29.9N	1	15--	..	..	..	..	01(7)	5	6	87	25	02	10
HO	21.1N	1	10--	..	..	..	..	02(2)	5	9	115	20	02	12
AL	09.5N	1	10--	..	..	..	..	01(7) 02(2,3)	5	5	79	32	02	23
HD	07.6N	1	0959	SC	- 0.1	+ 8	- 1	01(7)	5	5	81	33	03	23
GU	04.0N	1	1239	..	..	..	..	02(2)	5	10	120	28	02	17
AN	01.5N	1	10--	..	..	..	..	--	-	4	--	78	02	23
HU	00.6N	1	1200	..	..	..	..	01(7)	6	6	221	32	02	21
TV	01.1S	1	10--	..	..	..	..	--	-	3	81	78	02	23
AP	16.0S	1	0948	..	..	..	..	02(2)	5	5	127	26	02	12
PM	18.7S	1	1240	SC	+ 0.2	+22	+16	02(2,3)	5	5	110	60	03	14
HR	33.7S	1	14--	..	..	..	..	02(2)	6	31	62	86	02	22
TO	46.7S	1	1239	SC	+ 1	+36	+ 5	01(5) 02(2,3,4)	5	16	180	60	03	00
KG	56.5S	1	12--	..	..	..	..	02(1,2,8)	5	--	--	--	03	03
CO	64.6N	11	00--	..	..	..	..	11(4) 12(5)	6	112	1060	720	13	15
NE	55.1N	11	00--	..	..	..	..	11(3,4) 16(2) 18(2)	5	27	117	134	18	18
BO	48.9N	11	08--	..	..	..	..	11(4)	5	17	90	45	13	17
HD	07.6N	11	0600	..	..	..	..	11(3) 12(5,6)	4	5	117	19	13	22
HD	07.5N	15	0900	..	..	..	..	16(6)	4	5	83	14	17	00
HD	07.6N	28	2130	..	..	..	..	29(6)	4	5	92	13	30	23
NE	55.1N	29	0933	..	..	..	..	29(8) 30(1,2,3)	5	31	135	121	30	18
WI	54.2N	29	13--	..	..	..	..	29(6,7)	6	32	240	50	30	23
FR	49.6N	29	13--	..	..	..	..	29(8)	5	23	110	60	30	13
BO	48.9N	29	13--	..	..	..	..	30(2)	5	21	105	55	01	14
TU	40.4N	29	13--	..	..	..	..	29(7) 30(2)	5	14	105	30	30	12
SJ	29.9N	29	13--	..	..	..	..	29(7)	5	8	90	40	30	08
HO	21.1N	29	09--	..	..	..	..	29(7)	4	9	87	27	30	12
AL	09.5N	29	09--	..	..	..	..	29(5,6) 30(1,2)	4	5	86	33	30	19
AN	01.5N	29	09--	..	..	..	..	--	-	4	91	23	30	19
HU	00.6N	29	1320	..	..	..	..	29(6)	6	7	248	27	30	19
TV	01.1S	29	09--	..	..	..	..	--	-	4	101	73	30	19
HR	33.7S	29	13--	..	..	..	..	29(7) 30(1)	5	24	81	91	30	19
KG	56.5S	29	14--	..	..	..	..	29(7)	6	--	--	--	01	01

Reports were received from the following observatories:

College Sitka Newport Witteveen Fredericksburg Boulder Irkutsk Tucson San Juan Honolulu Huancayo Alibag Hyderabad Guam Annamalainagar Apia Trivandrum Port Moresby Hermanus Gnangara Toolangi Port-aux-Francais

SUDDEN COMMENCEMENTS AND SOLAR FLARE EFFECTS

JUNE 1975

PRELIMINARY REPORT ON RAPID MAGNETIC VARIATIONS (by Dr. A. Romana)

The meaning of the station symbols is given in the IAGA-Bulletins nr. 12 and 32. Times of ssc and si are mean values. If given by ten or more stations they are underlined.

Sudden commencements followed by a magnetic storm or a period of storminess (ssc)

01 1729 A: PE KS; B: LM; C: SZ PP? (si: A: SS; B: WN FU TL)

Sudden impulses found in the magnetograms (si)

n o n e

Solar-flare effects (sfe)

Effects confirmed by ionospheric or solar observations are underlined.

05 1244 - 1257 SZ
06 1115 - 1126 SZ
09 2130 - 2147 LG
10 0727 - 0738 LG
21 0657 - 0707 LG
27 1741 - 1747 LG
30 1212 - 1223 SZ

RADIO PROPAGATION QUALITY FIGURES AND FORECASTS

JUNE 1975

North Atlantic

JUN 1975	WHOLE DAY INDICES NORTH ATLANTIC	ADVANCE FORECASTS (JC-REPORTS) FOR WHOLE DAY	NORTH ATLANTIC 6-HOURLY QUALITY FIGURES 00 TO 06	06 TO 12	12 TO 18	18 TO 24	NORTH ATLANTIC SHORT-TERM FORECASTS ISSUED ABOUT ONE HOUR IN ADVANCE OF 02	08	14	20	GEOMAGNETIC INDICES K_{FR} HALF DAY (1)	(2)	A_{FR} OBSERVED
01	6+	5	6o	6o	7-	6+	6	6	6	6	2	(4)	21
02	6-	5	6o	5o	6o	6o	5	5	5	5	(4)	3	24
03	6-	5	6o	5+	5+	6o	5	5	6	6	3	3	13
04	6o	6	6o	5+	6o	6+	6	5	6	6	3	3	13
05	6-	6	6o	4o	6+	6+	6	5	6	6	3	3	13
06	6-	6	6-	4+	6+	7-	6	5	6	6	3	2	10
07	6+	6	6o	6o	6+	7-	6	6	6	6	2	2	7
08	6o	6	6o	5-	6+	7-	6	6	6	6	1	1	4
09	6+	6	6o	6o	6+	7-	6	6	6	6	2	1	7
10	6+	6	6+	6-	7-	7-	6	6	6	6	1	1	4
11	6+	6	7-	6-	7-	7-	6	6	6	5	(4)	3	21
12	6o	6	6o	5o	6o	6+	5	5	6	5	(4)	(4)	26
13	6-	6	6o	5-	6o	6o	5	5	6	6	(4)	3	19
14	6o	6	6o	5+	6+	6o	5	5	6	6	2	3	10
15	6-	5	6o	6o	6-	6-	6	6	5	5	3	3	12
16	5+	5	5+	6-	5+	6-	6	4	5	6	3	3	17
17	5+	5	6-	5o	5+	5+	5	5	5	6	2	3	11
18	6-	6	6-	5+	6-	6-	6	5	6	6	3	3	13
19	6-	6	6-	6o	6-	6-	6	5	6	6	3	3	11
20	6o	6	6-	6-	6+	6o	6	5	6	6	1	2	6
21	6o	6	5+	6o	7-	6+	6	5	6	5	3	2	8
22	6o	6	6o	5+	7-	6o	5	5	6	6	2	1	6
23	6+	6	6o	7o	6-	6-	6	6	6	7	1	1	3
24	6o	6	6o	5+	6+	7-	6	6	6	7	1	0	2
25	6+	6	7-	6-	6o	6+	7	6	6	7	1	2	6
26	7-	6	6+	6+	6+	7o	7	6	6	7	2	1	6
27	7-	6	7-	6+	6+	7-	6	6	6	7	1	2	4
28	6+	6	6+	6-	6+	7o	7	6	6	6	2	1	5
29	7-	5	7-	6o	6+	7-	6	6	6	5	3	(4)	20
30	6-	5	6o	6-	5+	6o	6	5	5	5	(4)	3	19

TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH

JUNE 1975



TRANSMISSION FREQUENCY RANGES -- NORTH ATLANTIC PATH

JUNE 1975



Field strengths from five frequencies, 6.425, 8.542, 12.813, 17.084 and 22.378 MHz, observed on a Lüchow - Halifax circuit are represented above. Heavy solid lines represent field strengths ≥-12 dB above 1 μv/m (transmitter power reduced to 1 kW). Observed field strengths between -12 dB above 1 μv/m and -40 dB above 1 μv/m are represented by the fine line.

Adapted from Observations by Deutsche Bundespost

RADIO PROPAGATION QUALITY INDICES

JUNE 1975

Quality Indices calculated for reception at Lüchow

	TOKYO	HALIFAX	MAURITIUS	CANBERRA	BRACKNEL
1	5.0	7.7	6.6	6.3	12.9
2	3.2	6.9	6.6	5.7	12.8
3	4.6	7.4	6.4	6.3	12.9
4	4.4	7.5	5.5	5.7	12.7
5	4.6	7.4	5.3	6.0	12.5
6	4.2	7.7	5.5	5.3	12.8
7	5.0	7.5	5.6	4.8	12.5
8	5.1	8.3	5.8	5.4	13.4
9	5.3	8.9	6.5	5.6	14.4
10	6.0	9.3	5.7	5.6	14.5
11	5.4	7.5	5.0	5.7	13.4
12	4.3	7.2	6.1	5.3	13.3
13	4.4	7.4	5.3	5.0	13.1
14	4.6	7.7	6.5	4.9	13.3
15	4.4	7.6	6.0	4.9	12.9
16	4.1	6.9	6.5	4.8	13.3
17	4.0	7.1	5.7	4.8	12.8
18	4.1	6.8	5.6	5.2	13.1
19	4.1	7.5	6.3	5.2	12.8
20	4.7	7.7	6.0	5.9	13.2
21	4.0	7.2	6.4	5.4	13.3
22	4.9	7.4	6.8	5.5	12.9
23	4.9	7.7	6.3	5.6	12.8
24	5.4	8.7	7.0	5.6	13.4
25	5.9	8.6	6.5	5.7	13.3
26	4.6	8.3	6.7	5.6	12.9
27	5.3	8.5	6.3	5.5	13.4
28	6.2	8.7	5.5	6.2	13.3
29	5.5	7.8	6.0	5.8	13.1
30	4.7	7.0	8.4	6.3	13.0
MEAN	4.8	7.7	6.1	5.5	13.1

The method of calculation of the radio propagation indices changed in July 1974. An absolute quality figure is calculated for a 24-hour period from Tokyo, Halifax, Mauritius (Africa) and Canberra. The figure 0.0 corresponds to a median field strength of -30 dB above 1μV/m (converted into 1 kW and referred to an omnidirectional antenna). The figures 1 to 10 are in steps of 5 dB with the figure 10.0 corresponding to a median field strength of +20 dB above 1μV/m. The field strength of the frequency with the highest value for each hour is used in place of a mean of all recorded frequencies. This is done on the assumption that the optimum frequency would be used for communication.

USCOMM-NOAA-ASHEVILLE—8-29-75—950

AMERICAN REVOLUTION BICENTENNIAL
1776-1976

August 1975 Number 372-Part II

Solar-Geophysical Data comprehensive reports

Data for February 1975–January 1975 & Miscellanea

Explanation of Data Reports Issued as Number 366 (Supplement) February 1975



noaa NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION / ENVIRONMENTAL DATA SERVICE / ASHEVILLE, N.C.

U.S. DEPARTMENT OF COMMERCE
Rogers C. B. Morton, Secretary
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
Robert M. White. Administrator
ENVIRONMENTAL DATA SERVICE
Thomas S. Austin, Director

Solar - Geophysical Data

NO. 372 AUGUST 1975

Part II (Comprehensive Reports)

DATA FOR
FEBRUARY 1975
JANUARY 1975
& MISCELLANEA

NATIONAL GEOPHYSICAL AND SOLAR - TERRESTRIAL DATA CENTER
BOULDER, COLORADO

For obtaining bulletins on a data exchange basis, send request to: World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, Colorado 80302.

For sale through the National Climatic Center, Federal Building, Asheville, NC 28801, Attn: Publications. Subscription Price: $34.00 annually for both Part I (Prompt Reports) and Part II (Comprehensive Reports) or $18.00 annually for either part. Annual supplement containing explanation is included. For foreign mailing add $23.00 for both parts or $11.50 for either part. Single issue price $1.40 for either part and $1.30 for this extra issue. Make checks and money orders payable to: Department of Commerce, NOAA.

To standardize referencing these reports in the open literature, the following format is recommended:

Solar-Geophysical Data, 366 Part I (or Part II), pages, February 1975, U.S. Department of Commerce, (Boulder, Colorado, U.S.A. 80302)

SOLAR - GEOPHYSICAL DATA

No. 372

Issued in two parts

Hope I. Leighton, Editor

J. Virginia Lincoln, Director
Solar - Terrestrial Data Services Division

CONTENTS

Part I (Prompt Reports)

	Page
Index for 1974 and 1975	2
Data for July 1975	3-24
Data for June 1975	25-112

Part II (Comprehensive Reports)

Index for 1974 and 1975	2
Data for February 1975	3-8
Data for January 1975	9-20
Miscellaneous Data	
X-ray - OSO-5 -- March and April 1975	21-24
Equatorial Indices Dst - May 1975	24

INDEX FOR 1974 - 1975 DATA PUBLISHED IN "SOLAR-GEOPHYSICAL DATA"

		1974 Aug	Sep	Oct	Nov	Dec	1975 Jan	Feb	Mar	Apr	May	Jun	Jul	
A.	Solar and Interplanetary Phenomena													
A.1	Sunspot Drawings	362A 31	363A 28	364A 32	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28		
A.2a	Zürich Provisional Relative Sunspot Numbers R_Z	361A 7	362A 7	363A 7	364A 7	265A 7	366A 7	367A 7	368A 7	369A 7	370A 7	371A 7	372A 7	
A.2b	Zürich Final Sunspot Numbers R_Z	367A 6	367A 6	367A 6	367A 6	367A 6								
A.2c	American Relative Sunspot Numbers R_A'	361A 7	362A 7	363A 7	364A 7	365A 7	366A 7	367A 7	368A 7	369A 7	370A 7	371A 7	372A 7	
A.3a	Mt. Wilson Magnetograms	362A 32	363A 28	364A 32	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28		
A.3b	Mt. Wilson Magnetic Characteristics of Sunspots	362A 94	363A 88	364A 94	365A 86	366A 86	367A 86	368A 82	369A 88	370A 84	371A 86	372A 88		
A.3c	Kitt Peak Magnetograms	362A 32	363A 28	364A 32	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28		
A.4	$H\alpha$ Spectroheliograms	362A 32	363A 28	364A 32	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28		
A.5	Calcium Plage Drawings - McMath (or Catania)	362A 32	363A 28	364A 32	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28		
A.5a	Calcium Plage (McMath) and Sunspot Regions	362A 94	363A 88	364A 94	365A 86	366A 86	367A 86	368A 82	369A 88	370A 84	371A 86	372A 88		
A.5b	McMath Daily Calcium Plage Index	362A102	363A 97	364A101	365A 92	366A 92	367A 93	368A 89	369A 93	370A 91	371A 92	372A 93		
A.6	$H\alpha$ Synoptic Charts	362A 31	363A 27	364A 31	365A 24	366A 23	367A 23	368A 25	369A 25	370A 23	371A 23	372A 27		
A.7b	Coronal Line Emission	362A 32	363A 28	364A 32	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28		
A.8aa	2800 MHz - Daily Values of Solar Flux (ARO-Ottawa)	361A 7	362A 7	363A 7	364A 7	365A 7	366A 7	367A 7	368A 7	369A 7	370A 7	371A 7	372A 7	
A.8ac	2800 MHz - Daily Values of Adj. Solar Flux (ARO-Ottawa)	361A 7	362A 7	363A 7	364A 7	365A 7	366A 7	367A 7	368A 7	369A 7	370A 7	371A 7	372A 7	
A.8g	Daily Values of Adjusted Solar Flux (AFCRL)	361A 7	362A 7	363A 7	364A 7	365A 7	366A 7	367A 7	368A 7	369A 7	370A 7	371A 7	372A 7	
A.9cb	8.6 mm Radio Maps of the Sun (NELC - La Posta)	---	---	---	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28		
A.9d	2 cm Radio Maps of the Sun (NELC - La Posta)	362A 32	363A 28	364A 32	365A 26	366A 24	367A 24	368A 26	369A 26	370A 24	371A 24	372A 28		
A.10a	169 MHz - Interferometric Observations (Nançay)	361A 13	362A 14	364A110	364A 13	365A 12	366A 12	367A 12	369A101	369A 12	370A 12	371A 12	372A 15	
A.10c	21 cm East-West Solar Scans (Fleurs)	361A 15	362A 16	363A 15	364A 15	365A 14	366A 14	367A 14	368A 14	369A 14	371A100	371A 14	372A 17	
A.10d	43 cm East-West Solar Scans (Fleurs)	361A 16	362A 17	363A 16	364A 16	365A 15	366A 15	367A 15	368A 15	369A 15	371A101	371A 15	372A 18	
A.10e	10.7 cm East-West Solar Scans (Ottawa-ARO)	361A 14	362A 15	363A 14	364A 14	365A 13	366A 13	367A 13	368A 13	369A 13	370A 13	371A 13	372A 16	
A.11e	Solar X-ray Spectroheliograms (OSO-5; 1969-6A)	362A 32	363A 28	364A 32	365A 26	367B 55	368B 58	369B 36	369A 26	371B 24	371A 24			
A.11g	Solar X-ray (SMS-1 GOES)	---	---	---	364A 21	365A 18	366A 18	367A 18	368A 18	369A 20	370A 18			
A.12ba	Cosmic Ray Protons (Pioneers 6 & 7)	361A 18	---	---	---	365A 17	---	---	---	369A 18	370A 16	371A 18	---	
A.12bb	Cosmic Ray Protons (Pioneers 8 & 9)	361A 19	362A 22	---	364A 19	---	---	---	---	369A 19	370A 17	371A 19	---	
A.12d	Solar Protons (NOAA 2, 3 & 4) Graphs	361A 20	362A 23	363A 22	364A 24	---	---	---	---	---	---	---	---	
A.13a	Solar Wind (Pioneers 6 & 7)	361A 18	---	---	---	365A 17	---	---	---	369A 18	370A 16	371A 18	---	
A.13d	Solar Wind from IPS Measurements	---	---	---	---	---	366A 17	367A 17	368A 17	369A 17	370A 15	371A 17	372A 21	
A.17	Interplanetary Magnetic Field (Pioneer 8)	361A 19	362A 22	---	---	---	---	---	---	369A 19	370A 17	371A 19	---	
A.17	Interplanetary Magnetic Field (Pioneer 9)	361A 19	---	363A 21	364A 19	---	---	---	---	369A 18	---	371A 19	372A 22	
A.17c	Inferred IP Magnetic Field	361A 23	362A 26	363A 24	364A 27	365A 21	366A 20	367A 20	368A 21	369A 22	370A 20	371A 20	372A 24	
A.18	Interplanetary Electric Field (Pioneer 8)	361A 19	362A 22	---	---	---	---	---	---	369A 19	370A 17	371A 19	---	
A.18	Interplanetary Electric Field (Pioneer 9)	361A 19	---	363A 21	364A 19	---	---	---	---	369A 19	---	371A 19	372A 24	
B.	Ionospheric (and Radio Wave Propagation) Phenomena													
B.51ca	High Latitude Quality Figures and Forecasts	362A119	363A123	364A119	365A109	366A111	367A111	368A103	369109	370A105	371A108	372A109		
B.52	Graphs of Transmission Frequency Range	362A120	363A124	364A120	365A110	366A112	367A112	368A104	369A110	370A106	371A109	372A110		
B.53	Quality Figures Based on Frequency Ranges	362A122	363A126	364A122	365A112	366A114	367A114	368A106	369A112	370A108	371A111	372A112		
C.	Flare-Associated Events													
C.1a	Optical Observations Flares	361A 10	362A 10	363A 10	364A 10	365A 10	366A 10	367A 10	368A 10	369A 10	370A 10	371A 10	372A 10	
C.1ba	Optical Observations Flares (Standardized Data)	366B 4	367B 4	368B 4	369B 4	370B 4	371B 4	372B 4						
C.1d	Flare Patrol Observations	361A 12	362A 13	363A 13	364A 12	365A 11	366A 11	367A 11	368A 11	369A 11	370A 11	371A 11	372A 14	
C.1d	Flare Patrol Observations	366B 14	367B 20	368B 24	369B 14	370B 11	371B 6	372B 6						
C.1e	Flare Indices (by day)	366B 13	367B 16	368B 20	369B 11	370B 8	371B 5	372B 5						
C.1f	Flare Indices (by Region)	367B 52	368B 56	369B 34	370B 26	371B 22	372B 20							
C.3	Solar Radio Waves - Outstanding Occurrences	366B 15	367B 21	368B 25	369B 15	370B 12	371B 7	372B 7						
	Solar Radio Waves - Fixed Frequencies - Selected	361A 17	362A 18	363A 17	364A 17	365A 16	366A 16	367A 16	368A 16	369A 16	370A 14	371A 16	372A 19	
C.3t	43.25, 80 and 160 MHz Selected Bursts (Culgoora)	362A111	363A115	365B106	365A101	366A100	367A103	368A 95	369A100	370A 97	371A 99	372A101		
C.4a	Solar Radio Spectral Obs. (Fort Davis)	362A104	363A101	364A104	365A 94	366A 94	367A 96	368A 91	369A 95	370A 93	371A 94	372A 95		
C.4b	Solar Radio Spectral Obs. (Boulder)	362A104	363A101	364A104	365A 94	366A 94	367A 96	368A 91	369A 95	370A 93	371A 94	372A 95		
C.4d	Solar Radio Spectral Obs. (Culgoora)	362A104	363A101	365B103	365A 94	366A 94	367A 96	368A 91	369A 95	370A 93	371A 94	372A 95		
C.4e	Solar Radio Spectral Obs. (Weissenau)	362A104	363A101	364A104	365A 94	366A 94	367A 96	368A 91	369A 95	370A 93	371A 94	372A 95		
C.4f	Solar Radio Spectral Obs. (Sagamore Hill)	362A104	363A101	364A104	365A 94	366A 94	367A 96	368A 91	369A 95	370A 93	371A 94	372A 95		
C.4h	Solar Radio Spectral Obs. (Dwingeloo)	362A104			365A 94	366A 94	367A 96	368A 91	369A 95	---	---	372A 95		
C.4i	Solar Radio Spectral Obs. (Dürnten)	362A104	363A101	364A104	365A 94	366A 94	367A 96	368A 91	369A 95	370A 93	371A 94	372A 95		
C.4j	Solar Radio Spectral Obs. (Manila)	362A104	363A101	364A104	365A 94	366A 94	367A 96	368A 91	369A 95	370A 93	371A 94	372A 95		
C.5e	Solar X-ray (SMS-1 GOES)				364A 23	365A 20	366A 18	367A 18	368A 18	369A 20	370A 18	---	372A 23	
C.6	Sudden Ionospheric Disturbances	362A103	363A 99	364A102	365A 93	366A 93	367A 95	368A 90	369A 94	370A 92	371A 93	372A 94		
D.	Geomagnetic and Magnetospheric Phenomena													
D.1a	Geomagnetic Indices Cl, Cp, Kp, Ap, aa - Selected Days	362A114	363A118	364A113	365A104	366A103	367A106	368A 98	369A104	370A100	371A104	372A104		
D.1ba	27-Day Chart of Kp Indices	362A115	363A119	364A114	365A105	366A105	367A107	368A 99	369A105	370A101	371A105	372A105		
D.1c	27-Day Chart of Dst	366A107	366A107	366A107	366A107	366A107								
D.1d	Principal Magnetic Storms	362A117	363A121	364A116	365A107	366A109	367A109	368A101	369A107	370A103	371A106	372A107		
D.1e	Reduced Magnetograms	---	367B 40	368B 44	---	---	---	---	---	---	---	---		
D.1f	Sudden Commencement and Solar Flare Effects	362A118	363A122	364A118	365A108	366A110	367A110	368A102	369A108	370A104	371A107	372A108		
D.1g	Equatorial Indices Dst	362A116	363A120	364A115	365A106	366A108	367A108	368A100	369A106	370A102	372B 24	372A106		
F.	Cosmic Rays													
F.1a	Cosmic Ray Neutron Counts (Deep River)	362A112	364B 42	364A111	365A102	366A101	367A104	368A 96	369A102	370A 98	371A102	372A102		
F.1b	Cosmic Ray Neutron Counts (Climax)					366A101	367A104	368A 96	369A102	370A 98	371A102	372A102		
F.1e	Cosmic Ray Neutron Counts (Alert)	362A112	364B 42	364A111	365A102	366A101	367A104	368A 96	369A102	370A 98	371A102	372A102		
F.1f	Cosmic Ray Neutron Counts (Calgary)	362A112	363A116	364A111	366B 32	366A101	367A104	368A 96	369A102	370A 98	371A102	372A102		
F.1g	Cosmic Ray Neutron Counts (Sulphur Mountain)	362A112	363A116	364A111	366B 32	366A101	367A104	368A 96	369A102	370A 98	371A102	372A102		
F.1h	Cosmic Ray Neutron Counts (Thule)	363B 47	363A116	364A111	365A102	366A101	367A104	368A 96	369A102	370A 98	371A102	372A102		
F.1i	Cosmic Ray Neutron Counts (Kiel)	362A112	363A116	364A111	365A102	366A101	367A104	368A 96	370A102	370A 98	371A102	372A102		
F.1j	Cosmic Ray Neutron Counts (Tokyo)	362A112	363A116	364A111	365A102	366A101	367A104	368A 96	369A102	370A 98	371A102	372A102		
H.	Miscellaneous													
H.60	IUWDS Alert Decisions	361A 4	362A 4	363A 4	364A 4	365A 4	366A 4	367A 5	368A 4	369A 5	370A 5	371A 5	372A 4	
H.62	Abbreviated Calendar Record	367B 44	368B 48	369B 25	370B 17	371B 13	372B 11							

Note: A = Part I, B = Part II.

362A 32 listed under Aug shows that data for August 1974 were contained in *Solar-Geophysical Data* Number 362 - Part I beginning on page 32.

SGD 372 Part II (Comprehensive)

FEBRUARY 1975 DATA

Contents

Page

Solar Flares
- Solar Flares 4-5
- Flare Indices 5
- No-Flare-Partrol Chart 6

Solar Radio Waves
- Worldwide Outstanding Occurrences at Fixed Frequencies 7-8

Magnetograms of Geomagnetic Storm
- None selected for February 1975

Hα SOLAR FLARES

FEBRUARY 1975

OBSERV-ATORY	OBSERVED UT				LOCATION					DURATION	IMPORTANCE	OBS.		MEASUREMENTS			REMARKS
	DATE FEB	START	END	MAX. PHASE	APPROX. LAT.	APPROX. MER. DIST.	CENTRAL DISTANCE	MCMATH PLAGE REGION	CMP DAY	MIN.		COND.	TYPE	TIME UT	MEAS. AREA Mill. of Disk	CORR. AREA Sq. Deg.	
RAMY	02	1310	1340	1314	S12	E61	.870		7.1	30	SF	4	C		36		DE
HUAN	02	1509	1516		S13	E63	.886		7.4	7	SF	1	C				
MCMA	02	1510	1520	1511	S12	E62	.878	13465	7.3	10	SN		C	1511	25	.5	D
MCMA	02	1720	1731	1724	S12	E60	.861	13465	7.2	11	SF		C	1724	25	.5	D
ABST	03	0840	0901	0848	S07	E61	.871		7.9	21	SN		C	0848	87	1.7	DJ
ABST	03	0920	0935	0926	S08	E62	.879		8.0	15	SF		C	0926	96	1.9	DJ
HTPR	03	1020	1027	1024	S09	E58	.843		7.8	7	SF		C				
HTPR	03	1020	1027	1022	S09	E58	.843		7.8	7	SF		C	1022	10	.2	K
HTPR	03	1025	1028	1025	S12	E60	.861		7.9	3	SF		C	1025	10	.2	
HTPR	03	1028	1055D	1032	S08	E59	.853		7.9	270	SF		C	1032	20	.4	
HTPR	03	1031	1055D		S12	E48	.740		7.0	240	SF		C	1034	20	.2	
HTPR	03	1052	1055D		S10	E57	.834		7.7	30	SF		C	1052	10	.2	
HTPR	03	1128	1130	1129	S10	E57	.834		7.8	2	SF		C	1129	10	.2	
HTPR	03	1133	1142	1134	S10	E57	.834		7.8	9	SN		C	1134	30	.5	K
HTPR	03	1205	1208	1207	S08	E58	.844		7.9	3	SF		C	1207	10	.2	
HTPR	03	1206	1208	1208	S10	E56	.824		7.7	2	SF		C	1208	10	.2	
HTPR	03	1211	1235	1215	S08	E58	.844		7.9	24	SN		C	1215	10	.2	
HTPR	03	1220	1227	1223	N01	E90	1.000		10.3	7	SF		C	1223	10		
HTPR	03	1236	1257D		N01	E90	1.000		10.3	210	SF		C	1239	20		
HTPR	03	1245	1247	1246	S10	E56	.824		7.7	2	SF		C	1246	10	.1	
RAMY	03	1248	1257	1249	S 7	E56	.825		7.7	9	SF	3	C		27		DE H
HTPR	03	1249	1257	1250	S10	E56	.824		7.7	8	S3		C	1250	40	.7	
HTPR	03	1435	1441	1437	S08	E57	.834		7.9	6	SF		C	1437	10	.1	
HTPR	03	1515	1535	1516	S08	E56	.825		7.8	20	SB		C	1516	28	.3	
RAMY	03	1515	1533	1518	S 6	E58	.845		8.0	18	SF	3	C		20		EK
HTPR	03	1515	1535	1526	S08	E56	.825		7.8	20	SB		C				DE
MCMA	03	1516	1529	1518	S08	E58	.844	13465	8.0	13	SN		C	1518	35	.6	E
BOUL	03	1517	1539	1518	S 9	E57	.834		7.9	22	SF	2	C	1518	32	.6	
HTPR	03	1536	1553	1548	S12	E45	.704		7.0	17	SF		C	1548	20	.3	K
BOUL	03	1547	1600	1552	S10	E56	.824		7.9	13	SF	2	C	1552	21	.4	
HTPR	03	1551	1554	1552	S10	E55	.814		7.8	3	SN		C	1552	20	.3	
RAMY	04	2156	2206D	2157	N 4	E64	.904		9.7	100	SF	2	C		36		DE
MANI	05	0049	0057	0052	N02	E64	.902		9.8	8	SN	2		0052	50	1.0	F
MANI	05	0655	0714	0657	N03	E62	.888		9.9	19	SF	2		0657	40	.8	F
HUAN	05	1324	1335	1330	N02	E54	.815		9.6	11	SF	1	C	1330	25	.4	DT
HUAN	05	1352	1358	1354	N02	E54	.815		9.6	6	SN	1	C	1354	45	.8	
HEUD	05	1352	1358	1352	N02	E56	.834		9.8	6	SF		C	1352	30	.5	
RAMY	05	1354	1406	1356	N 4	E53	.808		9.6	12	SN	3	C		36		DE H
HERS	05	1356E	1409	1356	N03	E54	.816		9.6	130	SN		P	1356	43	.8	E
HUAN	05	1432	1443	1438	N02	E53	.804		9.6	11	SF	2	C	1438	50	.9	
RAMY	05	1510	1528	1514	S 9	E26	.437		7.6	18	SF	3	C		27		DE
HUAN	05	1511	1522	1513	S11	E26	.440		7.6	11	SF	1	C	1513	40	.5	E
RAMY	05	1531	1548	1536	N 4	E52	.798		9.5	17	SN	3	C		27		DE H
HUAN	05	1532	1539	1536	N02	E54	.815		9.7	7	SN	2	C	1536	50	.9	E
HEUD	05	1532	1537	1533	N02	E55	.824		9.8	5	SF		C	1533	30	.5	
HUAN	05	1557	1606	1600	N02	E54	.815		9.7	9	SF	1	C	1600	40	.7	
HUAN	05	1639	1659	1645	N02	E53	.804		9.7	20	SN	1	C	1645	75	1.2	
RAMY	05	1643	1657	1647	N 4	E51	.787		9.5	14	SF	3	C		54		DE
HUAN	05	1735	1757D		N02	E52	.794		9.6	220	SB	1	P	1756	40	.7	
RAMY	05	1753	1814	1758	N 4	E50	.777		9.5	21	SN	3	C		63		F
PALE	05	1755	1821	1803	N 4	E56	.837	13470	9.9	26	1B	2	V		120		DE H
PALE	05	1755	1821	1803	N 4	E56	.837	13470	9.9	26	1B	2	C		120		DE H
HUAN	05	1853	1910D		N02	E52	.794		9.7	170	SN	1	P	1910	35	.5	E
PALE	05	1911	1932	1918	N 4	E55	.828		9.9	21	S3	3	V		80		DE H
RAMY	05	1911	1922	1913	N 4	E49	.766		9.5	11	SB	3	C		27		DE H
PALE	05	1913E	1932	1918	N 4	E53	.808		9.8	190	S3	3	C		90		DE H
RAMY	05	1914E	1923	1915	N 4	E51	.787		9.6	90	SB	4	V		25		DE H
RAMY	05	1914E	1923	1915	N 4	E51	.787		9.6	90	SB	4	C		25		DE H
PALE	05	2100E	2104D	2103U	N 2	E51	.784		9.7	40	SF	2	C		50		DE
PALE	05	2101E	2121D	2105U	N 3	E51	.785		9.7	200	SF	2	V		50		DE
RAMY	05	2132	2140	2133	N 4	E47	.744		9.4	8	SF	2	C		20		DE
RAMY	05	2203	2207D	2204	N 4	E46	.732		9.4	40	SF	2	C		27		DE
MANI	05	2256E	2301	2250U	N03	E50	.775		9.7	110	SF	1		2250	40	.6	F
MANI	06	0227	0248	0229	N03	E49	.764		9.8	21	SF	2		0229	30	.4	
MANI	06	0250	0310	0259	N03	E49	.764		9.8	20	SF	2		0259	30	.4	
PALE	06	0254	0309	0259	N 2	E48	.751		9.7	15	SF	2	C		45		DE
PALE	06	0256E	0306D	0300J	N 2	E49	.762		9.8	100	SF	2	V		40		DE
MANI	06	0510	0542D	0514U	N03	E46	.730		9.7	320	SF	2		0514	40	.6	H
MANI	06	0510	0542D	0538	N03	E46	.730		9.7	320	SF			0538	60	.9	
MONT	06	0940	0946	0942	N02	E43	.691		9.6	6	SF		C	0942	20		
MONT	06	1053	1105	1056	S10	E22	.376		8.1	12	SN		C	1056	60		D
MONT	06	1225	1230	1225	N03	E40	.656		9.5	5	SF		C	1225	20		D
BOUL	06	1451	1501	1455	N 1	E38	.624		9.5	10	SF	1	C	1455	32	.4	
CATA	06	1500	1555	1520	N01	E40	.651		9.6	55	SN	3		1520	56	.7	
HUAN	06	1731E	1737		N02	E41	.666		9.8	60	SF	1	P	1733	35	.5	
HUAN	06	1810	1922		N02	E39	.640		9.7	72	SF	1	C	1852	40	.5	

NOTE: The measured area is now reported in millionths of the solar disk.

Several changes in the presentation of the Grouped Flare Data have been planned to begin with the January 1975 data. The preparation of the new presentation has been delayed because of problems in computer conversions. Therefore, only the observatory flare reports are included here. The grouped flares will no longer be classified as "confirmed" or "unconfirmed". The flare list for this month will be republished later and will include a summary line for each flare.

Hα SOLAR FLARES

FEBRUARY 1975

OBSERV-ATORY	OBSERVED UT				LOCATION					DURA-TION	IM-POR-TANCE	OBS.		MEASUREMENTS			REMARKS
	DATE FEB	START	END	MAX. PHASE	APPROX. LAT.	APPROX. MER. DIST.	CENTRAL DISTANCE	MCMATH PLAGE REGION	CMP DAY	MIN.		COND.	TYPE	TIME — UT	MEAS. AREA Mill. of Disk	CORR. AREA Sr. Deg.	
PALE	06	1811	1913	1832	N 4	E39	.647		9.7	62	SN	2	C		35		DE
PALE	06	1811	1845	1813	N 4	E43	.697		10.0	34	SF	3	V		40		DE
HUAN	06	1925	19280		N02	E37	.614		9.6	30	SF	1	P	1927	30	.4	
VORO	07	0210	0225	0215	N04	E34	.581		9.6	15	SB		C	0215	99	1.2	EJ
KODA	07	0211E	0426	0216	N03	E33	.563		9.6	1350	SN		P	0218	191	2.0	D
MANI	07	0213E	02160	0213U	N03	E36	.604		9.8	30	SF	1		0213	80	1.0	F
HTPR	07	0959E	10120		N03	E31	.535		9.7	130	SF		C	0959	10	.1	
HTPR	07	1041E	10480		N03	E30	.521		9.7	70	SN		C	1048	20	.2	E
WEND	07	1130	1142		N03	E26	.492		9.6	12	SN						
WEND	07	1206	1220		N02	E27	.473		9.5	14	SN						
WEND	07	1349	1401		N02	E27	.473		9.6	12	SF						
WEND	07	1418	1432		N02	E27	.473		9.6	14	SB						
MCMA	07	1419	1425	1420	N03	E27	.478	13470	9.6	6	SF		C	1420	25	.3	D
WEND	07	1452	1500		N02	E25	.444		9.5	8	SN						
MCMA	07	1925	1931	1927	S12	W04	.119	13465	7.5	6	SF		P	1927	30	.3	E
PALE	07	1926	1933	1926	S12	W 4	.119		7.5	7	SF	3	V		30		U
PALE	07	1926	19300	1928	S12	W 6	.142		7.4	40	SF	3	C		35		U
HTPR	08	0742	0754	0750	N02	E18	.340		9.7	12	SF		C	0750	20	.2	K
HTPR	08	0812	0821	0814	S15	W14	.279		7.3	9	SF		C	0814	10	.1	
HTPR	08	0831	0902	0834	S15	W14	.279		7.3	31	SF		C	0834	10	.1	
HTPR	08	0958	1015	1004	S15	W13	.265		7.4	17	SF		C	1004	20	.2	
HTPR	08	1030	1105	1032	S15	W16	.307		7.2	35	SF		C	1042	10	.1	
HTPR	08	1030	1105	1042	S15	W16	.307		7.2	35	SF		C				
HTPR	08	1049	1126	1100	S15	W13	.265		7.5	37	SF		C	1100	20	.2	
HTPR	08	1120	1210	1150	N06	E15	.334		9.6	50	SF		C	1150	10	.1	
HTPR	08	1137	1208	1202	S15	W13	.265		7.5	31	SF		C	1202	10	.1	
HTPR	08	1155	1234	1218	S15	W12	.251		7.6	39	SF		C	1218	20	.2	E
HTPR	08	1505	1510	1505	N05	E12	.205		9.5	5	SF		C	1505	10	.1	
HTPR	09	1034	1038	1036	N05	W04	.211		9.1	4	SF		C	1036	10	.1	
ATHN	11	1301	1307	1303	N 4	W27	.484		9.5	6	SF	5	C		48		DE
ATHN	11	1301	1307	1303	N 4	W27	.484		9.5	6	SF	4	V		48		DE
RAMY	11	1301	1316	1306	N 3	W27	.479		9.5	15	SF	4	C		63		DE
HUAN	11	1302	1330	1303	N04	W29	.513		9.4	28	SN	1	C	1303	40	.5	E
LVOV	11	1305E	1315	13060	N04	W26	.470		9.6	100	1F		P	1306	400	4.7	E
WEND	11	1315E	1346		N02	W26	.459	13470	9.6	250	1N		P		500	5.5	
LVOV	13	1303	1330	13110	N04	W54	.819		9.5	27	1F		C	1311	250	4.5	E
RAMY	13	1308	1332	1313	N 3	W55	.827		9.4	24	SN	4	C		63		F
MCMA	13	1310E	1340		N04	W54	.819	13470	9.5	300	SN		C	1311	80	1.4	E
HTPR	13	1310	1338	1312	N05	W59	.866		9.1	28	SB		C	1312	80	1.3	E
MCMA	13	1435	1458	1437	N04	W56	.838	13470	9.4	15	SN		C	1437	80	1.5	E
RAMY	13	1435	1452	1437	N 3	W56	.836		9.4	17	SF	3	C		54		F
HTPR	13	1436	1500	1438	N05	W60	.875		9.1	24	SN		C	1438	20	.3	EK
HTPR	13	1455	1505	1500	S10	W78	.975		7.8	10	SF		C	1500	10		
HTPR	13	1458	16010		N05	W62	.891		9.0	630	SF		C	1501	10	.2	
BOUL	13	2011	20490	2019	N 3	W58	.855		9.5	380	SN	3	P	2019	96	1.8	
HTPR	20	1248	1254	1252	N10	W01	.293		20.5	6	SF		C	1252	20	.2	E
HTPR	20	1305	1325	1320	N10	W02	.294		20.4	20	SF		C	1320	20	.2	E
HTPR	20	1404	1437	1408	N10	W03	.297		20.4	33	SF		C	1408	20	.2	E
HTPR	22	1057E	1106		N02	W02	.161		22.3	90	SF		C	1057	10	.1	E
HTPR	22	1318	1333	1320	N02	W04	.172		22.3	15	SF		C	1318	20	.2	E
HTPR	23	1400	1408	1405	S10	E16	.277		24.8	8	SF		C	1405	20	.2	
HTPR	24	0800	0820	0816	S09	E04	.076		24.6	20	SF		C	0816	40	.4	ET
HTPR	24	0830	0857	0851	S09	E03	.061		24.6	27	SF		C	0851	30	.3	ET
TEHR	27	0418E	0429	0422	S 8	W31	.511		24.9	110	SF	4	V		60		F
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	15	SF		C	1816	30	.4	D

DAILY FLARE INDICES
Includes all Flares

Date	Flare Index	HR. OBS.	Date	Flare Index	HR. OBS.	Date	Flare Index	HR. OBS.
750202	1.34	23.3	750210	0.00	20.8	750221	0.00	22.6
750203	11.76	24.0	750211	12.28	18.1	750222	0.28	21.8
750204	0.68	24.0	750212	0.00	23.0	750223	0.22	22.9
750205	17.15	23.1	750213	16.47	13.3	750224	1.33	23.2
750206	8.48	23.9	750214	0.00	23.5	750225	0.00	21.2
750207	24.82	20.0	750215	0.00	23.2	750226	0.00	23.9
750208	0.75	23.5	750217	0.00	23.8	750227	2.38	24.0
750209	3.05	23.7	750220	0.69	21.3	750228	3.00	23.5

When no Flare Index is given, it is 0 for that day.

INTERVALS OF NO FLARE PATROL OBSERVATION

FOR PRECEDING SOLAR FLARE TABLE

FEBRUARY 1975



Observatories included in total patrol:

Abastumani	Catania	Kiev	McMath-Hulbert	Tachkent
Arcetri	Culgoora	Kodaikanal	Meudon	Tehran
Athenes	Haute Provence	Locarno	Mitaka	Upice
Boulder	Herstmonceux	Lvov	Monte Mario	Voroshilov
Bucharest	Kharkov	Manila	Palehua	Wendelstein
			Ramey	Zürich

Times of no flare patrol are shown by the shaded area for each day divided into times of no cinematographic patrol (bottom half of day) and times of neither visual nor cinematographic patrol (top half of day).

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

FEBRUARY 1975

FEB 1975	FREQUENCY	STATION	TYPE	STARTING TIME UT	TIME OF MAXIMUM UT	DURATION MINUTES	FLUX DENSITY 10^{-22} Wm^{-2} Hz^{-1} PEAK	FLUX DENSITY MEAN	INT	POLARIZATION OR REMARKS
1	4995	BOUL	3 S	1850	1851.5	2.5	10	3		
2	4995	BOUL	3 S	1850.5	1850.2	2.5	8	3		
3	18	MCMA	6 S	1423	1425	2			1	
	18	MCMA	6 S	1527	1528	2			1	
	2800	OTTA	2 S/F	1942	1944	3	1.8	0.8		
4	1000	TYKH	5 S	0157.5	0158	2.5	1.5	0.5		OR
5	29	UPIC	8 S	1312.6	1312.8	0.4				
	33	UPIC	8 S	1312.6	1312.7	0.4				
	260	ONDR	3 S	1353.8	1354.7	1.7	11	1.1		
	245	SGMR	6 S	1354.1	1354.5	2.4	10	3		
	237	TRST	45	1354.2	1354.5	2	44	11		11R
	29	UPIC	8 S	1354.2	1354.6	0.5				
	33	UPIC	8 S	1354.3	1354.6	0.5				
	2800	OTTA	27AFRF	1715		135	1.8	1.3		
	2800	OTTA	24 R	1715	1800	45	1.8	0.9		
	2695	BOUL	40 F	1757	1803	6	7	2		
	2800	OTTA	24P R	1800		60	1.8			
	245	SGMR	6 S	1828.7	1829	6.2	20.7	6.2		
	410	SGMR	6 S	1828.5	1828.9	3.8	4.6	1.4		
	606	SGMR	4 S/F	1828.6	1829	3.8	12.2	3.7		
	2800	OTTA	26 FAL	1900	1930	30	-1.8	-1		
	410	SGMR	6 S	1908.9	1918	11.3	5.8	1.7		
	245	SGMR	6 S	1911.9	1919.5	8.6	44.9	13.5		
	1420	BOUL	45 C	1912	1913	3.5	6	2		
	2800	OTTA	2 S/F	1912	1913	3	1.6	0.9		
	2800	OTTA	240 R	1950	2140	110	2.8	1.6		
	2695	PENT	24P R	2140		100 D	2.8			
6	260	ONDR	43 NS	0910	1138.3	324 D	11			
	18	MCMA	6 S	1337	1338	2			1	
	2700	PENN	8	1537.7	1538.2	0.5	66			
7	200	GORK	44 NS	0606 E		114 D		10		
	260	ONDR	44 NS	0824 E		332 D	13			
	200	GORK	44 NS	1100 E		120 D		10		
	650	GORK	1 S	1125.7	1130.9	10.9	5			
	18	MCMA	6 S	1344	1345	1			1	
	2800	OTTA	27 RF	1840		100	0.8	0.7		
	2800	OTTA	24 R	1840	1845	5	0.8	0.4		
	2800	OTTA	24P R	1845		70	0.8			
	2800	OTTA	26 FAL	1955	2020	25	-0.8	-0.4		
	200	MIRA	44 NS	2135 E	0006	635 D	30	17		R
8	100	GORK	43 NS	0554		196		5		
	200	GORK	44 NS	0554 E		366 D		35		
	260	ONDR	44 NS	0752 E	0801	348 D	29			
	100	GORK	8 S	0611.7	0612	0.9	50			
	100	GORK	46 C	0709.3	0709.5U	2.7	80 D			
	100	GORK		0709.3	0711.5		80			
	113	POTS	C	0709.3	0709.3	0.1	175	40		
	234	POTS	C	0727.5	0727.6	0.2	130	6		
	100	GORK	2 S/F	0856.7	0958.3	2.1	60	30		
	113	POTS	C	0911.8	0911.8	0.2	150	30		
	33	UPIC	8 S	0911.8	0911.8	0.3				
	29	UPIC	8 S	0911.9	0912.1	0.5				
	200	GORK	8 S	0912	0912.2	0.5	75	30		
	100	GORK	S	0912	0912	0.3	100 D	50		
	100	GORK	8 S	0945.4	0945.8	0.6	90	45		
	200	GORK	2 S/F	0957.9	0958.9	1	85	40		
9	100	GORK	2 S/F	0934.1	0934.4	0.6	10	5		
	33	UPIC	3 S	0941.7	0942.1	0.6				
	29	UPIC	3 S	0942.2	0942.5	0.5				
	100	GORK	2 S/F	0942.2	0942.8	1.1	30			
10	260	ONDR	44 NS	0820 E	1248.6	410 D	27			
	127	TORN	45 C	0950 U	1124	150 U	35			
	18	MCMA	6 S	2211	2212	2			1	
11	260	ONDR	44 NS	0822 E		395 D	11			
	2800	OTTA	1 S	1540	1540.5	3.5	0.7	0.5		
12	260	ONDR	44 NS	0815 E		380 D	22			

SOLAR RADIO EMISSION
OUTSTANDING OCCURRENCES

FEBRUARY 1975

FEB DAYS	FREQUENCY	STATION	TYPE	STARTING TIME UT	TIME OF MAXIMUM UT	DURATION MINUTES	FLUX DENSITY 10^{-22} Wm^{-2} Hz^{-1} PEAK	FLUX DENSITY 10^{-22} Wm^{-2} Hz^{-1} MEAN	INT	POLARIZATION OR REMARKS
	A									
	200	GORK	44 NS	0908		210 D		10		
13	260	ONDR	42 SER	1221.4	1221.9	6	7	0.8		
	3000	BERL	1	1307.5	1309.8	42	3.8	2		
	1470	BERL	2	1308	1309.7	11	1.2	0.7		
	2800	OTTA	1 S	1308	1310	6	4.4	2		
	2800	OTTA	29 PBI	1314	1314	20	1.8	1		
	18	MCMA	6 S	1345	1346	1			1	
	2800	OTTA	21A GRF	1434.3	1435	16	1.8	0.9		
	2800	OTTA	8 S	1438.4	1438.6	0.4	5.8			
	2800	OTTA	20 GRF	2005	2015	85	1.8	0.9		
	1420	BOUL	3 S	2013	2015	5.5	2	1		
	18	MCMA	6 S	2339	2340	2			1	
18	2800	OTTA	22F GRF	1935	1957	75	1.6	0.6		
	2695	PENT		1935	1957	75				NULL
19	536	ONDR	45 C	1002.3	1003.5	3.7	7	4.5		UNCERTN
	260	ONDR	46 C	1002.7	1004	2.9	27	9		UNCERTN
20	18	MCMA	6 S	1218	1219	2			1	
	18	MCMA	6 S	1323	1325	2			1	
	18	MCMA	6 S	1415	1416	2			1	
21	1420	ARCE	20	0858.5	0904.1	20.8				
	9240	ARCE		0905.9	0906.3	1.3				
	9240	ARCE	45	0905.9	0906.3	2.7				
	9240	ARCE		0907.2	0907.7	1.4				
	18	MCMA	6 S	1346	1347	2			1	
22	18	MCMA	6 S	1507	1508	2			1	
23	18	MCMA	6 S	1800	1802	2			1	
24	9400	TYKW	5 S	0335	0335.5	1	17	4		OR
	930	BORD	42 SER	1332.4	1332.6	0.9	13	3		
	4995	BOUL	3 S	1840.5	1841.5	1.5	9	3		
	2695	BOUL	1 S	1841	1842	2.5	2	1		
	4995	BOUL	3 S	1849.5	1851.5	3	6	2		
	2695	BOUL	1 S	1851	1852.5	3.5	3	1		
25	18	MCMA	6 S	1347	1349	2			1	
	2700	PENN	1	1406.3	1407.5	4	1.6	0.5		
	2700	PENN	45	1521.5	1522.9	2.6	57.1	0.7		
26	100	GORK	2 S/F	0912.9	0913.1U	0.5	178 D			
	200	GORK	2 S/F	0912.9	0913.1	0.5	130	65		
	18	MCMA	6 S	1324	1325	2			1	
27	18	MCMA	41 F	1239	1242	3			1	
	18	MCMA	6 S	1339	1341	2			1	
	2700	PENN	1	1504.9	1505.2	3.3	3.2	0.4		
	1420	BOUL	40 F	1813	1829.5	24	38	10		
28	18	MCMA	6 S	1209	1210	2			1	

Reports received from the following observatories:

ARCE = Arcetri
BERL = Berlin-Adlershof
BORD = Bordeaux
BOUL = Boulder
DWIN = Dwingeloo
GORK = Gorky
HIRA = Hiraiso
HUAN = Huancayo
MANI = Manila
MCMA = McMath-Hulbert
ONDR = Ondrejov
OTTA = Ottawa ARO
PENN = Penn. State Univ.
PENT = Penticton
POTS = Potsdam
SAOP = Sao Paulo
SGMR = Sagamore Hill
SYDN = Sydney
TORN = Torun
TRST = Trieste
TYKW = Toyokawa
UPIC = Upice

Explanation of Type Code:

1 Simple 1
2 Simple 1F
3 Simple 2
4 Simple 2F
5 Simple
6 Minor
7 Minor +
8 Spike
20 Simple 3
21 Simple 3A
22 Simple 3F
23 Simple 3AF
24 Rise
25 Rise A
26 Fall
27 Rise and Fall
28 Precursor
29 Post Burst Increase
30 Post Burst Increase A
31 Post Burst Decrease
32 Absorption
40 Fluctuation
41 Group of Bursts
42 Series of Bursts
43 Onset of Noise Storm
44 Noise storm in Progress
45 Complex
46 Complex F
47 Great Burst
48 Major
49 Major +

JANUARY 1975 DATA

Contents

	Page
Abbreviated Calendar Record	11-19
Regional Flare Index	20

ABBREVIATED CALENDAR RECORD

JANUARY 1975



11
Jan 75


Jan. 1, 1975
00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
SID
X-Rays
Ap 7
Kp
sc
2+ 3o 2o 1+ 1o 2- 2o 2-
Aurora
USSR
W.E.
Cosmic Rays
Green Corona
E Limb 7 days earlier: NE-
SE-
W Limb 7 days later: NW- no data
SW-no data
Indices
Rz: 30
10cm flux: 81
Flare: 2/23.1
Cg: 4.7
Ip: 0
Ig: 1
Solar Regions
Sunspots


Jan. 2, 1975
00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
SID
X-Rays
Ap 400
Kp
sc
1+ 1+ 0+ 0+ 1- 0+ 2- 1-
Aurora
USSR
W.E.
Cosmic Rays
Green Corona
E Limb 7 days earlier: NE-
SE-
W Limb 7 days later: NW-
SW-
Indices
Rz: 30
10cm flux: 78
Flare: 6/23.4
Cg: 5.3
Ip: 0
Ig: 1
Solar Regions
13407 S29
13406 N01
(13417) S21
Sunspots


Jan. 3, 1975
00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
noise storm
Dkm
SID
X-Rays
Ap 7
Kp
sc
1+ 1o 2+ 1+ 2- 2+ 2+ 3-
Aurora
USSR
W.E.
ϕ = 59° 1200-1900 (HB1) and 1600-1700 (HA1)
ϕ = 60° (overhead 66°-67°) (HA) Sweden
Cosmic Rays
Green Corona
E Limb 7 days earlier: NE- no data
SE- no data
W Limb 7 days later: NW- no data
SW- no data
Indices
Rz: 28
10cm flux: 80
Flare: 3/22.5
Cg: no obs.
Ip: 0
Ig: 0
Solar Regions
(13410) S20
(13402)N27
Sunspots


Jan. 4, 1975
00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
noise storm
Dkm
SID
X-Rays
Ap 320
Kp
sc
4- 4- 4o 5- 5- 5o 4o 4+
Aurora
USSR
W.E.
ϕ = 59° 1700-1800(HA2)
ϕ = 60° 2000 (B) Sweden
Cosmic Rays
Green Corona
E Limb 7 days earlier: NE- no data
SE- no data
W Limb 7 days later: NW-
SW-
Indices
Rz: 19
10cm flux: 77
Flare: 0/23.0
Cg: 5.7
Ip: -
Ig: 3
Solar Regions
13400 S08
(13414) N09
(13418) N06
Sunspots
19531 S08 (βp 3
(19534) N10 (βp)2
N05


Jan. 5, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
1n/23
Bursts
cm
dm
m
Dkm
Noise storm
SID
X-Rays
Ap 27
Kp
sc
4o 4- 4o 3+ 4o 4+ 4+ 4+
Aurora
USSR
W.E.
Cosmic Rays
Green Corona
E. Limb 7 days earlier: NE- SE- W Limb 7 days later: NW- SW-
Indices
Rz: 18 10cm flux: 76 Flare: 5/23.5 Ca: 7.9 Ip: - Ia: 6
Solar Regions
13401 S13 (13408) S23
Sunspots


Jan. 6, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
ns
SID
X-Rays
Ap 26
Kp
sc
3o 2+ 2o 2+ 3+ 3+ 5- 6+
1957(9)
Aurora
USSR
W.E.
ϕ = 58° 1200-1300(HB2); ϕ = 57° 1500-1800(HA1); ϕ = 59° 1900 (HA2)
ϕ = 63° 2150-0400(R) Shetland
Cosmic Rays
Cosmic ray decrease 2000, 6% at 0800 (Jan. 8)..normal 1200 (Jan. 11)
Green Corona
E. Limb 7 days earlier: NE- no data SE- no data W Limb 7 days later: NW- no data SW- no data
Indices
Rz: 23 10cm flux: 76 Flare: 31/21.5 Ca: 10.7 Ip: 2 Ia: 5
Solar Regions
(13413) N04
Sunspots


Jan. 7, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
SID
X-Rays
Ap 44D
Kp
sc
8- 5+ 5o 3+ 3+ 3- 2+ 1-
2322(17)
Aurora
USSR
W.E.
ϕ = 60° (Glow with pulsating P) 0050-0400 Eastern Scotland; ϕ = 59° 0150 (Glow) Central Scotland
Cosmic Rays
Green Corona
E. Limb 7 days earlier: NE- no data SE- no data W Limb 7 days later: NW- SW-
Indices
Rz: 32 10cm flux: 78 Flare 3/23.0 Ca: 8.3 Ip: 0 Ia: 4
Solar Regions
13409 N06
Sunspots
19533 N06 (ap)3


Jan. 8, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
SID
X-Rays
Ap 36D
Kp
sc
3+ 4o 5o 5o 5+ 4+ 5o 2+
Aurora
USSR
W.E.
ϕ = 59° 1400-1900(HA2); ϕ = 57° 1700-1800(R;R2)
ϕ=57° 1830(Glow & R) from aircraft over northern Denmark and also ϕ = 65° in Sweden (recorded by all-sky camera almost to southern horizon)
Cosmic Rays
16% decrease (0800)
Green Corona
E. Limb 7 days earlier: NE- no data SE- no data W Limb 7 days later: NW- no data SW- no data
Indices
Rz: 29 10cm flux: 80 Flare: 0/22.4 Ca: no obs. Ip: 0 Ia: 2
Solar Regions
(13412) S31
Sunspots


Jan. 9, 1975
00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
SID
X-Rays
Ap 7
Kp
2o 2+ 3- 2+ 2o 2o 1- 1+
sc
Aurora
USSR
ϕ = 56° 1400-1500(HV1); ϕ=55° 1600-1700(HV2); ϕ = 59° 1700-1800 and 2000-2100(HB1); ϕ = 59° 1900(R;R1)
W.E.
Cosmic Rays
Green Corona
E Limb 7 days earlier: NE- SE- W Limb 7 days later: NW- SW-
Indices
Rz: 37 10cm flux: 83 Flare: 11/19.5 Ca: No Obs. Ip: 0 Ig: 2
Solar Regions
13411 N13 (2)
Sunspots


Jan. 10, 1975
00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
SID
X-Rays
Ap 6Q
Kp
2- 1o 2+ 3o 2- 0+ 0+ 1+
sc
Aurora
USSR
W.E.
Cosmic Rays
Green Corona
E Limb 7 days earlier: NE- no data SE- no data W Limb 7 days later: NW- SW-
Indices
Rz: 31 10cm flux: 83 Flare: 3/23.0 Ca: No Obs. Ip: 0 Ig: 2
Solar Regions
Sunspots


Jan. 11, 1975
00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
SID
X-Rays
Ap 4QQ
Kp
2o 1+ 1o 1o 1- 1- 0+ 2-
sc
Aurora
USSR
W.E.
Cosmic Rays
decrease normal 1200
Green Corona
E Limb 7 days earlier: NE- no data SE- no data W Limb 7 days later: NW- SW-
Indices
Rz: 30 10cm flux: 84 Flare: 0/24.0 Ca: 8.5 Ip: 0 Ig: 2
Solar Regions
(13428) N13 (13415) N13 13419 N20 (13431) N08
Sunspots


Jan. 12, 1975
00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
II:IE
noise storm
Dkm
SID
X-Rays
Ap 4QQ
Kp
2o 0+ 0+ 1- 0+ 0+ 2+ 2o
sc
Aurora
USSR
W.E.
Cosmic Rays
Green Corona
E Limb 7 days earlier: NE- no data SE- no data W Limb 7 days later: NW- no data SW- no data
Indices
Rz: 31 10cm flux: 85 Flare: 21/23.0 Ca: 8.7 Ip: 0 Ig: 0
Solar Regions
13420 S26 (13435) N38 (13425) S07
Sunspots
(19535) S26(8)2


Jan. 13, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
noise storm
SID
X-Rays
Ap 32D
Kp
4+ 5o 4o 4- 4o 4o 5- 4+
sc
Aurora
USSR
ϕ = 57° 1000-1100 and 1300-1500(RA2); ϕ = 59° 1200-1300(HB1) & 1400-1600(SA1); ϕ = 56° 1900-2000(HB2)
W.E.
ϕ = 59° 0150 (R) central Scotland; ϕ = 60° 0250 (Glow) eastern Scotland
Cosmic Rays
Green Corona
E. Limb 7 days earlier: NE- SE- W. Limb 7 days later: NW- no data SW- no data
Indices
Rz: 32 10cm flux: 83 Flare: 7/21.4 Cg: 9.8 Ip: 0 Ig: 2
Solar Regions
(13416) S12 (2) (13429) S23 13430 N15
Sunspots
Jan. 14, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
noise storm
ns
SID
X-Rays
Ap 33D
Kp
4o 5o 4- 4- 5o 4+ 5- 4o
sc
Aurora
USSR
ϕ = 59° 1200-1900(HB1-3) and 2300-2400 (HA2); ϕ = 56° 1900-2000(SP1)
W.E.
Cosmic Rays
Green Corona
E. Limb 7 days earlier: NE- no data SE- no data W. Limb 7 days later: NW- SW-
Indices
Rz: 11 10cm flux: 80 Flare: 35/22.7 Cg: 8.8 Ip: 0 Ig: 5
Solar Regions
(13433) N30 (13436) N05
Sunspots
Jan. 15, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
noise storm
noise storm
SID
X-Rays
Ap 15
Kp
3+ 3o 2+ 2+ 2+ 2+ 4- 4+
sc
Aurora
USSR
ϕ = 59° 1400-1500 (SB2) and 1600 (HB1)
W.E.
ϕ=59° 2115-2300(Glow) with 2115-2215(R&P) central Scotland; ϕ = 65° 2200(A) Sweden,seen to southern horizon on all sky camera film
Cosmic Rays
Green Corona
E. Limb 7 days earlier: NE- no data SE- no data W. Limb 7 days later: NW- SW-
Indices
Rz: 20 10cm flux: 80 Flare: 0/22.0 Cg: 10.2 Ip: 2 Ig: 2
Solar Regions
13423 N16 (3) 13422 N03
Sunspots
19536 N13 (βp)5 19537 N02 (β)3
Jan. 16, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
ns
noise storm
SID
X-Rays
Ap 21
Kp
4o 3o 2o 3+ 4- 4+ 3+ 4+
sc
Aurora
USSR
ϕ = 59° 1500-1600(Rz32)
W.E.
ϕ = 59° 2015-2300(Glow) and ϕ=60° (overhead position ϕ = 64°-65°) 2220(RB) central and eastern Atlantic; ϕ = 66° 1950 and 2050(A) northern *
Cosmic Rays
Green Corona
E. Limb 7 days earlier: NE- SE- W. Limb 7 days later: NW- SW-
Indices
Rz: 17 10cm flux: 79 Flare: 23/21.6 Cg: 9.6 Ip: 0 Ig: 4
Solar Regions
(13432) S15 13424 N16
Sunspots
* Scotland, visible at ϕ = 59° (Glow and occasional R) central Scotland


Jan. 17, 1975
00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
noise storm
SID
X-Rays
Ap 29
Kp
4o 3+ 5o 4+ 4- 4o 4- 5-
sc
Aurora
USSR
Φ = 59° 1200-1300 (8,82)
W.E.
Cosmic Rays
Green Corona
E Limb 7 days earlier: NE- no data SE- no data W Limb 7 days later: NW- SW-
Indices
Rz: 16 10cm flux: 77 Flare: 5/23.6 Ca: 7.7 Ip: 0 Ia: 6
Solar Regions
13421 S13
Sunspots


Jan. 18, 1975
00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
SID
X-Rays
Ap 22
Kp
5- 4o 2+ 4o 4+ 3+ 3+ 2+
sc
Aurora
USSR
W.E.
Cosmic Rays
Green Corona
E Limb 7 days earlier: NE- SE- W Limb 7 days later: NW- SW-
Indices
Rz: 20 10cm flux: 78 Flare: 10/24.0 Ca: No Obs. Ip: 0 Ia: 5
Solar Regions
13426 N13 (3)
Sunspots
19538 N15 (α)I


Jan. 19, 1975
00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
SID
X-Rays
Ap 10
Kp
2+ 3- 3o 3o 2- 2- 2+ 2o
sc
Aurora
USSR
W.E.
Cosmic Rays
Green Corona
E Limb 7 days earlier: NE- SE- W Limb 7 days later: NW- SW-
Indices
Rz: 20 10cm flux: 77 Flare: 20/24.0 Ca: No Obs. Ip: 0 Ia: 3
Solar Regions
Sunspots


Jan. 20, 1975
00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts
cm
dm
m
Dkm
SID
X-Rays
Ap 10
Kp
3+ 3- 2o 2o 1o 2+ 3- 3-
sc
Aurora
USSR
W.E.
Cosmic Rays
Green Corona
E Limb 7 days earlier: NE- no data SE- no data W Limb 7 days later: NW- SW-
Indices
Rz: 18 10cm flux: 76 Flare: 4/24.0 Ca: 8.1 Ip: 0 Ia: 2
Solar Regions
13439 N07 13440 N09
Sunspots
19539 N06 (Bp)4 (19540) N08 α


Jan. 21, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts cm dm m Dkm
SID
X-Rays
Ap 6Q Kp 2o 1o 1- 1+ 2o 3- 2+ 1-
sc
Aurora USSR W.E.
Cosmic Rays
Green Corona E. Limb 7 days earlier: NE- SE- W. Limb 7 days later: NW- no data SW- no data
Indices Rz: 16 10cm flux: 77 Flare: 5/23.0 Cq: 7.6 Ip: - Ig: 2
Solar Regions (13437) S22 (13446) S19 (13447) N33
Sunspots
Jan. 22, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts cm dm m Dkm
SID
X-Rays
Ap 8Q Kp 1- 1o 1+ 0+ 1+ 3o 3- 3o
sc
Aurora USSR W.E.
Cosmic Rays
Green Corona E. Limb 7 days earlier: NE- no data SE- no data W. Limb 7 days later: NW- SW-
Indices Rz: 16 10cm flux: 76 Flare: 2/22.9 Cq: No Obs. Ip: - Ig: 4
Solar Regions 13434 N15 (2) 13441 N05
Sunspots 19541 N05 β
Jan. 23, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts cm dm m Dkm
SID
X-Rays
Ap 12 Kp 3o 2o 2o 2- 3o 3- 4- 2+
sc
Aurora USSR W.E.
Cosmic Rays
Green Corona E. Limb 7 days earlier: NE- SE- W. Limb 7 days later: NW- no data SW- no data
Indices Rz: 15 10cm flux: 75 Flare: 0/21.3 Cq: 4.2 Ip: 1 Ig: 2
Solar Regions (13448) N33 (13444) S05 (13450) S10 13438 N08 (2)
Sunspots (19544) N05 αp CMP Jan. 24
Jan. 24, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
FLARES
Bursts cm dm m Dkm
SID
X-Rays
Ap 10 Kp 3o 3o 1+ 3+ 2- 2+ 2o 1+
sc
Aurora USSR W.E.
Cosmic Rays
Green Corona E. Limb 7 days earlier: NE- SE- W. Limb 7 days later: NW- SW-
Indices Rz: 7 10cm flux: 73 Flare: 8/20.4 Cq: 3.5 Ip: - Ig: 2
Solar Regions
Sunspots

Jan. 25, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24

FLARES		
Bursts	cm	
	dm	
	m	
	Dkm	
SID		
X-Rays		
Ap 500	Kp	1- + 1- + 0+ + 1o + 1- + 3o + 2o + 1o
	sc	
Aurora	USSR	
	W.E.	
Cosmic Rays		
Green Corona Indices		E Limb 7 days earlier: NE- SE- W Limb 7 days later: NW- no data SW- no data Rz: 7 10cm flux: 72 Flare: 0/21.8 Cg: No obs. Ip: - Ig: 3
Solar Regions Sunspots		(13451) N07 (13457) S23 (13452) S18 (13449) N48

Jan. 26, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24

FLARES		
Bursts	cm	
	dm	
	m	
	Dkm	
SID		I
X-Rays		
Ap 500	Kp	3+ + 1o + 1- + 0+ + 1o + 1- + 1o + 1-
	sc	
Aurora	USSR	
	W.E.	
Cosmic Rays		
Green Corona Indices		E Limb 7 days earlier: NE- no data SE- no data W Limb 7 days later: NW- no data SW- no data Rz: 7 10cm flux: 73 Flare: 0/23.0 Cg: 3.7 Ip: 0 Ig: 0
Solar Regions Sunspots		

Jan. 27, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24

FLARES		
Bursts	cm	
	dm	
	m	
	Dkm	
SID		
X-Rays		
Ap 14	Kp	1- + 3- + 3- + 4- + 3- + 3+ + 4- + 2+
	sc	
Aurora	USSR	
	W.E.	
Cosmic Rays		
Green Corona Indices		E Limb 7 days earlier: NE- no data SE- no data W Limb 7 days later: NW- no data SW- no data Rz: 0 10cm flux: 72 Flare: 0/21.4 Cg: 2.5 Ip: - Ig: 2
Solar Regions Sunspots		13445 N04 (2) (13454) N23 (19543) N04 (Bp 3 CMP Jan. 26

Jan. 28, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24

FLARES		
Bursts	cm	
	dm	
	m	
	Dkm	
SID		
X-Rays		
Ap 12	Kp	5- + 3+ + 3- + 2o + 2o + 1o + 2o + 2-
	sc	
Aurora	USSR	
	W.E.	
Cosmic Rays		
Green Corona Indices		E Limb 7 days earlier: NE- SE- W Limb 7 days later: NW- SW- Rz: 7 10cm flux: 73 Flare: 0/22.8 Cg: 1.9 Ip: - Ig: 2
Solar Regions Sunspots		13443 S10 (13458) N06 (19542) S03 ap

Jan. 29, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24

FLARES		
Bursts	cm	
	dm	
	m	
	Dkm	
SID		
X-Rays		
Ap 60	Kp	2- 2+ 1+ 2o 2+ 1+ 1+ 1o
	sc	
Aurora	USSR	
	W.E.	
Cosmic Rays		
Green Corona		E. Limb 7 days earlier: NE- SE- W. Limb 7 days later: NW- SW- no data 245°-255°
Indices		Rz: 7 10cm flux: 73 Flare: 0/18.7 Ca: No Obs. Ip: 0 Ig: 0
Solar Regions		(13455) N23 (13456) N19 (13462) N35 (13467) S16
Sunspots		

Jan. 30, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24

FLARES		
Bursts	cm	
	dm	
	m	
	Dkm	
SID		
X-Rays		
Ap 70	Kp	2- 1+ 2- 2+ 1- 1o 2+ 3o
	sc	
Aurora	USSR	
	W.E.	
Cosmic Rays		
Green Corona		E. Limb 7 days earlier: NE- SE- W. Limb 7 days later: NW- SW-
Indices		Rz: 7 10cm flux: 73 Flare: 0/23.5 Ca: 1.6 Ip: 1 Ig: 2
Solar Regions		
Sunspots		

Jan. 31, 1975 00 UT 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24

FLARES		
Bursts	cm	
	dm	
	m	
	Dkm	
SID		
X-Rays		
Ap 16	Kp	2+ 1+ 1+ 3+ 2+ 4+ 4o 4o
	sc	
Aurora	USSR	
	W.E.	ϕ = 60° 1950-2100(Slow) central Scotland
Cosmic Rays		
Green Corona		E. Limb 7 days earlier: NE- SE- W. Limb 7 days later: NW- SW-
Indices		Rz: 0 10cm flux: 72 Flare: 0/23.9 Ca: 1.7 Ip: 0 Ig: 2
Solar Regions		
Sunspots		

REGIONAL FLARE INDEX

INCLUDES ALL FLARES

JANUARY 1975

MC MATH PLAGE NO.	LAT	CMP DATE	DATE FIRST FLARE	DATE LAST FLARE	FLARE-INDEX SUM	FLARE-INDEX MEAN	TOTAL NO. OF FLARES
13400	S 9	75/01/04.2	74/12/29	75/01/06	11.71	1.30	9
13414	N 9	75/01/04.4	75/01/06	75/01/10	6.91	1.38	3
13409	N 6	75/01/07.8	75/01/01	75/01/12	47.08	3.92	11
13411	N12	75/01/09.0	75/01/05	75/01/06	5.70	2.85	3
13423	N16	75/01/15.1	75/01/09	75/01/19	32.90	2.99	13
13422	N 4	75/01/15.8	75/01/12	75/01/19	71.56	8.95	14
--	N16	75/01/16.7	75/01/22	75/01/22	1.18	1.18	3
13421	S12	75/01/17.0	75/01/10	75/01/10	0.43	0.43	1
13439	N 7	75/01/20.1	75/01/18	75/01/24	22.75	3.25	7
13438	N 9	75/01/23.9	75/01/21	75/01/21	5.44	5.44	1

Note:
Because of differences in method of calculation, the dates of Central Meridian Passage for the McMath Plage Regions vary somewhat from those given elsewhere. Any region not listed here produced no flares during its disk passage.

SGD 372 Part II (Comprehensive)

MISCELLANEOUS DATA

Contents

Page

Daily Solar Activity Centers
X-ray - OSO-5 -- March, April 1975 (Addenda) 23

Geomagnetic Indices
Equatorial Indices Dst - May 1975 24

Note: OBSERVATIONS IN MARCH AT 25/0250-0343 UT, 27/0125-0231 UT, 28/0229-0340 UT and 29/0100-0200 UT SHOW NO ACTIVITY.

26 APRIL 1975

UNIVERSITY COLLEGE LONDON
LEICESTER UNIVERSITY
OSO-5

9·6-11·1Å X-RAYS



0100-0246 UT

RES = 2 ARC MIN
UNIT = 10^{-4}ERG/CM^2/SEC

27 APRIL 1975

UNIVERSITY COLLEGE LONDON
LEICESTER UNIVERSITY
OSO-5

9·6-11·1Å X-RAYS



0106-0143 UT

RES = 2 ARC MIN
UNIT = 10^{-4}ERG/CM^2/SEC

28 APRIL 1975

UNIVERSITY COLLEGE LONDON
LEICESTER UNIVERSITY
OSO-5

9·6-11·1Å X-RAYS



0522-0658 UT

RES = 2 ARC MIN
UNIT = 10^{-4}ERG/CM^2/SEC

29 APRIL 1975

UNIVERSITY COLLEGE LONDON
LEICESTER UNIVERSITY
OSO-5

9·6-11·1Å X-RAYS



0054-0808 UT

RES = 2 ARC MIN
UNIT = 10^{-4}ERG/CM^2/SEC

30 APRIL 1975

UNIVERSITY COLLEGE LONDON
LEICESTER UNIVERSITY
OSO-5

9·6-11·1Å X-RAYS



0035-0157 UT

RES = 2 ARC MIN
UNIT = 10^{-4}ERG/CM^2/SEC

23
Misc
Apr 75

HOURLY EQUATORIAL Dst VALUES (PROVISIONAL)

MAY 1975

NASA/GODDARD SPACE FLIGHT CENTER

(Time-UT) (Units-Gammas)

DAY	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
1	-1	0	1	4	5	4	12	17	14	8	10	9	3	3	2	-2	-3	-3	-5	-9	-5	-4	2	6
2	10	7	10	9	0	-5	1	-1	-3	-13	-15	-11	-14	-16	-22	-25	-25	-23	-28	-27	-24	-21	-16	-20
3	-22	-18	-19	-25	-32	-30	-31	-31	-23	-18	-15	-15	-13	-21	-27	-23	-18	-17	-20	-21	-19	-17	-12	-14
4	-13	-14	-9	-8	-7	-11	-13	-12	-7	-6	-11	-13	-14	-12	-11	-10	-10	-9	-12	-14	-14	-17	-24	-31
5	-36	-36	-33	-35	-38	-32	-23	-27	-19	-19	-20	-19	-18	-14	-16	-15	-12	-16	-18	-25	-29	-23	-18	-16
6	-23	-29	-29	-38	-50	-42	-37	-37	-40	-38	-34	-34	-37	-36	-37	-35	-31	-34	-36	-33	-31	-35	-23	-20
7	-21	-21	-22	-21	-20	-16	-11	-13	-11	-6	-7	-19	-26	-25	-23	-28	-32	-28	-22	-21	-21	-24	-25	-21
8	-18	-18	-16	-15	-17	-21	-19	-17	-18	-16	-11	-11	-9	-11	-14	-15	-12	-13	-17	-23	-21	-21	-25	-15
9	-13	-14	-19	-24	-24	-24	-22	-26	-21	-18	-22	-18	-15	-18	-23	-21	-17	-18	-19	-15	-15	-16	-16	-21
10	-23	-18	-22	-36	-42	-41	-41	-35	-29	-31	-26	-27	-26	-27	-26	-28	-25	-26	-26	-27	-23	-27	-22	-18
11	-14	-14	-15	-15	-16	-13	-16	-14	-11	-12	-13	-15	-17	-16	-14	-13	-12	-13	-13	-15	-16	-17	-17	-16
12	-16	-14	-13	-13	-12	-12	-10	-8	-5	-3	-5	-5	-3	0	5	6	5	5	6	3	3	3	4	5
13	4	4	5	4	5	7	7	9	10	8	11	13	13	11	9	8	8	10	9	4	-2	1	-4	-48
14	-14	-15	-18	-19	-24	-24	-24	-24	-23	-23	-24	-28	-28	-26	-24	-24	-25	-27	-30	-29	-26	-25	-23	-21
15	-17	-18	-16	-16	-15	-15	-12	-10	-7	-5	-6	-6	-7	-10	-13	-13	-13	-13	-11	-8	-5	-4	-3	-3
16	-3	0	4	19	22	15	9	-10	-21	-15	-10	-4	-9	-10	-8	-8	-14	-14	-14	-9	-12	-8	-15	-10
17	-9	-8	-9	-11	-15	-20	-19	-16	-17	-15	-15	-13	-11	-12	-11	-9	-13	-12	-9	-5	-3	-3	-5	-9
18	-9	-12	-13	-13	-14	-15	-17	-13	-11	-7	-8	-8	-9	-8	-9	-9	-10	-10	-10	-6	0	0	0	0
19	0	3	1	-4	-9	-15	-15	-10	-13	-9	-6	-4	-6	-7	-4	-3	-2	-2	-1	2	10	18	20	31
20	32	38	-2	-23	-22	-21	-19	-18	-14	-21	-26	-20	-23	-24	-25	-28	-26	-21	-18	-15	-14	-14	-13	-12
21	-9	-16	-18	-19	-2	-17	-12	-10	-8	-5	-5	0	-4	-9	-12	-10	-9	-8	-9	-8	-12	-7	-6	-6
22	-3	-4	-5	-7	-9	-12	-10	-9	-8	-7	-4	-2	-3	-7	-6	-8	-8	-11	-14	-10	-7	-6	-7	-7
23	-3	-1	-2	-3	-6	-13	-14	-13	-8	-7	-5	-8	-11	-12	-11	-8	-10	-9	-8	-10	-9	-5	-4	-3
24	-1	-1	-3	-4	-5	-5	-8	-10	-4	-2	-1	-3	-3	-3	-4	-5	-6	-7	-6	-5	-4	1	0	-2
25	-6	-8	-8	-3	-3	-5	-4	-2	3	2	5	6	3	1	4	6	10	1	-14	-22	-29	-32	-31	-36
26	-36	-38	-34	-40	-35	-37	-39	-35	-26	-21	-18	-12	-10	-8	-8	-3	0	4	3	0	2	3	4	5
27	6	3	7	8	2	-3	4	14	18	21	22	19	6	-3	-3	-4	-7	-11	-9	-5	-5	-3	0	2
28	0	-1	-2	-7	-6	-7	-6	-4	-3	-5	-5	-3	-1	1	0	1	2	4	3	4	3	3	1	-1
29	2	1	-2	-5	-11	-10	-7	-4	0	-5	-1	2	5	8	7	1	-4	-12	-9	-10	-13	-15	-14	-11
30	-6	-3	-4	-8	-5	-10	-12	-14	-9	-7	-6	-5	-5	-5	-8	-9	-8	-8	-8	-5	-3	-3	-4	-6
31	-7	-5	-5	-4	-4	-1	-3	-1	1	2	3	6	5	2	-3	-4	-2	-2	-2	0	1	1	0	-2



Note: Beginning May 1975, new representations were adopted for the secular changes for the observatories used in deriving the Dst index to take into account the marked deviations in the secular change from the extrapolated values. This resulted in an apparent sudden change in the zero level of the provisional Dst index between the end of April (already published) and the beginning of May. We plan to issue tables and plots of revised provisional Dst for the past several months that do not contain such an artificial sudden change in the reference level.

UAG Series of Reports

Prepared by World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, Colorado, U.S.A.

These reports are for sale through the National Climatic Center, Federal Building, Asheville, NC 28801, Attn: Publications. Subscription price: $25.20 a year; $12.00 additional for foreign mailing; single copy price varies. These reports are issued on an irregular basis with 6 to 12 reports being issued each year. Therefore, in some years the single copy rate will be less than the subscription price, and in some years the single copy rate will be more than the subscription price. Make check or money order payable to: Department of Commerce, NOAA.

Some issues are now out of print and are available only on microfiche as indicated. Requests for microfiche should be sent to World Data Center A for Solar-Terrestrial Physics, NOAA, Boulder, Co 80302, with check or money order made payable to Department of Commerce, NOAA.

UAG-1 "IQSY Night Airglow Data", price $1.75.
UAG-2 "A Reevaluation of Solar Flares, 1964-1966", price 30 cents.
UAG-3 "Observations of Jupiter's Sporadic Radio Emission in the Range 7.6-41 MHz, 6 July 1966 through 8 September 1968", microfiche only, price 45 cents.
UAG-4 "Abbreviated Calendar Record 1966-1967", price $1.25.
UAG-5 "Data on Solar Event of May 23, 1967 and its Geophysical Effects", price 65 cents.

UAG-6 "International Geophysical Calendars 1957-1969", price 30 cents.
UAG-7 "Observations of the Solar Electron Corona: February 1964-January 1968", price 15 cents.
UAG-8 "Data on Solar-Geophysical Activity October 24-November 6, 1968", price (includes Parts 1 and 2) $1.75.
UAG-9 "Data on Cosmic Ray Event of November 18, 1968 and Associated Phenomena", price 55 cents.
UAG-10 "Atlas of Ionograms", price $1.50.

UAG-11 "Catalogue of Data on Solar-Terrestrial Physics" (now obsolete).
UAG-12 "Solar-Geophysical Activity Associated with the Major Geomagnetic Storm of March 8, 1970", price (includes Parts 1-3) $3.00.
UAG-13 "Data on the Solar Proton Event of November 2, 1969 through the Geomagnetic Storm of November 8-10, 1969", price 50 cents.
UAG-14 "An Experimental, Comprehensive Flare Index and Its Derivation for 'Major' Flares, 1955-1969", price 30 cents.
UAG-15 "Catalogue of Data on Solar-Terrestrial Physics" (now obsolete).

UAG-16 "Temporal Development of the Geographical Distribution of Auroral Absorption for 30 Substorm Events in each of IQSY (1964-65) and IASY (1969)", price 70 cents.
UAG-17 "Ionospheric Drift Velocity Measurements at Jicamarca, Peru (July 1967-March 1970)", microfiche only, price 45 cents.
UAG-18 "A Study of Polar Cap and Auroral Zone Magnetic Variations", price 20 cents.
UAG-19 "Reevaluation of Solar Flares 1967", price 15 cents.
UAG-20 "Catalogue of Data on Solar-Terrestrial Physics" (now obsolete).

UAG-21 "Preliminary Compilation of Data for Retrospective World Interval July 26 - August 14, 1972", price 70 cents.
UAG-22 "Auroral Electrojet Magnetic Activity Indices (AE) for 1970", price 75 cents.
UAG-23 "U.R.S.I. Handbook of Ionogram Interpretation and Reduction", price $1.75.
UAG-24 "Data on Solar-Geophysical Activity Associated with the Major Ground Level Cosmic Ray Events of 24 January and 1 September 1971", price (includes Parts 1 and 2) $2.00.
UAG-25 "Observations of Jupiter's Sporadic Radio Emission in the Range 7.6-41 MHz, 9 September 1968 through 9 December 1971", price 35 cents.

UAG-26 "Data Compilation for the Magnetospherically Quiet Periods February 19-23 and November 29 - December 3, 1970", price 70 cents.
UAG-27 "High Speed Streams in the Solar Wind", price 15 cents.
UAG-28 "Collected Data Reports on August 1972 Solar-Terrestrial Events", price (includes Parts 1-3) $4.50.
UAG-29 "Auroral Electrojet Magnetic Activity Indices AE (11) for 1968", price 75 cents.
UAG-30 "Catalogue of Data on Solar-Terrestrial Physics", price $1.75.

UAG-31 "Auroral Electrojet Magnetic Activity Indices AE (11) for 1969", by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Environmental Data Service, February 1974, 142 pages, price 75 cents.

UAG-32 "Synoptic Radio Maps of the Sun at 3.3 mm for the Years 1967-1969", by Earle B. Mayfield and Kennon P. White III, San Fernando Observatory, Space Physics Laboratory and Fred I. Shimabukuro, Electronics Research Laboratory, Laboratory Operations, The Aerospace Corporation, El Segundo, California, 90245, April 1974, 26 pages, price 35 cents.

UAG-33 "Auroral Electrojet Magnetic Activity Indices AE(10) for 1967", by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Environmental Data Service, May 1974, 142 pages, price 75 cents.

UAG-34 "Absorption Data for the IGY/IGC and IQSY", compiled and edited by A. H. Shapley, National Geophysical and Solar-Terrestrial Data Center, NOAA, Boulder, Colorado, U.S.A., W. R. Piggott, Science Research Council, Slough, U.K., and K. Rawer, Arbeitsgruppe für Physikalische Weltraumforschung, Freiburg, G.F.R., June 1974, 381 pages, price $2.00.

UAG-35 "Catalogue of Digital Geomagnetic Variation Data at World Data Center A for Solar-Terrestrial Physics", prepared by Environmental Data Service, NOAA, Boulder, Colorado, July 1974, 20 pages, price 20 cents.

UAG-36 "An Atlas of Extreme Ultraviolet Flashes of Solar Flares Observed Via Sudden Frequency Deviations During the ATM-SKYLAB Missions", by R. F. Donnelly and E. L. Berger, NOAA Space Environment Laboratory, Lt. J. D. Busman, NOAA Commissioned Corps, B. Henson, NASA Marshall Space Flight Center, T. B. Jones, University of Leicester, UK, G. M. Lerfald, NOAA Wave Propagation Laboratory, K. Najita, University of Hawaii, W. M. Retallack, NOAA Space Environment Laboratory, and W. J. Wagner, Sacramento Peak Observatory, October 1974, 95 pages, price 55 cents.

UAG-37 "Auroral Electrojet Magnetic Activity Indices AE(10) for 1966", by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Environmental Data Service, December 1974, 142 pages, price 75 cents.

UAG-38 "Master Station List for Solar-Terrestrial Physics Data at WDC-A for Solar-Terrestrial Physics", by R. W. Buhmann, World Data Center A for Solar-Terrestrial Physics, Juan D. Roederer, University of Denver, Denver, Colorado, M. A. Shea and D. F. Smart, A.F.C.R.L., Hanscom AFB, Massachusetts, December 1974, 110 pages, price $1.60.

UAG-39 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1971", by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Environmental Data Service, February 1975, 144 pages, price $2.05.

UAG-40 "H-Alpha Synoptic Charts of Solar Activity For the Period of Skylab Observations, May, 1973-March, 1974", by Patrick S. McIntosh, NOAA Environmental Research Laboratory, February 1975, 32 pages, price 56 cents.

UAG-41 "H-Alpha Synoptic Charts of Solar Activity During the First Year of Solar Cycle 20 October, 1964 - August, 1965", by Patrick S. McIntosh, NOAA Environmental Research Laboratory, and Jerome T. Nolte, American Science and Engineering, Cambridge, Massachusetts, March 1975, 25 pages, price 48 cents.

UAG-42 "Observations of Jupiter's Sporadic Radio Emission in the Range 7.6-80 MHz 10 December 1971 through 21 March 1975", by James W. Warwick, George A. Dulk, and Anthony C. Riddle, Department of Astro-Geophysics, University of Colorado, Boulder, Colorado 80302, April 1975, 49 pages, price $1.15.

UAG-43 "Catalog of Observation Times of Ground-Based Skylab-Coordinated Solar Observing Programs", compiled by Helen E. Coffey, World Data Center A for Solar-Terrestrial Physics, May 1975, 159 pages, price $3.00.

UAG-44 "Synoptic Maps of Solar 9.1 cm Microwave Emission from June 1962 to August 1973", by Werner Graf and Ronald N. Bracewell, Radio Astronomy Institute, Stanford University, Stanford, California 94305, May 1975, 183 pages, price $2.55.

UAG-45 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1972", by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Environmental Data Service, May 1975, 144 pages, price $2.10.

UAG-46 "Interplanetary Magnetic Field Data 1963-1974", by Joseph H. King, National Space Science Data Center, NASA Goddard Space Flight Center, Greenbelt, Maryland 20771, June 1975, 382 pages, price $2.95.

UAG-47 "Auroral Electrojet Magnetic Activity Indices AE(11) for 1973", by Joe Haskell Allen, Carl C. Abston and Leslie D. Morris, National Geophysical and Solar-Terrestrial Data Center, Environmental Data Service, June 1975, 144 pages, price $2.10.

USCOMM-NOAA-ASHEVILLE--8-29-75--950

AMERICAN REVOLUTION BICENTENNIAL
1776-1976